
STANLEY.



Commercial Hardware

PRICE LIST 71CH

EFFECTIVE: MAY 3, 2021

dormakaba 🚧

Table of Contents

| General Information | | |
|--------------------------------------|--------|---|
| Terms & Conditions | 3-4 | , |
| Limited Warranty | 5-6 | |
| BEST Masterkey Code and | | |
| Master Key Service Policy | 7-9 | |
| Return Order Request | 99 | |
| Return Authorizations 1 | 00-101 | E |
| Fulfillment Issues | 101 | |
| Quoting & Ordering | 97-98 | |
| Purchase Order | 102 | |
| Keying System Summary 1 | 04-105 | |
| | | I |
| Cylinders Keys & Keying | | |
| Keying Options | 10 | |
| Key Blanks | 11 | |
| Cut Keys | 12 | I |
| Uncombinated SFIC Cores & Key Blanks | 13 | |
| Cylinder Options | 14 | |
| Cylinder Parts | 15-16 | |
| | | |
| Cylindrical Locksets - Grade 1 | | |
| QCL100 Series | 18-23 | [|
| | | |
| Cylindrical Locksets - Grade 2 | | |
| QCL200 Series | 24-28 | [|
| | | |
| Interconnected Levers | | |
| QCI200 Series | 29-34 | [|
| | | |
| Tubular Locksets | | |
| QTL200 Series | 35-39 | I |
| | | |
| | | |
| | | |
| | | |

| Auxiliary Deadbolts - Grade 1 | |
|-------------------------------------|--------------|
| QDB100 Series | 40-44 |
| Auxiliary Deadbolts - Grade 2 | |
| QDB200 Series | 45-51 |
| Exit Devices & Trims - Heavy Duty | , |
| QED100 Series | 52-54; 57-60 |
| QRM100 Series | 61-62 |
| QET100 Series | 63-64; 67 |
| Exit Devices & Trims - Narrow Stile | 2 |
| QED200 Series | 55-56 |
| QET200 Series | 65-66 |
| Exit Devices & Trims - Standard De | uty |
| QED300 Series | 68-73 |
| QRM300 Series | 74-75 |
| QET300 Series | 76-78 |
| QRT300 Series | 79-81 |
| Door Closers - Extra Heavy Duty | |
| QDC100 Series | 82-85 |
| Door Closers - Heavy Duty | |
| QDC200 Series | 86-88 |
| Door Closers - Standard Duty | |
| QDC300 Series | 89-91 |
| Index | |
| Weights & Measurements | 93-96 |
| | |

TERMS AND CONDITIONS OF SALE

Acceptance. The following Terms and Conditions of sale are applicable to all Quotations, Contract, Purchase Orders, Order Acknowledgement Forms, and sales of Seller's services and products, and are the only applicable terms and conditions thereto, except for terms establishing prices, quantities, delivery schedules, terms of payment, invoicing, shipping instructions, and the identification of the products associated with each transaction. If any conflict exists between the Terms and Conditions and a Quotation, Purchase Order, Order Acknowledgment form, or sale, these Terms and Conditions shall prevail BY REQUESTING A QUOTATION OF ORDERING ANY PRODUCTS OR SER-VICES FROM SELLER, BUYER AGREES TO ALL THE FOLLOWING TERMS AND CONDI-TIONS. If a written contract signed by both parties is in existence covering the sale of the goods and services, the terms and conditions of the contract shall control to the extent they are inconsistent with these Terms and Conditions.

1. Order Procedure. Buyer may or may not request the preparation of a Quotation prior to ordering any products or services from Seller. Buyer then shall place a Purchase Order with Seller. By placing a Purchase Order, Buyer makes an offer to purchase products or services from Seller pursuant to these Terms and Conditions. Seller, in its discretion, may accept or reject the Purchase Order. If Seller accepts the Purchase Order, Seller shall issue an Order Acknowledgement Form confirming Buyer's order. No Purchase Order is binding on Seller unless accepted by Seller as provided in these Terms and Conditions.

2. Quotations. All Quotations by Seller are subject to change or withdrawal without prior notice to Buyer unless otherwise specifically stated in the Quotation. All resulting Purchase Orders become effective only if and when approved and accepted in writing by Seller by the issuance of its Order Acknowledgement Form. Seller reserves the right to discontinue manufacture of any products or change products materials, design, or specifications without notice.

3. Site Requirements.

a. The Quotation is contingent upon all work being performed during normal business hours unless otherwise negotiated and a mutually agreeable schedule. The Quotation is calculated on one continuous installation engagement based on acceptable site conditions where other dependent scopes have completed preparation for proposed materials (i.e. electrical work, floor work, adjacent construction). When Buyer has given authorization for work to begin, no other scopes may impede Seller's ability to complete installation in agreed upon area. Seller reserves the right to invoice for costs that are incurred due to unacceptable site conditions or delays by others resulting in additional installation visits.

b. Signed acceptance by Buyer of shop drawings and/or submittals shall be interpreted as acceptance that proposed scope is the correct interpretation of construction documents. Any field verification and/or work required by others as detailed in the submittal will be provided and coordinated by Buyer. Work shall not begin nor shall orders be placed for any projects until all shop drawings and submittals have been approved in writing by Buyer.

4. Warranty. For a period of twelve (12) months from the date of delivery, Seller warrants only that all products sold pursuant to a Quotation or Purchase Order will conform to the description in this Price Book and will be free from defects in workmanship and materials. Extended warranties are available for an additional cost. Seller is not responsible for defects or damages caused by wear and tear, consumable materials, vandalism, fires, storms, floods, acts of God, misuse, abuse or alteration by any company other than Seller. Seller further warrants that Buyer will receive good and valid title to the products. Any claim on account of nonconforming or defective products or for any other cause whatsoever shall conclusively be deemed waived by Buyer unless written notice thereof is given to Seller promptly after discovery but no later than sixty (60) days from date of shipment. Seller shall have the right either to replace or repair any nonconforming or defective products, to refund the purchase price upon return of the products, or to grant a reasonable allowance on account of such nonconformance or defect Seller's liability and Buyer's exclusive remedy for nonconforming or defective products shall be limited solely to replacement, repair, refund, or allowance as Seller may elect. Seller shall be given reasonable opportunity to investigate all claims and no materials shall be returned to Seller until after inspection and approval by Seller and receipt by Buyer of written shipping instructions from Seller. Buyer acknowledges and agrees that the remedies set forth in this paragraph are Buyer's exclusive remedies for the delivery of nonconforming or defective products.

Additional Warranties

a) No credit will be provided for any work completed by others during warranty term. b) Warranty work will be performed during normal business hours with our standard response times. Any warranty work taking place beyond normal business hours or with expedited response time may be billable.

c) Products repaired or replaced under the warranty are warranted only through the remainder of the original warranty period.

Disclaimer of Further Warranties. Except as set forth above, there is no warranty, representation, or condition of any kind, express or implied (including no warranty of merchantability or fitness of the products for any use contemplated by Buyer) concerning Seller's products or services and none shall be implied by law.

5. Limitation of Liability and Remedies. Seller shall not be liable, and Buyer waives all claims against Seller for any incidental, consequential, or special damages, including without limitation, lost revenues and profits even if Seller has been advised of the

possibility of such damages. Buyer's exclusive remedy for any cause of action under these Terms and Conditions is a claim for damages and in no event will damages or any other recovery of any kind against Seller exceed the purchase price of the specific products or services as to which the claim is made. Seller will not be liable to Buyer for any loss, damage, or injury to persons or property resulting from the handling, storage, transportation, resale, or use of the products in manufacturing processes, or in combination with other substances, or otherwise.

6. Intellectual Property Indemnification. (a) Seller agrees to defend, indemnify and hold Buyer harmless against any claims, costs, damages, liability and expenses resulting from actual or alleged patent, trademark, or copyright infringement, misappropriation of confidential information, or violation of any other intellectual property right, domestic or foreign, in the selling or use of any part or product that is owned by Seller and that pertains to the subject matter of a Quotation, Purchase Order, or sale of products or services (provided that the product is not modified in anyway by Buyer or any other party, and that the product is used in the manner intended by Seller). If a suit or claim results in any injunction or any other order that would prevent Seller from supplying any product falling under a Quotation, Purchase Order, or sale, or if the result of such a suit or claim would, in the reasonable opinion of Seller, otherwise cause Seller to be unable to supply such products, Seller shall have the right, at its option, if it so chooses, to do one or more of the following: (i) secure an appropriate license to permit Seller to continue supplying the products to Buyer; (ii) modify the relevant product so that it becomes non-infringing, provided that any modification does not cause any material change to the operation or performance of the product; or (iii) replace the relevant product with a non-infringing but practically equivalent product. (b) Buyer agrees to defend, indemnify, and hold Seller harmless against any claims, costs, damages, liability and expenses resulting from actual or alleged patent, trademark, or copyright infringement, misappropriation of confidential information, or violation of any other intellectual property right, domestic or foreign, in the making, using or selling of any product or using any process that is owned by Buyer or is designed or specified by Buyer and that pertains to the subject matter of a Quotation, Purchase Order, or sale. 7. Ownership of Inventions. All drawings, know-how, designs, confidential information, and the like disclosed to Buyer by Seller and all rights therein will remain the property of Seller. Buyer shall have no claim to, ownership interest in, no license to, or no rights to any information provided or communicated by Seller.

8. Lead Times. If applicable, lead times are based on standard requirements by factory to provide materials proposed. Ship dates will be provided as estimate only once order is placed with the factory. Adequate packaging will be provided for any normal shipping circumstance such that materials will be protected and labeled as required. Special packaging may be provided for an additional expense. Shipping will be cost effective unless expedited fees are accepted by Buyer. If materials are to be provided to job site or Buyer location, dormakaba will make an informed decision as to the best instruction to provide the shipping company. If materials are not required to have direct delivery, materials will be brought to branch for pickup by Buyer. All freight terms shall be FOB. Any claims for damage in transit or lost freight, receiving, and inspection of materials is the responsibility of Buyer. It is a requirement of Buyer to inspect and review all materials prior to accepting shipment.

9. Title/Risk of Loss. All products shall be shipped FOB Seller's manufacturing facility to Buyer's designated delivery location. Unless otherwise agreed by the parties, Seller shall select the method of and carrier for the products. Seller reserves the right to ship items in a single or in multiple shipments. Title and risk of loss to products ordered passes to Buyer upon delivery of the products to the freight carrier. Unless mutually agreed upon in writing, shipping dates are approximate and are based upon prompt receipt of all necessary information.

10. Prices. Quoted price is valid for 90 days. Seller reserve the right to revise quotations after the 90 days. All accepted Purchase Orders are subject to Seller's price in effect at time of shipment. Buyer shall be responsible for any increase in freight rates or transportation charges occurring after Seller prepared the Order Acknowledgment Form. on the Order Acknowledgment Form. Buyer shall pay to Seller in addition to the purchase price the amount of all fees, duties, licenses, and all sales, use, privilege, occupation, excise, or other taxes, federal, state, local, or foreign which Seller is required to pay or collect in connection with products or services sold to Buyer.

11. Payments. Unless otherwise agreed in writing between the parties, all Seller's invoices are payable within thirty (30) days of their date. Time is of the essence. Interest on past due amounts will be assessed at the rate of 1.5% per month (18% per annum), or the maximum allowable by law. Seller reserves the right to full payment upon completion of work unless credit is pre-established. For any work requiring materials purchase or scheduling, a 50% deposit is due at time of proposal acceptance. Twenty percent (20%) of the Quotation, Purchase Order value may be billed after job award. Joint check agreements may be requested at the discretion of Seller. If payment is outstanding for any one account, work may be stopped and outstanding orders cancelled until account is restored. Should Seller require the use of collection, attorney's fees, or fees for insufficient funds, Buyer agrees that these funds will be repaid to Seller. Seller reserves the right to file a lien against all or part of the property being improved. Seller reserves the right to add a 2.5% charge if invoice becomes delinquent beyond terms.

12. Cancellation. In the event a Buyer's Purchase Order and the issuance of an Order

May 2021

TERMS AND CONDITIONS OF SALE (continued)

Acceptance Form is cancelled, it will be subject to standard 20% restocking fees, cancellation fees, engineering fees, materials & freight costs incurred, and administrative fees. Standard cancellation is 20% of order as long as no materials have been ordered. Should Buyer release material orders, Buyer will be liable for that portion of the job and 20% of the remaining amount of work unperformed/unordered.

13. Storage. If applicable, Seller reserves the right to implement a storage fee if delivery is delayed after agreed upon date. Should project timeline require storage of materials, Seller reserves the right to bill for those materials at the time they have been received at a Seller location, Buyer location, or at job site. Certificate of insurance for stored materials can be provided to Buyer upon request. Signed acceptance by Buyer of shop drawings and/or submittals shall be interpreted as acceptance that proposed scope is the correct interpretation of construction documents. Any field verification and/or work required by others as detailed in the submittal will be provided and coordinated by Buyer.

14. Insolvency. Seller may, at any time or times, suspend performance of any order or require payment in cash, security, or other adequate assurance satisfactory to Seller when, in Seller's opinion, the financial condition of Buyer or other grounds for insecurity, including the filing of a petition for bankruptcy, warrant such action.

15. Force Majeure. Seller shall not be liable for any delay in fulfilling any order due to (a) fires, floods, strikes, or other labor disputes, accidents to machinery, acts of sabotage, riots, precedence or priorities granted at the request or for the benefit, directly or indirectly, of the federal or any state government or any subdivision or agency thereof, delays in transportation or lack of transportation facilities, restrictions imposed by federal or state legislation or rules of regulations thereunder; or (b) any cause beyond the control of Seller.

16. Ownership of Equipment. Unless otherwise agreed in a writing, all material, equipment, facilities, and special tooling, which term includes but is not limited to jigs, dies, fixtures, molds, patterns, special taps, special gauges, special test equipment, and manufacturing aids and replacements thereof, used in the manufacture of the products covered by any order shall remain the property of Seller. Any material, tooling, and equipment furnished to Seller by Buyer shall be and remain the personal property of Buyer with the title to and right of possession remaining in Buyer.

17. Confidential Information. All information furnished or made available by Seller to Buyer in connection with a transaction shall be held in confidence by Buyer. Buyer agrees not to use such information or disclose such information to others without Seller's prior written consent. The obligations of this paragraph does not apply to any information which (a) at the time of disclosure was, or thereafter becomes, generally available to the public by publication or otherwise through no breach by Buyer of any obligation herein, (b) Buyer can show by written records was in Buyer's possession prior to disclosure by the disclosing party, (c) is legally made available to Buyer by or through a third party having no direct or indirect confidentiality obligation to Seller with respect to such information, (d) was independently developed by Buyer without use of any of Seller's confidential information, or (e) is required to be disclosed pursuant to applicable law.

18. Waiver. No waiver by Seller of any of these Terms and Conditions shall be effective unless explicitly set forth in writing and signed by Seller. No failure to exercise, or delay in exercising, any rights, remedy, power, or privilege arising from these Terms and Conditions shall operate or be construed as a waiver thereof, nor shall any single or partial exercise of any right, remedy, power, or privilege hereunder preclude any other or further exercise thereof or the exercise of any right or interest or delegation of any obligation or performance of Buyer under this order may be made without the prior written consent of Seller. Any attempted assignment or delegation will be wholly void and totally ineffective for all purposes.

20. Choice of Law. All sales, agreements for sale, offers to sell, proposals, acknowledgments and contracts of sale, including, but not limited to, Purchase Orders accepted by Seller, shall be considered a contract under the laws of the State of Delaware, and the rights and duties of all persons, and the construction and effect of all provisions hereof, shall be governed by and construed according to the laws of the State of Delaware.

21. Integration Clause. These Terms and Conditions constitute the entirety of terms and conditions, except as set forth in paragraph one, governing the sale and purchase of products and services sold by Seller. No modification of these Terms and Conditions shall be of any force or effect unless in writing and signed Seller and Buyer. Buyer may desire to utilize its own form of acknowledgment or acceptance of these Terms and Conditions shall be for convenience only. No modification of these Terms and Conditions shall be affected by the acknowledgment or acceptance of purchase orders, shipping instruction forms, bills of lading or any other document containing terms or conditions at variance with or in addition to those set forth herein, all such varying or additional terms being hereby objected to and rejected by Seller and deemed to be waived by Buyer.

Rev 3-21

LIMITED WARRANTY

What is Covered: dormakaba USA Inc. ("dormakaba USA") warrants that the Products manufactured by dormakaba USA, identified below, and sold under its trade name "STANLEY COMMERCIAL HARDWARE" are free of defects in materials and workmanship as outlined below. The sole and exclusive liability of dormakaba USA under this warranty is limited to the repair or replacement of any Product or component part covered by the warranty at the sole discretion of dormakaba USA

Who is Covered: This warranty is extended only to dormakaba USA's distributors of products and the end user who purchases products for purposes other than resale (collectively, "Purchaser").

Hardware Warranty Period:

QCL Cylindrical Lock, QTL Tubular Lock, Mortise Lock, QCI Inter connected Lock, QDB Auxiliary Deadbolt, QDC Door Closers, QED Exit Devices, QET/QRT Exit Trim, QGI Inter connected Lock, QGT Tubular Lock, QGD Deadbolt and QRM Mullions shall have the following warranty periods:

- Mechanical products warranty term shall be limited lifetime for a period of the useful life of the building in which the products are originally installed.
- Electrical products shall be warranted for one (1) year from the date of sale.

6CS and 7CS products shall have the following warranty period:

• Three (3) years from the date of sale.

Finishes shall be warranted for three (3) years from the date of sale excluding US10B/613 "Oil Rubbed Bronze" finish.

<u>Warranty Claims</u>: Any Products believed to be defective as covered by this warranty may not be returned without prior written Returned Materials Authorization (RMA) from dormakaba USA Product Support (855) 365-2407 covering specific items and quantities within thirty (30) days from the discovery of the alleged defect(s). dormakaba USA will inform the purchaser where to ship said Product(s), shipping charges prepaid by you, for examination. In the event such examination reveals a defect covered by this warranty; dormakaba USA will, at its sole option, repair or replace the Product, and return it or its replacement to the purchaser, with charges only for shipping.

Exclusions: This warranty specifically excludes, and Best shall not be held responsible for the following:

- a) COSTS ASSOCIATED WITH INSTALLING, REMOVING OR REINSTALLATION OF THE PRODUCT.
- b) Damage caused by Product malfunction or failure attributable to acts of God.
- c) Improper use or installation.
- d) Poor or no maintenance.
- e) Work performed by someone other than an Authorized dormakaba USA technician.
- f) Failure to follow dormakaba USA's operating instructions or environmental specifications.
- g) Incorrect application, modification, vandalism, erosion or corrosion, shipping and/or handling, improper storage, accident, misuse, abuse or any other cause not within the control of dormakaba USA.
- h) This warranty is void if any modification is made to the warranty product, regardless of whether the modification causes or contributes to the alleged defect. All modifications are made at the risk and expense of the party making the modifications.
- i) dormakaba USA shall not be liable for any repairs, replacements, or adjustments to the product or any costs of labor performed by the Purchaser or others without dormakaba USA's prior written approval.
- j) dormakaba USA provides no warranty or guarantee that its cores and/or cylinders will function properly or be mechanically compatible with products not manufactured by dormakaba USA.
- k) US10B/613 finish is considered to be a living finish that will change over time with use and age and is expressly excluded from this warranty. The finish changes that occur are indicative of normal wear and tear and reflect the essence of a living finish. The finish changes are not considered manufacturing defects and are not covered by this warranty.

LIMITED WARRANTY (continued)

Third Party Warranty: Except as otherwise provided above, dormakaba USA makes no warranty, express or implied, with regard to third party hardware or software and expressly disclaims the implied warranties or conditions of merchantability or merchantable quality, fitness for a particular purpose, title, infringement and those arising by statute or otherwise in law. Customer's sole recourse for warranty claims is with the manufacturer of the Product. However, dormakaba USA agrees to pass through any third-party warranty that dormakaba USA receives from the manufacturer of the Products to Purchaser. The extent of any third-party warranty details, terms and conditions, remedies and procedures may be expressly stated on, or packaged with, or otherwise accompanying the Products.

LIMITATION OF WARRANTIES: THIS WARRANTY IS GIVEN EXPRESSLY AND IN PLACE OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR PARTICULAR PURPOSE. THERE ARE NO UNDERSTANDINGS, AGREEMENTS, REPRESENTA-TIONS, OR WARRANTIES NOT SPECIFIED HEREIN.

dormakaba USA SHALL NOT, IN ANY EVENT, BE LIABLE FOR ANY CONSEQUENTIAL, INCIDENTAL, INDIRECT, SPECIAL OR PUNITIVE DAMAGES SUFFERED BY PURCHASER OR ANYONE CLAIMING BY, THROUGH OR UNDER PURCHASER, AS A RESULT OF THE CONDITION OF THIS PRODUCT, OR ANY PART OR PORTION THEREOF.

SOME STATES DO NOT ALLOW LIMITATIONS ON HOW LONG AN IMPLIED WARRANTY LASTS OR PROHIBIT THE EXCLUSION OR LIMITATION OF INCIDEN-TAL OR CONSEQUENTIAL DAMAGES, SO THE ABOVE LIMITATION AND EXCLUSIONS MAY NOT APPLY IN YOUR STATE.

THIS WARRANTY IS GOVERNED BY THE LAW OF THE STATE OF INDIANA WITHOUT REGARD TO ITS CONFLICTS OF LAW PRINCIPLES. dormakaba USA AND PURCHASER AGREE THAT THE UNITED NATIONS CONVENTION ON CONTRACTS FOR THE INTERNATIONAL SALE OF GOODS SHALL NOT APPLY TO SALE OF THE PRODUCTS COVERED BY THIS WARRANTY.

May 2018

BEST MASTERKEY CODE AND MASTERKEY SERVICE POLICY

I. DISTRIBUTOR MASTERKEY SERVICES

All dormakaba USA Inc. ("dormakaba USA") Authorized Distributors, Aftermarket Wholesalers, and Locksmiths ("Authorized Distributors") can create, modify or extend masterkey codes for the benefit of their end user customers ('End Users") for Best non-patented masterkey systems; provided, however, the services must be performed in line with industry standards. With the express written permission of dormakaba USA, select Authorized Distributors can create, modify or extend masterkey codes for the benefit of End Users for a Best Patented Masterkey System (pursuant to the terms and conditions of Section C below). Authorized Distributor's failure to comply with the terms of this policy could result in dormakaba USA's termination of its Distributor Agreement as well as dormakaba USA's pursuit of any remedies available at law.

A. END USER INFORMATION AND CODE RELEASE:

All masterkey codes (both patented and non-patented) previously generated by dormakaba USA are available for distribution to End Users (and/or their designated Authorized Distributor, if applicable) via the End User Web Portal at http://masterkeycodeportal. bestaccess.com/Login.aspx. For a hard copy of the End User Information and Code Release Form, please contact your dormakaba USA End User Consultant. End user codes will be distributed solely to those Authorized Distributors (a) identified by the End User on a fully executed End User Information and Code Release Form received by Best, and (b) for the release of Best Patented Masterkey Codes, the Authorized Distributor is authorized by dormakaba USA to receive and process Best Patented Masterkey Codes (as more fully described in Section C below.) No exceptions will be made to this policy.

B. BEST NON-PATENTED MASTERKEY SYSTEM

As of September 4, 2012, dormakaba USA no longer requires a Security Authorization Form to be signed by the End User prior to dormakaba USA and/or its Authorized Distributor accepting core and key orders for non-patented keying systems. All valid End User communications for orders related to non-patented keying systems will be fulfilled at the End User's liability.

C. BEST PATENTED MASTERKEY SYSTEM

The Best Patented Masterkey System provides a higher level of protection against unauthorized key duplication and crossovers and, in order to maintain the quality of a Best Patented Masterkey System, the following terms and conditions of this policy shall apply to any and all Authorized Distributors with access to Best Patented Masterkey Systems. For the purpose of this policy, "Best Patented Product" shall mean the Best Cormax (including cores and keys), as well as any and all future product dormakaba USA designates as patented product for the purpose of this policy. "Best Patented Masterkey Systems" and "Best Patented Masterkey Codes" shall mean the respective masterkey system or codes of any Best Patented Masterkey Product.

Sale of Best Patented Product: As further described in this <u>Section C</u>, only those Authorized Distributors meeting certain necessary qualifications and standards shall be selected by dormakaba USA to sell Best Patented Product. Selection shall be

at the sole discretion of dormakaba USA and shall be evidenced in writing via the Distributor Agreement or its select addendums.

Best Patented Security Authorization Form: It is a responsibility of the Authorized Distributor to ensure that Best Patented Product does not end up in the possession of unauthorized individuals or entities. The Authorized Distributor must ensure that the End User completes a Best Patented Masterkey System Security Authorization Form (the "Security Authorization Form") as outlined in this Section C. The Security Authorization Form designates those individuals within the End User's organization that are authorized to place orders with the Authorized Distributor for Best Patented Product. The Security Authorization Form must be completed and signed by the End User.

It is the Authorized Distributor's full responsibility to validate the End User's signature as identified on the <u>Security Authorization</u> <u>Form</u> prior to accepting any orders for Best Patented Product.

In certain circumstances the Authorized Distributor selling the Best Patented Product will not contract directly with the End User. In these circumstances, the Authorized Distributor is required to work with its reseller to ultimately ensure that the End User submits a signed <u>Security Authorization Form</u> to dormakaba USA.

dormakaba USA shall have the right to audit all Security Authorization Forms maintained by the Authorized Distributors for completeness, accuracy and compliance with this Policy.

Sale of Combinated Best Patented Product through Distributor: dormakaba USA may authorize select Authorized Distributor to purchase and resell to an End User Best Patented Product that has been combinated by dormakaba USA Personnel. In this instance, a Security Authorization Form must be completed and signed by the End User and provided by the Authorized Distributor to dormakaba USA with each Best Patented Product order.

Stocking of Best Patented Product: dormakaba USA may authorize select Authorized Distributors to purchase and stock Best Patented Product and have access to Best Patented Masterkey Codes by entering into a <u>Best Patented Masterkey System Distributor</u> <u>Agreement Addendum</u> (the "Authorized Stocking Distributor") As a condition to the Authorized Stocking Distributor's continued access to Best Patented Masterkey Codes, it must comply at all times with the <u>Best Patented Key Systems Security Procedure</u>. In addition, it is the responsibility of the Authorized Stocking Distributor to ensure that they have a completed <u>Security Authorization Form</u> on file for each End User that places an order with the Authorized Stocking Distributor for Best Patented product and that the Authorized Stocking Distributor authenticates the signature of each Best Patented Product order utilizing the <u>Security Authorization Form</u>.

BEST MASTERKEY CODE AND MASTERKEY SERVICE POLICY (continued)

Best Patented Masterkey Code Generation: To assist in reducing the possibility of duplication within a keying system and ensure security, all Best Patented Masterkey Codes must be created, modified and/or extended by Best's masterkey personnel and/or an Authorized Stocking Distributor. The unauthorized duplication or release of Best Patented Masterkey Codes to non-authorized people or organizations, including, but not limited to, unauthorized distributors, wholesalers, private locksmiths, other lock manufacturers, architects, or contractors, is a violation of this policy as well as the infringement of patent rights and other intellectual property rights of dormakaba USA. In addition to any other recourse available under law, the unauthorized release of Best Patented Masterkey Codes by any Authorized Stocking Distributor shall result in immediate termination.

Best Patented Masterkey System Exclusive Keyways: Upon request from an End User to release Best Patented Masterkey Codes previously generated by dormakaba USA that are on an exclusive keyway, dormakaba USA will send a notification to the End User reminding them that their patented codes are on an exclusive keyway. dormakaba USA will provide a copy of this notice to the Authorized Stocking Distributor. To assist in reducing the possibility of duplication within an End User exclusive keying system and ensure security, all exclusive Best Patented Masterkey Codes must be created, modified and/or extended and recorded in dormakaba USA's BESTCode masterkey code management tool.

Should dormakaba USA approve an Authorized Stocking Distributor to establish a Best Patented Masterkey System on an exclusive keyway, the Authorized Stocking Distributor shall be required to sign a <u>Best Patented Masterkey System Exclusive</u> <u>Keyway Addendum</u>. To assist in reducing the possibility of duplication within a Distributor exclusive keying system and ensure security, all exclusive Best Patented Masterkey Codes must be created, modified and/or extended and recorded in dormakaba USA's BESTCode masterkey code management tool.

Copies of Best Patented Masterkey Codes: dormakaba USA shall have a right to a copy of all Best Patented Masterkey Codes that have been originated, modified, extended or otherwise maintained by the Authorized Stocking Distributor in the dormakaba USA BESTCode system in order for dormakaba USA to be able to provide continued support either directly, or indirectly, to the End User.

II. BEST MASTERKEY SERVICES

A. BEST MASTERKEY SERVICES PROVIDED TO DISTRIBUTOR:

dormakaba USA, upon request and at its sole discretion, may provide select masterkey services to an Authorized Distributor for both non-patented masterkey systems and Best Patented Masterkey Systems. In order for an Authorized Distributor to place an order for the extension of, or modification to, a masterkey system previously created or maintained by dormakaba USA, the End User must have selected that Authorized Distributor as its authorized designee in the End User Information & Code Release Form received by dormakaba USA. Complete keying instructions must be given before a Best order can be properly acknowledged with an estimated delivery date. dormakaba USA reserves the right to charge for the service of a customized masterkey security solution with the purchase of a Best product. A masterkey service charge will be assessed for each order for cylinders or cores for use in non-Best manufactured locks for which Best has an equivalent product. Best Patented Masterkey System products shall not be provided without the associated masterkey services being provided by dormakaba USA. All Masterkey Services provided by dormakaba USA shall be subject to the terms and conditions of the Best Masterkey Service Order Acknowledgment which shall be provided upon acceptance of the order for Masterkey Services.

B. BEST BESTCODE:

dormakaba USA may, in its sole discretion, make available its BESTCode masterkey code management tool to select Authorized Distributors that meet certain training and certification requirements. If offered, BESTCode will be made available for an annual subscription fee as outlined in the Best pricing catalog. All codes made available to Authorized Distributors in the BESTCode system shall be subject to the BESTCode User License Agreement and will be provided in accordance with this Policy. The BESTCode masterkey code management tool is not available for use with Stanley Commercial Hardware products.

BEST MASTERKEY CODE AND MASTERKEY SERVICE POLICY

III. FORMS

For a copy of the following forms please contact the dormakaba USA End User Consultant.

- End User Information and Code Release Agreement
- Best Patented Masterkey System Distributor Agreement Addendum (Exhibit B)
- Best Patented Masterkey System Security Authorization Form
- Best Patented Key Systems Security Procedure
- Best Patented Masterkey System Exclusive Keyway Addendum
- Best Patented Masterkey System End User Specific Distributor Agreement Addendum (Exhibit D)

dormakaba USA reserves the right to change, modify or update this Policy at any time, in its sole discretion.

Keying Guide | Keying Options | Key Stamping

KEYING OPTIONS

| Order | Description | Qty | List Price |
|-------|---|-----|------------|
| KD | Keyed Different | 1 | NC |
| KA | Keyed Alike | 1 | NC |
| МК | Master Keyed (One Level Only) | 1 | 18.00 |
| СК | Construction Keyed (AKA as Protecto Keying) | 1 | 18.00 |
| СМК | Construction & Master Keyed | | 18.00 |
| MAIS | Maison Keyed / Cross Keyed | 1 | 18.00 |
| GMK | Grand Master Keyed | 1 | 18.00 |
| GGMK | Great Grand Master Keyed | 1 | 18.00 |

KEY STAMPING OPTIONS

| Order | Description | Qty | List Price |
|-------|--|-----|------------|
| VCK0 | No bitting or keyset stamping on keys | 1 | NC |
| VCK1 | Visual Key Stamping (Keys Only) | 1 | NC |
| VCK2 | Special Key Stamping (Other than standard symbols) | 1 | 6.90 |
| VCK3 | Visual Key Control (Cylinder Face Only - Levers and Deadbolts) | 1 | 6.90 |
| VCK4 | Visual Key Control (Keys & Cylinder Face) | 1 | 13.00 |
| DND | Keys stamped with "Do Not Duplicate" | 1 | NC |
| CKC2 | Concealed Key Control (Cylinders & VKC Keys) | 1 | 13.00 |
| СКСЗ | Concealed Key Control (Cylinders Only) | 1 | 13.00 |

- Maximum Characters: Keys - 6

Cylinder Face - 4 CKC Cylinders - 6

Keying Guide | Key Blanks

KEY BLANKS (SOLD IN QUANTITIES OF 50)

| Description | Each | Service Part # | List Price |
|---|------|----------------|------------|
| 6-PIN KEY BLANKS | | | |
| Kwikset KW 6-Pin Blank (STANLEY Bow, Embossed One Side) | 1 | 6AQ1KW16 | 2.80 |
| Weiser WE 6-Pin Blank (STANLEY Bow, Embossed One Side) | 1 | 6AQ1WE16 | 2.80 |
| Schlage SC 6-Pin Blank (STANLEY Bow, Embossed One Side) | 1 | 6AQ1SC16 | 2.80 |
| Sargent LA 6-Pin Blank (Ilco Standard Bow) | 1 | 6AQ1LA16 | 2.80 |
| Yale GA 6-Pin Blank (Ilco Standard Bow) | 1 | 6AQ1GA16 | 2.80 |
| STANLEY BF 6-Pin Blank (Ilco Bow, Do Not Duplicate) | 1 | 6AQ1BF16DND | 2.80 |
| Kwikset KW 6-Pin Blank (STANLEY Bow, Embossed One Side, Do Not Duplicate) | 1 | 6AQ1KW16DND | 2.80 |
| Weiser WE 6-Pin Blank (STANLEY Bow, Embossed One Side, Do Not Duplicate) | 1 | 6AQ1WE16DND | 2.80 |
| Schlage SC 6-Pin Blank (STANLEY Bow, Embossed One Side, Do Not Duplicate) | 1 | 6AQ1SC16DND | 2.80 |
| 5-PIN KEY BLANKS | | | |
| Kwikset KW 5-Pin Blank (STANLEY Bow, Embossed One Side) | 1 | 6AQ1KW15 | 2.80 |
| Kwikset KW 5-Pin Blank for QDB288 Control Cylinder | 1 | 6AQ2KW15 | 2.80 |
| Weiser WE 5-Pin Blank (STANLEY Bow, Embossed One Side) | 1 | 6AQ1WE15 | 2.80 |
| Schlage SC 5-Pin Blank (STANLEY Bow, Embossed One Side) | 1 | 6AQ1SC15 | 2.80 |
| Kwikset KW 5-Pin Blank (STANLEY Bow, Embossed One Side, Do Not Duplicate) | 1 | 6AQ1KW15DND | 2.80 |
| Weiser WE 5-Pin Blank (STANLEY Bow, Embossed One Side, Do Not Duplicate) | 1 | 6AQ1WE15DND | 2.80 |
| Schlage SC 5-Pin Blank (STANLEY Bow, Embossed One Side, Do Not Duplicate) | 1 | 6AQ1SC15DND | 2.80 |

* Key blanks sold in quantities of 50.

Keying Guide | Cut Keys

CUT KEYS

| Description | Qty | Part # | List Price |
|---|-----|-------------|------------|
| 6-PIN CUT KEYS | | | |
| STANLEY BF 6-Pin Cut Key (STANLEY Bow, Embossed One Side) | 1 | 6AQ1BF26 | 7.00 |
| STANLEY BF 6-Pin Cut Key (STANLEY Bow, Embossed One Side, Master Key) | 1 | 6AQ3BF26 | 7.00 |
| Kwikset KW 6-Pin Cut Key (STANLEY Bow, Embossed One Side) | 1 | 6AQ1KW26 | 7.00 |
| Kwikset KW 6-Pin Cut Key (STANLEY Bow, Embossed One Side, Master Key) | 1 | 6AQ3KW26 | 7.00 |
| Weiser WE 6-Pin Cut Key (STANLEY Bow, Embossed One Side) | 1 | 6AQ1WE26 | 7.00 |
| Weiser WE 6-Pin Cut Key (STANLEY Bow, Embossed One Side, Master Key) | 1 | 6AQ3WE26 | 7.00 |
| Schlage SC 6-Pin Cut Key (STANLEY Bow, Embossed One Side) | 1 | 6AQ1SC26 | 7.00 |
| Schlage SC 6-Pin Cut Key (STANLEY Bow, Embossed One Side, Master Key) | 1 | 6AQ3SC26 | 7.00 |
| Sargent LA 6-Pin Cut Key (Ilco Standard Bow) | 1 | 6AQ1LA26 | 7.00 |
| Sargent LA 6-Pin Cut Key (Ilco Standard Bow, Master Key) | 1 | 6AQ3LA26 | 7.00 |
| Yale GA 6-Pin Cut Key (Ilco Standard Bow) | 1 | 6AQ1GA26 | 7.00 |
| Yale GA 6-Pin Cut Key (Ilco Standard Bow, Master Key) | 1 | 6AQ3GA26 | 7.00 |
| STANLEY BF 6-Pin Cut Key (STANLEY Bow, Embossed One Side, Do Not Duplicate) | 1 | 6AQ1BF26DND | 7.00 |
| Kwikset KW 6-Pin Cut Key (STANLEY Bow, Embossed One Side, Do Not Duplicate) | 1 | 6AQ1KW26DND | 7.00 |
| Weiser WE 6-Pin Cut Key (STANLEY Bow, Embossed One Side, Do Not Duplicate) | 1 | 6AQ1WE26DND | 7.00 |
| Schlage SC 6-Pin Cut Key (STANLEY Bow, Embossed One Side, Do Not Duplicate) | 1 | 6AQ1SC26DND | 7.00 |
| 5-PIN CUT KEYS | | | |
| Kwikset KW 5-Pin Cut Key (STANLEY Bow, Embossed One Side) | 1 | 6AQ1KW25 | 7.00 |
| Kwikset KW 5-Pin Cut Key (STANLEY Bow, Embossed One Side, Master Key) | 1 | 6AQ3KW25 | 7.00 |
| Kwikset KW 5-Pin Cut Key for QDB288 Control Cylinder | 1 | 6AQ2KW25 | 7.00 |
| Weiser WE 5-Pin Cut Key (STANLEY Bow, Embossed One Side) | 1 | 6AQ1WE25 | 7.00 |
| Weiser WE 5-Pin Cut Key (STANLEY Bow, Embossed One Side, Master Key) | 1 | 6AQ3WE25 | 7.00 |
| Schlage SC 5-Pin Cut Key (STANLEY Bow, Embossed One Side) | 1 | 6AQ1SC25 | 7.00 |
| Schlage SC 5-Pin Cut Key (STANLEY Bow, Embossed One Side, Master Key) | 1 | 6AQ3SC25 | 7.00 |

* All cut keys require specification of keyway and key combination.

* When being ordered separate from product Master Keys, Top Level Masters, and Do Not Duplicate Keys require Signature Authority.

* Builder key orders get 10 builder keys at no charge.

* Master key orders get 1 master key at no charge.

Keying Guide | Key Blanks

Uncombinated Cores (SFIC)

| | How To Order | | | | | | | |
|------------|------------------------|---|------------------|--|---------|--|--|--|
| 7CS | 7CS 7 A 1 626 | | | | | | | |
| Core Type | Lock Body | Keyway | Combinating Code | Finish | Price | | | |
| 7CS - SFIC | 6 - 6-pin 7 – 7-pin | Designate specific keyway (A, D, E, etc.) | 1 - Uncombinated | 626 – Satin Chrome 606 – Satin Brass 613 – Oil Rubbed Bronze | \$36.00 | | | |

Combinated Cores (SFIC)

| How To Order - SFIC Cores | | | | | | | |
|---------------------------|-----------------------|-------------|------------------|------------|------------|--|--|
| 6CS 7 BF 2 626 | | | | | | | |
| Core Type | Lock Body | Keyway | Combinating Code | Finish | List Price | | |
| 6CS - SFIC | 6- 6-pin 7 - 7-pin | BF - BEST F | 2 - Combinated | 605 626 | \$52.00 | | |
| | | | | 690 | | | |

6-7 PIN SFIC Key Blanks

| | How To Order | | | | | | | |
|----------------|--------------|---|-----------|---|-------|--|--|--|
| 7AS | 7AS 1 A 1 | | | | | | | |
| Series | Key Type | Keyway | Cut Code | Key Stamp | Price | | | |
| 7AS - Standard | 1 - Blank | Designate specific keyway (A, D, E, etc.) | 1 - Blank | KS915 x KS800 – " DUPLICATION PROHIBITED" with stars on Front and a blank back - Standard | | | | |

NOTES:

Consult factory for lead times.

7CS packaged in mulitples of 50 cores and 7AS packaged in multiples of 100 keys. A 10% broken box service fee applies unless total order exceeds \$5,000.

Cylinder Guide

Key-in-Lever and Deadbolt Cylinders

| How To Order | | | | | | | | | | |
|--|----------------------------------|-----------|--|-----------------------------------|---------|--|---------------------|--|--|--|
| 6EQ D 6 BF 2 626 QDB180 CC | | | | | | | | | | |
| Cylinder Type | Cylinder Type | Lock Body | Keyway | Combinating Code | Finish | Tailpiece | Options | | | |
| 6EQ - Standard Cylinder | L – Key in Lever D – Deadbolt | • | KW – Kwikset WE – Weiser SC – Schlage C GA – Yale LA – Sargent | 2 – Combinated 5 – Zero Bitted | 606 626 | Must specify Series/ Function | CC - Constuction | | | |

| Keyway | Price with Lock | Service Part List Price |
|----------------|-----------------|-------------------------|
| KW - Kwikset | | |
| WE - Weiser | NC | \$30.00 |
| SC - Schlage C | | |
| GA - Yale | NC | ¢(1.00 |
| LA - Sargent | | \$61.00 |

Mortise and Rim Cylinders

| How To Order | | | | | | | | | | | |
|----------------------------|------------------------|------------------------|--|-----------------------------------|----------------|---|------------------------------------|---------------------|--|--|--|
| 6EQ | М | 6 | KW | 2 | 626 | E | 118 | СС | | | |
| Cylinder Type | Cylinder Type | Lock Body | Keyway | Combinating Code | Finish | Cam | Length | Options | | | |
| 6EQ - Standard Cylinder | M – Mortise R – Rim | 5 - 5-pin 6 – 6-pin | KW – Kwikset WE – Weiser SC – Schlage C GA – Yale LA – Sargent | 2 – Combinated 5 – Zero Bitted | 606 613 626 | For Mortise Cylinders: M – Cloverleaf Cam E – Straight Cam A – Adams Rite Cam | 118 – 1-1/8″ 138 – 1-3/8″ | CC - Constuction | | | |

| Kevwav | Price with Lock | Service Part List Price | NOTES: |
|--|-----------------|-------------------------|--|
| KW - Kwikset WE - Weiser SC - Schlage C GA - Yale LA - Sargent | NC | \$63.00 | M – Cloverleaf Cam 1 – 1/8" is standard for QMS/QME/QML mortise locks (now discontinued). 1 – 3/8" is available for thick doors. E – Straight Cam 1 – 1/8" is standard for QED exit devices and QET trims that use mortise cylinders. |
| | | | Refer to BEST Cylinders (1E) when SFIC mortise cylinders |

are required. For all cylinders, consult factory for lead times.

Cylinder Guide | Parts

CYLINDER PARTS

| | Description | Series | Service Part # | List Price |
|-----------|---|-------------------|-------------------|------------|
| | Cylinder Locking Pin | All | 8Q00209 | 1.60 |
| | Cylinder Locking Cap | All | 8Q00210 | 2.20 |
| 010000000 | Cylinder Locking Spring | All | 8Q00211 | 1.60 |
| | Tailpiece QCL1 50/QCL1 70 - Entry/Storeroom | QCL100 | 8Q00069 | 3.20 |
| | Tailpiece QCL160 - Classroom (all keyways except KW) | QCL100 | 8Q00070 | 3.20 |
| | Tailpiece QCL160 - Classroom (KW keyway only) | QCL100 | 8Q00071 | 3.20 |
| AP | Cylinder Plug Holder QCL100 Series | QCL100 | 8Q00065 | 2.20 |
| | Tailpiece QCL250/QCL270/QCl250 - Entry/Storeroom/ Interconnect | QCL200/ QCI200 | 8Q00072 | 3.20 |
| | Tailpiece QCL260 - Classroom | QCL200 | 8Q00074 | 3.20 |
| | SFIC Tailpiece QCL200 Series | QCL200 | 8Q00302 | 3.10 |
| AD | Cylinder Plug Holder QCL200 Series | QCL200 | 8Q00066 | 2.20 |
| | Tailpiece QCI200 Series Interconnect Deadbolt | QCI200 | 8Q00076 | 3.20 |

Cylinder Guide | Parts

CYLINDER PARTS (CONTINUED)

| | Description | Series | Service Part # | List Price |
|---------------|--|----------------------|-------------------|------------|
| | Tailpiece QTL200/QRT300 Series | QTL200/QRT300 | 8Q00073 | 3.20 |
| | Cylinder Plug Holder for QTL200 Series - Summit Style | QTL200 | 8Q00067 | 2.40 |
| | Cylinder Plug Holder for QTL200 Series - Sierra Style | QTL200 | 8Q00068 | 2.40 |
| | Tailpiece QDB100/QDB200 Series Single Cylinder | QDB100/QDB200 | 8Q00083 | 3.20 |
| | Tailpiece QDB100/QDB200 Series Double Cylinder (QTY 2) | QDB100/QDB200 | 8Q00085 | 3.20 |
| | Thick door kit - Tailpiece for QDB100/QDB200 Series Single Cylinder (1-3/4" - 2-1/4") | QDB100/QDB200 | 8Q00084 | 3.20 |
| | Cylinder Screw QDB100/QDB200 Series | QDB100/QDB200 | 8Q00086 | 3.20 |
| | Standard Cam for Mortise Cylinder | Mortise Cylinders | 8Q00119 | 5.50 |
| ()-Innination | Cam Mounting Screws for Mortise Cylinders (QTY 2) | Mortise Cylinders | 8Q00118 | 1.90 |
| | Rim Cylinder Tailpiece | RimCylinders | 8Q00140 | 3.20 |
| 20000 | Rim Cylinder Tailpiece For Thick Doors | RimCylinders | 8Q00480 | 3.20 |
| F | Cloverleaf Mortise Cam | Mortise | 8Q01084 | 2.20 |
| | Adams Rite Cam | | 8Q00571 | 2.20 |

| Notes | |
|-------|--|
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |

QCL100 Series | Grade 1 | Heavy Duty Cylindrical Locks

| 20 | Single Dumm | у | | ADDI | D FUNCTIO | ONS | | | | | | |
|--------|----------------|-------------|----------|----------------------------|---------------|----------------|-------------------|--------|----------------------------|----------|---------------|------------|
| 30 | Passage | | | 92 | Electror | ically Locked | (fail safe) | | | | | |
| 35 | Communicati | ng | | 93 | Electror | ically Locked | SFIC (fail safe) | | | | | |
| 40 | Privacy | | | 94 | Electror | ically Unlocke | ed (fail secure) | | | | | |
| 50 | Entry/Office | | | 95 | Electror | ically Unlocke | ed SFIC (fail sec | cure) | | | | |
| 51 | Entry/Office S | FIC | | | | | | • | | | | |
| 54 | Corridor | | | | | | | | | | | |
| 55 | Corridor SFIC | | | | | | | BF | BEST "F" SFIC | | | |
| 60 | Classroom | | | | | | | KW | Kwikset "KW" | | | |
| 61 | Classroom SFI | C | | | 605 B | Bright Brass | | WE | Weiser "E" | | | |
| 68 | Classroom See | curity | | | 613 | Dil Rubbed Bro | onze | SC | Schlage "C" | | | |
| 69 | Classroom Sec | curity SFIC | | | 619 S | atin Nickel | | GA | Yale "GA" | | <u>.</u> | |
| | Storeroom | | | | 625 B | right Chrome | | LA | Sargent "LA" | | 24V 24 | Volt AC/DC |
| 71 | Storeroom SF | IC | | | | atin Chrome | | LC | Less Cylinder | | 12V 12 | Volt AC/DC |
| •••• | | | | | | | | | | | | |
| | | | | | | | | | 7 | | | |
| | 1 | 1 | Ba | ase Part Nu | Imber | | 1 | r | | Addition | al Options | 1 |
| Series | Function | Design | Finish | h Latch | Strike | Keyway | # Of Pins | Keying | Hurricane | Power | Request | 2nd |
| | | | | | | | | | Compliant | | To Exit | Finish |
| QCL1 | 71 | E | 626 | S4 | 4785 | BF | 6 | KA | Н | — | _ | |
| | | | | | | | | | | | | |
| | E Si | erra | | | 478S | ANSI 4 %" x | 1¼" Strike | | | 625 | Bright Chrom | e |
| | | ummit | | | 118F | ANSI 11/8" x 2 | ·····÷ | | | ••••• | •••••• | • |
| | | ate | | | NOS | No Strike | | | | | | |
| | | | | | | 110000 | <u>i</u> | | | | | |
| | | | ;····· | | | | | ,, | | | | |
| | | | QCL1 I | ATCH TABLE | | | | KD | Keyed Different | | | |
| | | | FR4 | Radius 2-3/ | 4 with 3/4 tl | hrow | | KA | Keyed Alike | | | |
| | | | FS4 | Square 2-3/ | 4 with 3/4 t | hrow | | SK | Special Keying | | | |
| | | | NOL | No Latch | | | | | -Construction Key | /ed | | |
| | | | | Dadius 2.2/ | 4 | | | | -Construction Master Keyed | | | |
| | | | R4 | Radius 2-3/ | | | | | Materia IZ er ind | d | | |
| | | | R4 R8 | Radius 2-3/ | 3 | | | | -Maison Keyed | | , | |
| | | | | ÷ | | | | | -Master Keyed | | | |
| | | | R8 | Radius 2-3/ | | | | | | /ed | | |
| | | | R8 S4 | Radius 2-3/ Square 2-3/ | 4 | | | | -Master Keyed | | | |

Example

If you ordered: QCL171 E626 S4 478S BF6 KA H

You would get: Grade 1 Hurricane Compliant Cylindrical Storeroom Lock, Sierra Lock, Satin Chrome, 2 ³/₄" Deadlatch Square, ANSI 4⁷/₈" x 1¹/₄" Strike, BEST "F" Keyway, Keyed Alike.

÷

QCL100 Series | Grade 1 | Heavy Duty Cylindrical Locks

Sierra (E)

Available in: 605, 613, 619, 625, 626 Privacy Split Available in: 626x625*



Summit (M) Available in: 605, 613, 619, 625, 626 Privacy Split Available in: 626x625*



Slate (A) Available in: 605, 613, 619, 625, 626

Privacy Split Available in: 626x625*



| Model/Series | Functions | Style | Case Qty | List Price | | |
|--------------|-------------------------|-------|----------|------------|--------------------|--|
| Model/Series | | | Case Qty | 626 | 605, 613, 619, 625 | |
| QCL120 | Half Dummy | E/M/A | 12 | 148.00 | 153.00 | |
| QCL130 | Passage | E/M/A | 6 | 287.00 | 297.00 | |
| QCL135 | Communicating | E/M/A | 6 | 324.00 | 334.00 | |
| QCL140* | Privacy | E/M/A | 6 | 347.00 | 357.00 | |
| QCL150 | Entrance/Office | E/M/A | 6 | 397.00 | 407.00 | |
| QCL151 | Entrance/Office SFIC | E/M/A | 6 | 449.00 | 459.00 | |
| QCL154 | Corridor | E/M/A | 6 | 397.00 | 407.00 | |
| QCL155 | Corridor SFIC | E/M/A | 6 | 449.00 | 459.00 | |
| QCL160 | Classroom | E/M/A | 6 | 397.00 | 407.00 | |
| QCL161 | Classroom SFIC | E/M/A | 6 | 449.00 | 459.00 | |
| QCL168 | Classroom Security | E/M/A | 6 | 428.00 | 438.00 | |
| QCL169 | Classroom Security SFIC | E/M/A | 6 | 480.00 | 490.00 | |
| QCL170 | Storeroom | E/M/A | 6 | 397.00 | 407.00 | |
| QCL171 | Storeroom SFIC | E/M/A | 6 | 449.00 | 459.00 | |

| | Options | Add |
|---|---------------------|------|
| Н | Hurricane Compliant | 6.40 |

NOTES:

* Privacy split finishes are priced at the highest finish price.

QCL100 Series | Grade 1 | Heavy Duty Cylindrical Locks

ELECTRIFIED OPTIONS (CONSULT FACTORY FOR LEAD TIMES)



| Model # | Description | List Price | | |
|--------------------|---|------------|-------------|--|
| Model # | Description | 626 | 605/613/625 | |
| QCL192 | Electronically locked (fail safe). Outside lever continuously locked electrically. Unlocked by key outside, by switch, or by power failure. Inside always free for | 802.00 | 817.00 | |
| QCL193 (SFIC) | immediate egress. | 862.00 | 878.00 | |
| QCL194 | Electronically unlocked (fail secure). Outside lever continuously locked until | 802.00 | 817.00 | |
| QCL195(SFIC) | unlocked by key or electric current. Inside always free for immediate egress. | 862.00 | 878.00 | |
| QCL170X | Request to exit. Switch monitors inside lever rotation. Incorporates into alarm | 747.00 | 764.00 | |
| QCL171X(SFIC) | systems or in conjunction with an electromagnet. | 809.00 | 824.00 | |
| QCL192X | Electronically locked (fail safe) with request to exit. Outside lever continuously locked electrically. Unlocked by key outside, by switch, or by power failure. | 1,097.00 | 1,112.00 | |
| QCL193 X(SCFIC) | Inside always free for immediate egress. Ability to tie into alarm systems. | 1,156.00 | 1,172.00 | |
| QCL194X | Electronically unlocked (fail secure) with request to exit. Outside lever | 1,097.00 | 1,112.00 | |
| QCL195 X(SCFIC) | continuously locked until unlocked by key or electric current. Inside always free for immediate egress. Ability to tie into alarm systems. | 1,156.00 | 1,172.00 | |
| 8Q00314 | Fail Safe / Fail Secure 24VDC Power Supply | 970.00 | 970.00 | |

Electrified Product Specifications Power Supply Specifications Consult Factory for lead times. • Consult Factory for lead times. • Electrification prices should be added to list price of lock. · Provides power for fail safe or fail secure locking devices. • Standard door prep. • UL listed, US & Canada, Class 2. • Filtered and regulated 24DC constant voltage. • Deadlocking latch. • Key override allows key to retract latchbolt momentarily on • 2 AMP load capacity. electronically locked models. Over voltage/short circuit protection. · Inside lever always free for immediate egress. · Surge suppression for locking devices. • Interface relay to isolate the locking device current from Continuous duty solenoids. • Tie into alarm systems and electromagnetic locks. the control switch. • 12V AC/DC with .250 amp current. Auxilliary 24VDC constant voltage for powering stand alone 24V AC/DC with .150 amp current. devices such as keypads, motion detectors, status indicators, etc. • Field terminal block set at 45° for ease of installation. • Specify voltage when ordering. • Lifetime warranty on lock body; 1 year warranty on Can power up to 12 24V Cylindrical fail safe/ fail secure levers refer to installation manual for additional details. electric components.

20 Cylindrical Locks

Uses power supply 8Q00314.Warranty: 1 Year Electrical.

QCL100 Series | Grade 1 | Heavy Duty Cylindrical Locks

| LATCH | OF | PTIONS (SPECIFY FINISH) | | | |
|--|---------|--|---------|-----------------|----------------------------|
| Order # With Lock | | Description Service Part # | | Price With Lock | Service Part List Price |
| 1 -1⁄8″ X 2 -1⁄4″ I | FACE PL | ATE, 1" HOUSING DIAMETER, GRADE 1, UL (WID | E FACE) | | |
| | 6.4 | 2 3/4" dead latch - square corner | 8Q00172 | NC | 17.00 |
| Grade 1 - | S4 | 2 3/4" dead latch - square corner - corridor function | 8Q00574 | NC | 17.00 |
| Deadlatch | D4 | 2 3/4" dead latch - radius corner | 8Q00171 | NC | 17.00 |
| | R4 | 2 3/4" dead latch - radius corner - corridor function | 8Q00573 | NC | 17.00 |
| | 60 | 2 3/8" dead latch - square corner | 8Q00174 | NC | 17.00 |
| | S8 | 2 3/8" dead latch - square corner - corridor function | 8Q00576 | NC | 17.00 |
| | DO | 2 3/8" dead latch - radius corner | 8Q00173 | NC | 17.00 |
| | R8 | 2 3/8"" dead latch - radius corner - corridor function | 8Q00575 | NC | 17.00 |
| | S5 | 5" dead latch - square corner | 8Q00175 | Add 27.00 | 45.00 |
| Grade 1 - | | 5" spring latch privacy - square corner | 8Q00180 | Add 27.00 | 42.00 |
| Springlatch | S5 | 5″ spring latch passage - square corner | 8Q00185 | Add 27.00 | 42.00 |
| 1 -1/8" X 2 -1/4" 3/4" THROW, 3 H | | ATE, 1" HOUSING DIAMETER, GRADE 1, | | | |
| | FS4 | 2 3/4" dead latch - square corner, 3/4" throw | 8Q00438 | Add 118.00 | 132.00 |
| | FR4 | 2 3/4" dead latch - radius corner, 3/4" throw | 8Q00437 | Add 118.00 | 132.00 |
| NO LATCH | | | | | |
| NOL | | No Latch | | Deduct 15.30 | |

QCL100 Series | Grade 1 | Heavy Duty Cylindrical Locks

STRIKE OPTIONS (SPECIFY FINISH)

| Order # With Lock | | Description | Service Part # | Price With Lock | Service Part List Price |
|----------------------|-------|--|----------------|--------------------|----------------------------|
| 0 | 118 F | 1 1/8" x 2 3/4"T-Strike (Does not include screws. Screwpack 8Q00058) | 8Q00165 | NC | 5.90 |
| © | 4785 | 4 7/8" x 1 1/4" ANSI Strike (Does not include screws. Screwpack 8Q00058) | 8Q00166 | NC | 9.10 |

| | Less Cylinder | List Price |
|----|--------------------|--------------|
| | Less Cylinder | Deduct 21.00 |
| LC | Less SFIC Cylinder | Deduct 50.00 |

QCL100 Series | Grade 1 | Heavy Duty Cylindrical Locks

OTHER PARTS & SCREW PACKS

| | Description | Service Part # | Service Part List Price |
|-------|--|----------------|----------------------------|
| | Installation Jig for Cylindrical Levers | 8Q00075 | 16.00 |
| | Tailpiece QCL150/QCL170 - Entry/Storeroom | 8Q00069 | 3.20 |
| | Tailpiece QCL160 - Classroom (all keyways except KW) | 8Q00070 | 3.20 |
| | Tailpiece QCL160 - Classroom (KW keyway only) | 8Q00071 | 3.20 |
| AF | Cylinder Plug Holder QCL100 Series | 8Q00065 | 2.20 |
| | Screw Pack for QCL100 Series Dummy (Specify finish) | 8Q00056 | 2.20 |
| 6//// | Screw Pack for QCL100 Series (Specify finish) | 8Q00057 | 3.20 |
| | Screw Pack for T-Strike (Specify finish) | 8Q00058 | 2.30 |
| | Trim Ring for Cylindrical Locks (Shims Lock off door approximately 1/8") (Available in 605, 613, 619, 626) | 8Q00221 | 28.00 |

QCL200 Series | Grade 2 | Standard Duty Cylindrical Locks

| 35 Communicating 40 Privacy 50 Entry/Office 51 Entry/Office SFIC 54 Corridor 55 Corridor 56 Corridor SFIC 50 Classroom 51 Classroom SFIC 51 Classroom SFIC 613 Oil Rubbed Bronze 625 Bright Brass 619 Satin Nickel 625 Bright Chrome 626 Satin Orice 626 Satin Chrome LA Sargent "LA" LC Less Cylinder | 20 | Single Dumn | | | | | | | | | | | | | |
|---|--------|---------------|------|-------------|------------|----------|-------------|--------|------------|----|-------------------|--------|----------------|----------------|-------------|
| Bit Privacy Bit Priv2Office 50 Entry/Office SFIC 54 Corridor 55 Corridor SFIC 60 Bit Priv2Office SFIC 55 Corridor 56 Corridor 57 Classroom 613 Olf Rubbed Bronze 613 Olf Rubbed Bronze 613 Olf Rubbed Bronze 625 Bright Chrome 626 Satin Nickel 626 Satin Chrome 70 Storeroom SFIC 626 Satin Chrome 71 Storeroom SFIC Base Part Number Additional Option Series Function Design Finish Latch Strike Keyway # of Pins Keying G13 QCL2 71 E 626 S4 4785 8 Finsl 4785 ANSI 4/4* x 1/x* Strike 108 ANSI 4/4* x 1/x* Strike 118F ANSI 1/4* x 2/x* Strike | 30 | Passage | | | | | | | | | | | | | |
| 00 Entry/Office 31 Entry/Office SFIC 34 Corridor SFIC 35 Corridor SFIC 36 Classroom 37 Classroom 38 Classroom 39 Classroom SFIC 30 Storeroom 31 Classroom 32 Storeroom 33 Storeroom SFIC 34 Corridor SFIC 35 Corridor SFIC 36 Storeroom SFIC 37 Storeroom SFIC 36 Storeroom SFIC 37 Storeroom SFIC 38 Storeroom SFIC 39 Storeroom SFIC 30 Latch Strike 4785 Keyway 4785 ANSI 4%" x 1/4" Strike 39 Summit 4 Stare 4785 ANSI 4%" x 1/4" Strike 118F ANSI 4%" x 1/4" Strike 118F ANSI 4%" x 1/4" Strike 118F ANSI 4%" x 1/4" Strike 125 Bright Chrome <td< td=""><td>35</td><td>Communicat</td><td>ting</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></td<> | 35 | Communicat | ting | | | | | | | | | | | | |
| 11 Entry/Office SFIC 34 Corridor SFIC 35 Corridor SFIC 30 Classroom SFIC 31 Classroom SFIC 32 Classroom SFIC 33 Classroom SFIC 34 Corridor SFIC 35 Corridor SFIC 36 Classroom SFIC 37 Storeroom SFIC 38 Base Part Number 58 Function 59 Classroom SFIC 50 Design 613 Oil Rubbed Bronze 626 Satin Nickel 626 Satin Nickel 627 Storeroom SFIC 628 Satin Chrome 529 Function Design Finish Latch Strike Keyway # of Pins Keying Hurricane QCL2 71 E 626 S4 4785 B8 ANSI 4 % x 10* Strike FLS Full Up Sware Correr Strike FLS Full Up Sware Correr Strike | 40 | Privacy | | | | | | | | | | | | | |
| 54 Corridor 55 Corridor SFIC 605 Bright Brass 613 OII Rubbed Bronze 613 OII Rubbed Bronze 619 Satin Nickel 626 Bright Chrome 627 Bright Chrome 628 Storeroom SFIC 626 Satin Nickel 626 Satin Chrome 70 Storeroom SFIC 626 Satin Chrome 71 Eostin Chrome 72 Function 73 Eostin Chrome 74 Eostin Chrome 74 Function 75 Eostin Chrome 76 Storeroom SFIC 77 Eostin Chrome 78 Function 79 Finish 70 Latch Strike 71 Eostin Chrome 71 Eostin Chrome 71 Eostin Chrome 71 Eostin Chrome 72 Function 73 Storeroom Strike 74 Radius 2-374 <td>50</td> <td>Entry/Office</td> <td></td> | 50 | Entry/Office | | | | | | | | | | | | | |
| 55 Corridor SFIC 605 Bright Brass WE Welser "E" 50 Classroom 613 Oil Rubbed Bronze 614 Yale "GA" 51 Classroom SFIC 625 Bright Chrome LA Sargent "LA" 625 Bright Chrome LA Sargent "LA" LC Less Cylinder 71 Storeroom SFIC 626 Satin Nickel LC Less Cylinder Series Function Design Finish Latch Strike Keyway # of Pins Keying QCL2 71 E 626 S4 4785 BF 6 KA QCL2 71 E 626 S4 4785 BF 6 KA QCL2 71 E 626 S4 4785 BF 6 KA M Summt A Slate Image: Sargent TA" 613 Oil Rubbed Bronze 625 Bright Chrome FL Full Lip Sauare Corner Strike FL 613 Oil Rubbed Bronze M Summt A < | 51 | Entry/Office | SFIC | | | | | | BF | | BEST "F" SFIC | | | | |
| 50 Classroom 613 Ol Rubbed Bronze 5C Schlage"C" 61 Storeroom 625 Bright Chrome LA Sargent"LA" 70 Storeroom SFIC 626 Satin Nickel LC Less Cylinder 71 Storeroom SFIC 626 Satin Chrome LC Less Cylinder 71 Storeroom SFIC 626 Satin Chrome LC Less Cylinder 72 Storeroom SFIC Design Finish Latch Strike Keyway # of Pins Keying 70 Design Finish Latch Strike Keyway # of Pins Keying 70 E 626 54 4785 BF 6 KA 70 E 626 54 4785 BF 6 KA 70 Image: Store Strike Finish Latch Strike Finish H 625 70 Image: Store Strike Full Lip Square Corner Strike Finish H 625 Bright Chrome 70 R Radius 2-3/4 with 3/4 throw <td< td=""><td>54 (</td><td>Corridor</td><td></td><td></td><td></td><td></td><td></td><td></td><td>KW</td><td></td><td>Kwikset "KW"</td><td></td><td></td><td></td><td></td></td<> | 54 (| Corridor | | | | | | | KW | | Kwikset "KW" | | | | |
| Stareroom 619 Satin Nickel GA Yale "GA" 70 Storeroom 625 Bright Chrome LA Sargent "LA" 1 Storeroom SFIC 626 Satin Chrome LC Less Cylinder Storeroom SFIC Base Part Number IL Less Cylinder Hurricane 2nd Storeroom SFIC Design Finish Latch Strike Keyway # of Pins Keying QCL2 71 E 626 S44 4785 BF 6 KA Keying Image: Compliant Strike Strike Keyway # of Pins Keying 613 Oil Rubbed Bronze M Summit A Slate Image: Comer Strike FL 613 Oil Rubbed Bronze FLS Full Lip Square Corner Strike FU Full Lip Square Corner Strike FL 613 Oil Rubbed Bronze VASI A% No No Strike NOS No Strike KD Keyed Different KA Keyed Alike SS Special Keying Construction Master Keyed -Construction Keyed -Construction Master Keyed -Construction Master Ke | 55 (| Corridor SFIC | - | | 605 | Brigh | nt Brass | | WE | | Weiser "E" | | | | |
| 70 Storeroom 625 Bright Chrome LA Sargent "LA" 71 Storeroom SFIC 626 Satin Chrome LC Less Cylinder Additional Option Series Function Design Finish Latch Strike Keyway # of Pins Keying QCL2 71 E 626 54 4785 BF 6 KA QCL2 71 E 626 54 4785 BF 6 KA M Summit Latch Strike Keyway # of Pins Keying 613 Oil Rubbed Bronze E Siera Image: Siera Image: Siera ANSI 1/4" x 1/4" Strike 613 Oil Rubbed Bronze M Summit A Slate File Full Lip //* Radius Corner Strike KD Keyed Different FR4 Radius 2-3/4 with 3/4 throw FS4 Square 2-3/4 KA KA Keyed Gornstruction Master Keyed NNE Narrow Radius 2-3/4 Narrow Radius 2-3/8 Narrow Radius 2-3/8 Gornstruction Master Keyed | 60 | Classroom | | | 613 | Oil R | ubbed Bron: | ze | SC | | Schlage "C" | | | | |
| Image: Problem of the second secon | 61 (| Classroom SF | FIC | | 619 | Satir | n Nickel | | GA | | Yale "GA" | | | | |
| Base Part Number Additional Option Series Function Design Finish Latch Strike Keyway # of Pins Keying QCL2 71 E 626 S4 4785 BF 6 KA H 625 QCL2 71 E 626 S4 4785 BF 6 KA H 625 W Summit A Slate Slate 4785 ANSI 4%" x 1%" Strike 613 Oll Rubbed Bronze M Summit A Slate Full Lip Square Corner Strike Full Lip Square Corner Strike Full Lip Square Corner Strike KD Keyed Different FR4 Radius 2-3/4 with 3/4 throw NOS No Strike KD Keyed Alike SK Special Keying -Construction Master Keyed NR4 Narrow Radius 2-3/4 Narrow Square 2-3/4 Narrow Square 2-3/4 Andius 2-3/8 -Additional Option NR4 Narrow Square 2-3/4 Radius 2-3/4 Radius 2-3/8 Zer on Bitted | 70 | Storeroom | | | 625 | Brigh | nt Chrome | | LA | | Sargent "LA" | | | | |
| Series Function Design Finish Latch Strike Keyway # of Pins Keying QCL2 71 E 626 54 4785 BF 6 KA E Sierra Image: Sierra Image | 71 | Storeroom SI | FIC | | 626 | Satir | n Chrome | | LC | | Less Cylinder | | | | |
| Series Function Design Finish Latch Strike Keyway # of Pins Keying QCL2 71 E 626 54 4785 BF 6 KA E Sierra Image: Sierra Image | | | | | | | | | | | | | | | |
| QCL2 71 E 626 54 4785 BF 6 KA H 625 QCL2 71 E 626 54 4785 BF 6 KA H 625 Image: Construction of the second o | | I | | | I | Bas | se Part Nu | mber | I | | | | | Additiona | l Optior |
| QCL2 71 E 626 54 4785 BF 6 KA H 625 QCL2 71 E 626 54 4785 BF 6 KA H 625 Image: Construction of the second o | Series | Funct | ion | Design | Finisł | n | Latch | Strike | Kevwa | IV | # of Pins | Kevin | | | |
| E Sierra M Summit A Slate QCL2 LATCH TABLE FR4 Radius 2-3/4 with 3/4 throw FS4 Square 2-3/4 with 3/4 throw NOL No Latch NR8 Narrow Radius 2-3/4 NS8 Narrow Square 2-3/4 NS8 Narrow Square 2-3/4 R4 Radius 2-3/8 R4 Radius 2-3/8 R4 Radius 2-3/8 R4 Radius 2-3/8 | | | | J | | | | | | | | - / | - | | Finisl |
| M Summit 478S ANSI 4% X 1/k Strike 625 Bright Chrome A Slate 118F ANSI 1/k" x 2/k" Strike 625 Bright Chrome V FLS Full Lip Square Corner Strike 625 Bright Chrome FR4 Radius 2-3/4 with 3/4 throw NOS No Strike KD Keyed Different KA Square 2-3/4 with 3/4 throw NOL No Latch SK Special Keying NR4 Narrow Radius 2-3/4 NA Narrow Square 2-3/8 -Construction Keyed NS8 Narrow Square 2-3/8 -Maison Keyed -Maison Keyed R4 Radius 2-3/4 -Great Grand Master Keyed R8 Radius 2-3/8 -Great Grand Master Keyed | QCL2 | 71 | | Е | 626 | | S4 | 478S | BF | | 6 | KA | | Н | 625 |
| M Summit 478S ANSI 4% X 1/k Strike 625 Bright Chrome A Slate 118F ANSI 1/k" x 2/k" Strike 625 Bright Chrome V FLS Full Lip Square Corner Strike 625 Bright Chrome FR4 Radius 2-3/4 with 3/4 throw NOS No Strike KD Keyed Different KA Square 2-3/4 with 3/4 throw NOL No Latch SK Special Keying NR4 Narrow Radius 2-3/4 NA Narrow Square 2-3/8 -Construction Keyed NS8 Narrow Square 2-3/8 -Maison Keyed -Maison Keyed R4 Radius 2-3/4 -Great Grand Master Keyed R8 Radius 2-3/8 -Great Grand Master Keyed | | ! | | | 1 | I | , | | | | | | | | |
| M Summit 478S ANSI 4% X 1/k Strike 625 Bright Chrome A Slate 118F ANSI 1/k" x 2/k" Strike 625 Bright Chrome V FLS Full Lip Square Corner Strike 625 Bright Chrome FR4 Radius 2-3/4 with 3/4 throw NOS No Strike KD Keyed Different KA Square 2-3/4 with 3/4 throw NOL No Latch SK Special Keying NR4 Narrow Radius 2-3/4 NA Narrow Square 2-3/8 -Construction Keyed NS8 Narrow Square 2-3/8 -Maison Keyed -Maison Keyed R4 Radius 2-3/4 -Great Grand Master Keyed R8 Radius 2-3/8 -Great Grand Master Keyed | | ľ | E | Sierra | | | | 1 | ANICI 47/8 | | | | 613 | Oil Rubbed | I Bronze |
| A Slate Fill Also 1/8 × 2/4 state Image: Also 1/8 × 2/4 state FLS Full Lip Square Corner Strike FL Full Lip ½" Radius Corner Strike FR4 Radius 2-3/4 with 3/4 throw NOS No Strike KD Keyed Different KA Square 2-3/4 with 3/4 throw NOS No Strike KA Keyed Alike NOL No Latch KA Keyed Second Keyed -Construction Keyed NR4 Narrow Radius 2-3/4 NA -Maison Keyed -Maison Keyed -Maison Keyed NS8 Narrow Square 2-3/4 NS8 Narrow Square 2-3/4 -Master Keyed -Grand Master Keyed R4 Radius 2-3/4 R8 Radius 2-3/8 -Grand Master Keyed -Grand Master Keyed | | | | | | | | | | | | | | | |
| FLS Full Lip Square Corner Strike FLR Full Lip Vare Corner Strike FLR Full Lip Vare Corner Strike NOS No Strike KD Keyed Different KA Keyed Alike Square 2-3/4 with 3/4 throw SK Special Keying NOL No Latch SK Special Keying NR4 Narrow Radius 2-3/4 Aurrow Radius 2-3/8 -Construction Master Keyed NS8 Narrow Square 2-3/4 Aurrow Square 2-3/4 -Construction Master Keyed R4 Radius 2-3/8 -Great Grand Master Keyed -Great Grand Master Keyed R8 Radius 2-3/8 Zero Bitted | | | | | | | | | | | | | 025 | | iic. |
| QCL2 LATCH TABLENOSNo StrikeKDKeyed DifferentFR4Radius 2-3/4 with 3/4 throwKAKeyed AlikeFS4Square 2-3/4 with 3/4 throwSKSpecial KeyingNOLNo LatchSKSpecial KeyingNR4Narrow Radius 2-3/4-Construction KeyedNS4Narrow Square 2-3/4-Maison KeyedNS8Narrow Square 2-3/4-Maiser KeyedR4Radius 2-3/4-Grand Master KeyedR8Radius 2-3/8ZB | | i. | | | | | | | | | | | | | |
| QCL2 LATCH TABLEKDKeyed DifferentFR4Radius 2-3/4 with 3/4 throwKAKeyed AlikeFS4Square 2-3/4 with 3/4 throwSKSpecial KeyingNOLNo Latch-Construction KeyedNR4Narrow Radius 2-3/4-Construction Master KeyedNS4Narrow Square 2-3/4-Maison KeyedNS8Narrow Square 2-3/4-Master KeyedR4Radius 2-3/4-Great Grand Master KeyedR8Radius 2-3/8ZB | | | | | | | | | | ad | ius Corner Strike | | | | |
| FS4Square 2-3/4 with 3/4 throwSKSpecial KeyingNOLNo Latch-Construction KeyedNR4Narrow Radius 2-3/4-Construction Master KeyedNR8Narrow Square 2-3/4-Maison KeyedNS4Narrow Square 2-3/4-Master KeyedR4Radius 2-3/4-Great Grand Master KeyedR8Radius 2-3/8ZB | | | QCL2 | LATCH TABLE | | | | NOS | No Strike | | | KD | Keyed | Different | |
| NOLNo Latch-Construction KeyedNR4Narrow Radius 2-3/4-Construction Master KeyedNR8Narrow Radius 2-3/8-Maison KeyedNS4Narrow Square 2-3/4-Master KeyedNS8Narrow Square 2-3/8-Grand Master KeyedR4Radius 2-3/4-Great Grand Master KeyedR8Radius 2-3/8Zero Bitted | | | FR4 | Radius 2-3 | 3/4 with 3 | /4 thro | W | | | | | KA | Keyed | Alike | |
| NR4Narrow Radius 2-3/4-Construction Master KeyedNR8Narrow Radius 2-3/8-Maison KeyedNS4Narrow Square 2-3/4-Master KeyedNS8Narrow Square 2-3/8-Grand Master KeyedR4Radius 2-3/4-Great Grand Master KeyedR8Radius 2-3/8ZB | | - | FS4 | Square 2- | 3/4 with 3 | 3/4 thrc | W | | | | | SK | Special Keying | | |
| NR8Narrow Radius 2-3/8-Maison KeyedNS4Narrow Square 2-3/4-Master KeyedNS8Narrow Square 2-3/8-Grand Master KeyedR4Radius 2-3/4-Great Grand Master KeyedR8Radius 2-3/8ZB | | - | NOL | No Latch | | | | | | | | | -Const | ruction Keyed | |
| NS4Narrow Square 2-3/4-Master KeyedNS8Narrow Square 2-3/8-Grand Master KeyedR4Radius 2-3/4-Great Grand Master KeyedR8Radius 2-3/8ZB | | | NR4 | Narrow Ra | adius 2-3/ | 4 | | | | | | | -Const | ruction Master | Keyed |
| NS8Narrow Square 2-3/8-Grand Master KeyedR4Radius 2-3/4-Great Grand Master KeyedR8Radius 2-3/8ZB | | - | NR8 | Narrow Ra | adius 2-3/ | 8 | | | | | | | -Maisc | on Keyed | |
| R4Radius 2-3/4-Great Grand Master KeyedR8Radius 2-3/8Zero Bitted | | | NS4 | Narrow So | quare 2-3/ | /4 | | | | | | | -Maste | er Keyed | |
| R8 Radius 2-3/8 ZB Zero Bitted | | | NS8 | Narrow So | quare 2-3/ | /8 | | | | | | | -Granc | d Master Keyed | |
| | | - | R4 | Radius 2-3 | 3/4 | | | | | | | | -Great | Grand Master | Keyed |
| S3 Square 3-3/4 | | | R8 | Radius 2-3 | 3/8 | | | | | | | ZB | Zero B | itted | |
| | | | S3 | Square 3- | 3/4 | | | | | | | •••••• | •••• | | |

Example

If you ordered: QCL271 E626 S4 478S BF6 KA H 625

You would get: Grade 2 Hurricane Compliant Cylindrical Storeroom Lock, Sierra Lever, Satin Chrome x Bright Chrome, 2^x Deadlatch Square, ANSI 4^x x 1^x Strike, BEST "F" SFIC Keyway, Keyed Alike.

S4

S5

S8

Square 2-3/4

Square 2-3/8

Square 5

QCL200 Series | Grade 2 | Standard Duty Cylindrical Locks

Sierra (E)

Slate (A)

Available in: 605, 613, 619, 625, 626 Privacy Split Available in: 626x625, 626x613*



Available in: 605, 613, 619, 625, 626 Privacy Split Available in: 626x625, 626x613*

Summit (M)



Available in: 605, 613, 619, 625, 626 Privacy Split Available in: 626x625, 626x613*



| Model / Series | Functions | Style | Case Qty | List Price | | |
|----------------|----------------------|-----------|----------|------------|--------------------|--|
| Model / Series | Functions | Style | Case Qty | 626 | 605, 613, 619, 625 | |
| QCL220 | Half Dummy | E / M / A | 12 | 81.00 | 86.00 | |
| QCL230 | Passage | E/M/A | 6 | 163.00 | 173.00 | |
| QCL235 | Communicating | E / M / A | 6 | 172.00 | 182.00 | |
| QCL240* | Privacy | E/M/A | 6 | 172.00 | 182.00 | |
| QCL250 | Entrance/Office | E/M/A | 6 | 202.00 | 212.00 | |
| QCL251 | Entrance/Office SFIC | E/M/A | 6 | 254.00 | 264.00 | |
| QCL254 | Corridor | E/M/A | 6 | 202.00 | 212.00 | |
| QCL255 | Corridor SFIC | E/M/A | 6 | 254.00 | 264.00 | |
| QCL260 | Classroom | E/M/A | 6 | 202.00 | 212.00 | |
| QCL261 | Classroom SFIC | E/M/A | 6 | 254.00 | 264.00 | |
| QCL270 | Storeroom | E/M/A | 6 | 202.00 | 212.00 | |
| QCL271 | Storeroom SFIC | E/M/A | 6 | 254.00 | 264.00 | |

| | Less Cylinder | List Price |
|----|--------------------|--------------|
| | Less Cylinder | Deduct 21.00 |
| LC | Less SFIC Cylinder | Deduct 50.00 |

| | Options | Add |
|---|---------------------|------|
| н | Hurricane Compliant | 5.00 |

NOTES:

* Privacy split finishes are priced at the highest finish price.

QCL200 Series | Grade 2 | Standard Duty Cylindrical Locks

LATCH OPTIONS (SPECIFY FINISH)

| Order # With Lock | | Description | | Price With Lock | Service Part List Price |
|---------------------|----------------|--|---------|--------------------|----------------------------|
| 1 1/8″ X 2 1/4″ FA | | | | | |
| | S4 | 2 3/4" dead latch - square corner | 8Q00187 | NC | 11.00 |
| Grade 2 - Deadlatch | 54 | 2 3/4" dead latch - square corner - corridor function | 8Q00578 | NC | 11.00 |
| ~ 6 | R4 | 2 3/4" dead latch - radius corner | 8Q00186 | NC | 11.00 |
| | N 4 | 2 3/4" dead latch - radius corner- corridor function | 8Q00577 | NC | 11.00 |
| 100 | S8 | 2 3/8" dead latch - square corner | 8Q00189 | NC | 11.00 |
| | 50 | 2 3/8" dead latch - square corner - corridor function | 8Q00580 | NC | 11.00 |
| | R8 | 2 3/8" dead latch - radius corner | 8Q00188 | NC | 11.00 |
| | no | 2 3/8" dead latch - radius corner - corridor function | 8Q00579 | NC | 11.00 |
| | S3 | 3 3/4" dead latch - square corner | 8Q00190 | Add 20.00 | 31.00 |
| | S5 | 5" dead latch - square corner | 8Q00191 | Add 22.00 | 38.00 |
| 1" X 2 1/4" FACE | PLATE, 7/8" | HOUSING DIAMETER, GRADE 2, UL (NARROW FACE) | | | |
| Grade 2 - Deadlatch | NS4 | 2 3/4" dead latch - square corner | 8Q00231 | NC | 11.00 |
| | NR4 | 2 3/4" dead latch - radius corner | 8Q00230 | NC | 11.00 |
| | NS8 | 2 3/8" dead latch - square corner | 8Q00233 | NC | 11.00 |
| | NR8 | 2 3/8" dead latch - radius corner | 8Q00232 | NC | 11.00 |
| 1 1/8″ X 2 1/4″ FA | CE PLATE, 1 | "HOUSING DIAMETER, GRADE 1,3/4" THROW, 3 HR U | JL | | |
| | FS4 | 2 3/4" dead latch, square corner, 3/4" throw | 8Q00438 | Add 118.00 | 132.00 |
| Re | FR4 | 2 3/4" dead latch, radius corner, 3/4" throw | 8Q00437 | Add 118.00 | 132.00 |
| WIDE FACE LAT | CH FILLER | | | | |
| | | Wide face latch adaptor plate (converts 1″ latch face plate to 1 1/8″) | 8Q00217 | N/A | 1.80 |
| NO LATCH | | | | | |
| NOL | | No Latch | | Deduct 8.60 | |

QCL200 Series | Grade 2 | Standard Duty Cylindrical Locks

STRIKE OPTIONS (SPECIFY FINISH)

| Order # With Lock | | Description | Service Part # | Price With Lock | Service Part List Price |
|----------------------|---|---|-------------------|--------------------|----------------------------|
| 0 0 118 F | | 2 3/4" x 11/8"T-Strike (Does not include screws. Screwpack 8Q00058) | 8Q00165 | NC | 5.90 |
| 0 0 | 47/8" x 1 1/4" ANSI Strike (Does not include screws. Screwpack 8Q00058) | | 8Q00166 | NC | 9.10 |
| | FLR | 2 1/4" Full Lip Round Corner Strike UL | 8Q00241 | NC | 5.40 |
| | FLS | 2 1/4" Full Lip Square Corner Strike UL | 8Q00240 | NC | 5.40 |
| NO STRIKE | | | | | |
| NOS | | No Strike | | Deduct 4.90 | |

QCL200 Series | Grade 2 | Standard Duty Cylindrical Locks

OTHER PARTS & SCREW PACKS

| | Description | Service Part # | Service Part List Price |
|-------------|---|----------------|----------------------------|
| | Installation Jig for Cylindrical Levers | 8Q00075 | 16.00 |
| | Tailpiece QCL250/QCL270 - Entry/Storeroom | 8Q00072 | 3.20 |
| | Tailpiece QCL260 - Classroom | 8Q00074 | 3.20 |
| | SFIC Tailpiece for QCL200 Series | 8Q00302 | 3.10 |
| AD | Cylinder Plug Holder QCL200 Series | 8Q00066 | 2.20 |
| | Screw Pack & Tailpiece SFIC for QCL200 Series (Specify finish) | 8Q00064 | 4.50 |
| (Languages) | Screw Pack for QCL200 Series Dummy (Specify finish) | 8Q00059 | 2.30 |
| | Screw Pack for QCL200 Series (Specify finish) | 8Q00061 | 3.20 |
| | Screw Pack for T-Strike (Specify finish) | 8Q00058 | 2.30 |
| | Trim Ring for Cylindrical Locks (Shims Lock off door approximately 1/8″) (Available in 605, 613, 619, 626) | 8Q00221 | 28.00 |

QCI200 Series | Grade 2 | Standard Duty Interconnected Locks

| | | | | | | | ;····· | ···· | ······ | | |
|----|----------------|----------------|---------------------------|--------------|---------------|---------|--------|---------------|----------------|--|-------------------|
| | | | | | | | BF | BEST "F" SFIC | | | |
| | | | | | | | SMT | SmartKey* | | | |
| | | | ······ | | | | KW | Kwikset "KW | " | | |
| 30 | + | g (Passage Lev | | . | | ······ | WE | Weiser "E" | | | |
| 31 | | g SFIC (Passag | ·····; | 605 | Bright Brass | | SC | Schlage "C" | | | |
| 50 | • | ng (Entry Leve | | 613 | Oil Rubbed Br | onze | GA | Yale "GA" | | | |
| 51 | • | ng SFIC (Entry | Lever) | 619 | Satin Nickel | | LA | Sargent "LA" | | | |
| 35 | Indicator (Pas | sage Lever) | | 626 | Satin Chrome | | LC | Less Cylinde | r | | |
| | | | | | | | | | | | |
| | | | | Ва | se Part Numb | ber | | | | | |
| | Series | Function | Design | Finish | Latch | Strike | Keywa | y # Of Pir | IS | Keying | |
| | QCI2 | 31 | E | 626 | NR4 | 118F | BF | 6 | | KD | |
| | | E M A | Sierra Summit Slate | | | | | | KD KA SK | Keyed Dif Keyed Alik Special Ke | <e< th=""></e<> |
| | Order | u/lock | | adbolt Lato | ا به | | | | | · · · ; · · · · · · · · · · · · · · · · · · · | tion Master Keyed |
| | | NR4 | | adius 2-3/4 | .11 | | | | | -Maison K | |
| | | NS4 | | quare 2-3/4 | | | | | | -Master Ke | |
| | | NS8 | | quare 2-3/8 | | | | | | •••• | aster Keyed |
| | | R4 | | adius 2-3/4 | | | | | | •••• | and Master Keyed |
| | | S4 | | re 2-3/4 | | | | | ZB | Zero Bitte | |
| | | S8 | ····· | re 2-3/8 | | | | <u>.</u> | | <u>.</u> | |
| | Order v | w/l ock | Lever Latch | Deadh | olt Latch | Order v | v/Lock | Lever Strike | Dea | dbolt Strike | |
| | | ····· | arrow Radius 2-3/8 | | Radius 2-3/4 | 118 | ßF | 118F | | DBS | |
| | | R8 | Radius 2-3/8 | | us 2-3/4 | 478 | 3S | 478S | | DBS | |
| | <u>i</u> | <u>-</u> | | | | FL | S | FLS | | DBS | |
| | | | | | | FL | R | FLR | | DBS | |
| | | | | | | FLS | 52 | FLS | | FLS | |

FLR2

NOS

FLR

No Strikes

FLR

NOTES:

* SmartKey available on QCI230 function only

Example

.....

If you ordered: QCI231 E626 NR4 118F BF6 KD

You would get: Grade 2 Interconnect Single SFIC Lock, Sierra Lever, Satin Chrome, 2[‡] Narrow Radius Latches,

"T" Strike with Standard Deadbolt Strike, BEST "F" SFIC Keyway, Keyed Different.

QCI200 Series | Grade 2 | Standard Duty Interconnected Locks



| Madal/Sarias | Functions | Stule | Case | List Price | | |
|--------------|-------------------------------------|-------|------|------------|---------------|--|
| Model/Series | Functions | Style | Qty | 626 | 605, 613, 619 | |
| QCI230 | Single Locking (Passage Lever) | E/M/A | 6 | 361.00 | 375.00 | |
| QCI231 | Single Locking SFIC (Passage Lever) | E/M/A | б | 391.00 | 407.00 | |
| QCI250 | Double Locking (Entry Lever) | E/M/A | 6 | 402.00 | 414.00 | |
| QCI251 | Double Locking SFIC | E/M/A | 6 | 510.00 | 527.00 | |
| QCI285 | Indicator | E/M/A | 6 | 405.00 | 420.00 | |

| | Less Cylinder | List Price |
|----|--------------------|--------------|
| | Less Cylinder | Deduct 21.00 |
| LC | Less SFIC Cylinder | Deduct 50.00 |

| Order w/ Lock | Description | w/ Lock |
|---------------|---------------------------------|-----------|
| FT | QCI200 Exterior Escutcheon Trim | Add 30.00 |

NOTES:

SmartKey Available on QCI230 Functions only. Consult factory for lead times on 605 finish.

QCI200 Series | Grade 2 | Standard Duty Interconnected Locks

LATCH COMBINATIONS (SPECIFY FINISH)

| Order # With Lock | | Lever Latch | Deadbolt Latch | Price With Lock |
|-------------------|-----|---|---|-----------------|
| | S4 | 2 3/4" dead latch, square corner, 1 1/8" Face | 2 3/4" bolt latch, square corner, 1 1/8" Face | NC |
| | R4 | 2 3/4" dead latch, radius corner, 1 1/8" Face | 2 3/4" bolt latch, radius corner, 1 1/8" Face | NC |
| | S8 | 2 3/8" dead latch, square corner, 1 1/8" Face | 2 3/8" bolt latch, square corner, 11/8" Face | NC |
| | R8 | 2 3/8" dead latch, radius corner, 1 1/8" Face | 2 3/8" bolt latch, radius corner, 1 1/8" Face | NC |
| All QCI Series | NS4 | 2 3/4" dead latch, square corner, 1" Face | 2 3/4" bolt latch, square corner, 1" Face | NC |
| | NR4 | 2 3/4" dead latch, radius corner, 1 " Face | 2 3/4" bolt latch, radius corner, 1" Face | NC |
| | NS8 | 2 3/8" dead latch, square corner, 1" Face | 2 3/8" bolt latch, square corner, 1" Face | NC |
| | NR8 | 2 3/8" dead latch, radius corner, 1" Face | 2 3/8" bolt latch, radius corner, 1" Face | NC |
| NO LATCH | | | | |
| NOL | | No Latch (Leve | er & Deadbolt) | Deduct 26.00 |

LATCH OPTIONS (SPECIFY FINISH)

| Order as parts only | | Description | Service Part # | Service Part List Price |
|---------------------|--------------------------|---|----------------------------|----------------------------|
| Grade 2 - | 1 -1/8″ X 2 -1/4″ | FACE PLATE, 7/8" HOUSING DIAMETE | R, GRADE 2, UL (WIDE FACE) | |
| Deadlatch | S4 | 2 3/4" dead latch - square corner | 8Q00187 | 11.00 |
| | R4 | 2 3/4" dead latch - radius corner | 8Q00186 | 11.00 |
| | S8 | 2 3/8" dead latch - square corner 8Q00189 | | 11.00 |
| | R8 | 2 3/8" dead latch - radius corner 8Q00188 | | 11.00 |
| Grade 2 - | 1"X 2-1/4" NARF FACE) | ROW FACE PLATE,7/8" HOUSING DIAI | METER, GRADE 2, UL (NARROW | |
| Deadlatch | NS4 | 2 3/4" dead latch - square corner | 8Q00231 | 11.00 |
| | NR4 | 2 3/4" dead latch - radius corner | 8Q00230 | 11.00 |
| | NS8 | 2 3/8" dead latch - square corner | 8Q00233 | 11.00 |
| | NR8 | 2 3/8" dead latch - radius corner | 8Q00232 | 11.00 |

QCI200 Series | Grade 2 | Standard Duty Interconnected Locks

DEADBOLT OPTIONS (SPECIFY FINISH)

| Order as parts only | | Description | Service Part List Price | |
|------------------------|----------------|--|----------------------------|-------|
| | DEADBOLT: 1 -1 | /8" X 2 -1/4" FACE PLATE, DEADBOLT, UL (WIDE FACE) | | |
| Grade 2 - Boltlatch | S4 | 2 3/4" deadbolt - square corner | 8Q00170 | 17.00 |
| | R4 | 2 3/4" deadbolt - radius corner | 8Q00169 | 17.00 |
| 19 | 58 | 2 3/8" deadbolt - square corner | 8Q00168 | 17.00 |
| | R8 | R8 2 3/8" deadbolt - radius corner | | 17.00 |
| | DEADBOLT: 1") | | | |
| Grade 2 - Boltlatch | NS4 | 2 3/4" deadbolt - square corner | 8Q00442 | 20.00 |
| | NR4 | 2 3/4" deadbolt - radius corner | 8Q00441 | 20.00 |
| 1.0 | NS8 | 2 3/8" deadbolt - square corner | 8Q00440 | 20.00 |
| | NR8 | 2 3/8" deadbolt - radius corner | 8Q00439 | 20.00 |
| | WIDE FACE LAT | CH FILLER | · | |
| | | Wide face latch adaptor plate (converts 1" latch face plate to 11/8") | 8Q00217 | 1.80 |

QCI200 Series | Grade 2 | Standard Duty Interconnected Locks

STRIKE COMBINATIONS (SPECIFY FINISH)

| Order # With Lock | Lever Latch Deadbolt Latch | | Service Part List Price |
|----------------------|-------------------------------|-------------------------------|----------------------------|
| 118F | 2 3/4" x 1 1/8"T-Strike | Standard Deadbolt Strike | NC |
| 478S | ANSI 4 7/8" x 1 1/4" Strike | Standard Deadbolt Strike | Add 3.30 |
| FLS | Full Lip Square Corner Strike | Standard Deadbolt Strike | NC |
| FLR | Full Lip Radius Corner Strike | Standard Deadbolt Strike | NC |
| FLS2 | Full Lip Square Corner Strike | Full Lip Square Corner Strike | NC |
| FLR2 | Full Lip Radius Corner Strike | Full Lip Radius Corner Strike | NC |
| NO STRIKE | | | |
| NOS | No Strike | | Deduct 9.90 |

| Order as parts only | | Description | Service Part List Price | | | | |
|------------------------|-----------------------|---|----------------------------|--------------|--|--|--|
| LEVER | LEVER | | | | | | |
| 0 0 | 118 F | 2 3/4" x 1 1/8" T-Strike | 8Q00165 | 5.90 | | | |
| ا ا | 4785 | ANSI 4 7⁄8″ x 11⁄4″ Strike | 8Q00166 | 9.10 | | | |
| | FLS | Full Lip Square Corner Strike | 8Q00240 | 5.40 | | | |
| | FLR | Full Lip Radius Corner Strike | 8Q00241 | 5.40 | | | |
| DEADBOLT | DEADBOLT | | | | | | |
| | DBS | 2 3/4" x 11/8" Deadbolt Strike - Square | 8Q00164 | 5.50 | | | |
| | DBR | 2 3/4" x 11/8" Deadbolt Strike - Radius | 8Q00530 | 5.50 | | | |
| | 478DS | ANSI 4 7/8" x 11/4" Deadbolt Strike | 9.10 | | | | |
| | FLS | 2 1/4" Full Lip Square Corner Deadbolt Strike | 5.50 | | | | |
| | FLR | 2 1/4" Full Lip Radius Corner Deadbolt Strike | 5.50 | | | | |
| Less Cylinder | | | | | | | |
| LC | Less Cylinder | | | Deduct 21.00 | | | |
| | LC Less SFIC Cylinder | | | | | | |

QCI200 Series | Grade 2 | Standard Duty Interconnected Locks

OTHER PARTS & SCREW PACKS

| | Description | Service Part # | Service Part List Price |
|--------------------|--|----------------|----------------------------|
| | QCI200 Series deadbolt tailpiece | 8Q00083 | 3.20 |
| | Tailpiece QCI200 Series | 8Q00072 | 3.20 |
| | QCI200 Series outside escutcheon trim - 4' center to center (Specify finish) | 8Q00303 | 28.00 |
| NO IMAGE | QCI200 Series Screw Pack | 8Q00304 | 3.20 |
| NO IMAGE | QCI251 Screw Pack | 8Q00305 | 3.20 |
| NO IMAGE | QCI231 Screw Pack | 8Q00306 | 3.20 |
| NO IMAGE | QCI200 Series Door Thickness Adjustment Gauge | 8Q00307 | 2.30 |
| NO IMAGE | QCI200 Series IC Core Tailpiece | 8Q00308 | 3.20 |
| NO IMAGE | Indicator Emergency Key | 8Q00531 | 2.80 |
| | SmartKey Learn Tool | 8Q00555 | 5.50 |
| $\bigcirc\bigcirc$ | Spacer Set QCI200 on 1-3/8" thick door (Specify finish) | 8Q00082 | 3.20 |

QTL200 Series | Grade 2 | Standard Duty Tubular Locks

| 20 | Single Dummy | | |
|----|-------------------|--|--|
| 30 | Passage | | |
| 40 | Privacy | | |
| 50 | Entry/Office | | |
| 51 | Entry/Office SFIC | | |
| 60 | Classroom | | |
| 61 | Classroom SFIC | | |
| 70 | Storeroom | | |
| 71 | Storeroom SFIC | | |

| | | BF | BEST "F" SFIC |
|-----|-------------------|----|---------------|
| | | KW | Kwikset "KW" |
| 605 | Bright Brass | WE | Weiser "E" |
| 613 | Oil Rubbed Bronze | SC | Schlage "C" |
| 619 | Satin Nickel | GA | Yale "GA" |
| 625 | Bright Chrome | LA | Sargent "LA" |
| 626 | Satin Chrome | LC | Less Cylinder |
| | | | |

| Base Part Number | | | | | | Additiona | l Option | | | | |
|------------------|----------|---------|---------------|--------|-------|-----------------------|---------------|-----------------|-----|------------------------|---------------|
| Series | Function | Design | Finish | Latch | Strik | e Keyway | # of Pins | Keying | | Hurricane Compliant | 2nd Finish |
| QTL2 | 71 | E | 626 | SA | FLF | R BF | 6 | KA | | н | 625 |
| | | | | | | | | | | | |
| | E | Sierra | | | 4785 | ANSI 47%" x 11/4" St | rike | | | 625 Bright C | hrome |
| | М | Summit | | | 118F | ANSI 11/8" x 23/4" St | rike | | | | |
| | А | Slate | | | FLS | Full Lip Square Co | orner Strike | | | | |
| | | | | | FLR | Full Lip ¼" Radius | Corner Strike | | | | |
| | | | | | , NOS | No Strike | | | | | |
| | | QTL2 L/ | ATCH TABLE (I | New) | | | | KD | Ke | yed Different | |
| | | RA | Adjustable | Radius | | | | KA | Ke | yed Alike | |
| | | SA | Adjustable | Square | | | | SK | Sp | ecial Keying | |
| | | NOL | No Latch | | | | | | -Co | onstruction Keye | d |
| | | | | | | | | | -Co | onstruction Mast | er Keyed |
| | | | | | | | | | -M | aison Keyed | |
| | | | | | | | | | -M | aster Keyed | |
| | | | | | | | | | -G | rand Master Keye | d |
| | | | | | | | | | -G | reat Grand Maste | r Keyed |
| | | | | | | | | *************** | | | |

 ZB
 Zero Bitted

Example

÷

If you ordered: QTL271 E 626 SA FLR BF 6 KA H 625

You would get: Grade 2 Hurricane Compliant Tubular Storeroom SFIC Lock, Sierra Lever, Satin Chrome x Bright Chrome, Adjustable Square Latch, Full Lip ¼" Radius Corner Strike, Standard "F" Keyway, Keyed Alike.

QTL200 Series | Grade 2 | Standard Duty Tubular Locks

Sierra (E)

Available in: 605, 613, 619, 625, 626 Privacy Split Available in: 626x625*



.....

Available in: 605, 613, 619, 625, 626 Privacy Split Available in: 626x625*

Summit (M)



Slate (A) Available in: 605, 613, 619, 625, 626 Privacy Split Available in: 626x625*



| Model/Series | Functions | Stulo | tyle Case Qty 626 | List Price | |
|--------------|-------------------|-------|-------------------|------------|--------------------|
| Model/Series | Functions | Style | | 626 | 605, 613, 619, 625 |
| QTL220 | Half Dummy | E/M/A | 12 | 63.00 | 71.00 |
| QTL230 | Passage | E/M/A | 10 | 124.00 | 139.00 |
| QTL240* | Privacy | E/M/A | 10 | 133.00 | 148.00 |
| QTL250 | Entry/Office | E/M/A | 10 | 149.00 | 164.00 |
| QTL251 | Entry/Office SFIC | E/M/A | 10 | 205.00 | 221.00 |
| QTL260 | Classroom | E/M/A | 10 | 149.00 | 164.00 |
| QTL261 | Classroom SFIC | E/M/A | 10 | 205.00 | 221.00 |
| QTL270 | Storeroom | E/M/A | 10 | 149.00 | 164.00 |
| QTL271 | Storeroom SFIC | E/M/A | 10 | 205.00 | 221.00 |

| | Less Cylinder | List Price |
|----|--------------------|--------------|
| | Less Cylinder | Deduct 21.00 |
| LC | Less SFIC Cylinder | Deduct 50.00 |

| | Options | Add |
|---|---------------------|------|
| Н | Hurricane Compliant | 5.00 |

NOTES:

* Privacy split finishes are priced at the highest finish price.

QTL200 Series | Grade 2 | Standard Duty Tubular Locks

LATCH OPTIONS (SPECIFY FINISH)

| Order # With Lock | | Description Service Part # | | Price With Lock | Service Part List Price |
|----------------------|----------------|--|---------|--------------------|----------------------------|
| 1" X 2 -1/4" FACI | E PLATE, GRADE | 2 TUBULAR, UL (NARROW FACE) | | | |
| | SA | Adjustable tubular dead latch, 1" square corner face plate G2 UL | 8Q00162 | NC | 14.00 |
| | RA | Adjustable tubular dead latch, 1" radius corner face plate G2 UL | 8Q00204 | NC | 14.00 |
| WIDE FACE LAT | CH FILLER | | | | |
| | | Wide face latch adaptor plate (converts 1" latch face plate to 11/8") | 8Q00217 | N/A | 1.80 |
| NO LATCH | | | | | |
| N | DL | No Latch | | Deduct 13.00 | |

QTL200 Series | Grade 2 | Standard Duty Tubular Locks

STRIKE OPTIONS (SPECIFY FINISH)

| | ler # Lock | Description | Service Part # | Price With Lock | Service Part List Price |
|----------------|---------------|---|-------------------|--------------------|----------------------------|
| 0 0 | 118 F | 2 3⁄4″ x 11⁄8″ T-Strike (Does not include screws. Screwpack 8Q00058) | 8Q00165 | NC | 5.90 |
| () () () | 4785 | 4 7/8" x 11/4" ANSI Strike (Does not include screws. Screwpack 8Q00058) | 8Q00166 | NC | 9.10 |
| | FLR | 2 1⁄4″ Full Lip Round Corner Strike UL | 8Q00241 | NC | 5.40 |
| | FLS | 2 1/4" Full Lip Square Corner Strike UL | 8Q00240 | NC | 5.40 |
| NO STRIKE | | | | | |
| N | OS | No Strike | | Deduct 4.90 | |

QTL200 Series | Grade 2 | Standard Duty Tubular Locks

OTHER PARTS & SCREW PACKS

| Description | Service Part # | Service Part List Price |
|---|----------------|----------------------------|
| Tailpiece QTL200 & QRT300 Series | 8Q00073 | 3.20 |
| Cylinder Plug Holder QTL200 Series - Summit Style | 8Q00067 | 2.40 |
| Cylinder Plug Holder QTL200 Series - Sierra Style | 8Q00068 | 2.40 |
| Screw Pack for QTL200 Series (Specify Finish) | 8Q00062 | 2.40 |
| Screw Pack for T-Strike (Specify Finish) | 8Q00058 | 2.30 |
| Thick Door Pack for QTL200 Series (1 3⁄4″ - 2″) (Specify Finish) | 8Q00063 | 2.40 |

QDB100 Series | Grade 1 | Heavy Duty Auxiliary Deadbolts

| | | | | | | BF | BEST "F" SFIC | | |
|---|-------------------|---|--|---|------------------------|------------------------|---------------|-----------------|---|
| 0 | Single Cylinder | | , | | | KW | Kwikset "KW" | | |
| 1 | Single Cylinder S | FIC | 605 | Bright Brass | | WE | Weiser "E" | | |
| 2 | Double Cylinder | | 613 | Oil Rubbed Bronz | e | SC | Schlage "C" | | |
| 3 | Double Cylinder | SFIC | 619 | Satin Nickel | | GA | Yale "GA" | | |
| 6 | Classroom | | 625 | Bright Chrome | | LA | Sargent "LA" | | |
| 7 | Classroom SFIC | | 626 | Satin Chrome | | LC | Less Cylinder | | |
| | | | | | | | | | Additional |
| | | | | Base Part | Number | | | | Options |
| | Series | Function | Finish | Deadbolt | Strike | Keyway | / # of Pins | Keyin | g Hurricane compliant |
| | QDB1 | 81 | 626 | S8 | DBS | BF | 6 | KD | Н |
| | | QDB1 NOL NR4 NR8 NS4 NS4 R4 R8 | DEADBOLT T No Latch Narrow Rad Narrow Rad Narrow Squ Narrow Squ Radius 2-3/ Radius 2-3/ | dius 2-3/4 Jius 2-3/8 Jare 2-3/4 Jare 2-3/8 4 | | | | KD KA SK | Keyed Different Keyed Alike Special Keying -Construction Keyed -Construction Master Keyed -Maison Keyed -Master Keyed -Grand Master Keyed |
| | | C / | Square 2-3, | /4 | | | | | -Great Grand Master Keyed |
| | | | | | | | | | |
| | | | S4 | S4 Square 2-3, | S4 Square 2-3/4 | S4 Square 2-3/4 | | S4 Square 2-3/4 | |
| | | 54 S8 | Square 2-3, | /8 | , | | | ZB | Zero Bitted |

| 478S | ANSI 4 1/8" x 11/4" Strike |
|----------|----------------------------------|
| DBS | Deadbolt Strike 1½" x 2¾" Square |
| FLS | Full Lip Square Corner Strike |
| FLR | Full Lip ¼" Radius Corner Strike |
| NOS | No Strike |

Example

If you ordered: QDB281 626 S8 DBS BF 6 KD H

You would get: Grade 1 Single Cylinder SFIC Auxiliary Deadbolt, Satin Chrome, 2³/₈" Deadbolt Latch Square, Standard Deadbolt Strike, BEST "F" SFIC Keyway, Keyed Different, Hurricane Compliant.

.....

QDB100 Series | Grade 1 | Heavy Duty Auxiliary Deadbolts



| Model/Series | Functions | Case Otre | List | Price |
|--------------|----------------------|-----------|--------|--------------------|
| Model/Series | Functions | Case Qty | 626 | 605, 613, 619, 625 |
| QDB180 | Single Cylinder | 12 | 146.00 | 151.00 |
| QDB181 | Single Cylinder SFIC | 12 | 198.00 | 203.00 |
| QDB182 | Double Cylinder | 12 | 187.00 | 192.00 |
| QDB183 | Double Cylinder SFIC | 12 | 291.00 | 296.00 |
| QDB186 | Classroom | 12 | 153.00 | 158.00 |
| QDB187 | Classroom SFIC | 12 | 205.00 | 210.00 |

| | Less Cylinder | List Price |
|----|--------------------|--------------|
| | Less Cylinder | Deduct 21.00 |
| LC | Less SFIC Cylinder | Deduct 50.00 |

| Options | | Add |
|---------|---------------------|------|
| н | Hurricane Compliant | 5.00 |

NOTES:

Consult factory for lead times on 605, 625 finishes.

QDB100 Series | Grade 1 | Heavy Duty Auxiliary Deadbolts

DEADBOLT OPTIONS (SPECIFY FINISH)

| Order # With Lock | | Description | Description Service Part # | | Service Part List Price |
|----------------------|-----------------|---|----------------------------|--------------|----------------------------|
| 1 -1/8″ X 2 -1/4″ | FACE PLATE, DEA | DBOLT, UL (WIDE FACE) | | | |
| | S4 | 2 3⁄4″ deadbolt - square corner | 8Q00170 | NC | 19.00 |
| 0 | R4 | 2 3⁄4″ deadbolt - radius corner | 8Q00169 | NC | 19.00 |
| 0 | S8 | 2 3⁄8″ deadbolt - square corner | 8Q00168 | NC | 19.00 |
| | R8 | 2 3⁄8″ deadbolt - radius corner | 8Q00167 | NC | 19.00 |
| 1" X 2 -1/4" FAC | E PLATE, DEADBO | OLT, UL (NARROW FACE) | | | |
| | NS4 | 2 3⁄4″ deadbolt - square corner | 8Q00237 | NC | 19.00 |
| 0 | NR4 | NR4 2 3/4" deadbolt - radius corner | | NC | 19.00 |
| 0 | NS8 | 2 3⁄8″ deadbolt - square corner | 8Q00235 | NC | 19.00 |
| | NR8 | 2 3/8" deadbolt - radius corner 8Q00234 | | NC | 19.00 |
| WIDE FACE LAT | CH FILLER | | | | |
| | | Wide face latch adaptor plate (converts 1″ latch face plate to 1-1⁄8″) | 8Q00217 | N/A | 1.80 |
| NO LATCH | · | · | · | | |
| N | OL | No Latch | | Deduct 18.00 | |

QDB100 Series | Grade 1 | Heavy Duty Auxiliary Deadbolts

STRIKE OPTIONS (SPECIFY FINISH)

| | er # Lock | Description | Service Part # | Price With Lock | Service Part List Price |
|-----------|--------------|--|-------------------|--------------------|----------------------------|
| 0 | DBS | 23⁄4″ x 11⁄8″ Standard Deadbolt Strike and Reinforcer | 8Q00164 | NC | 5.50 |
| | DBR | 23⁄4″ x 11⁄8″ Standard Radius Deadbolt Strike and Reinforcer | 8Q00530 | NC | 5.50 |
| 0 0 | 4785 | 4 7⁄8″ x 11⁄4″ ANSI Strike | 8Q00244 | Add 4.00 | 9.10 |
| | FLR | 21/4″ Full Lip Round Corner Strike UL | 8Q00316 | NC | 5.50 |
| | FLS | 2 1/4" Full Lip Square Corner Strike UL | 8Q00317 | NC | 5.50 |
| | | Plastic Strike Box for QDB100 & QDB200 Series (DBS Strike only) | 8Q00161 | N/A | 3.20 |
| NO STRIKE | 1 | | 1 | | |
| N | OS | No Strike | | Deduct 5.00 | |

QDB100 Series | Grade 1 | Heavy Duty Auxiliary Deadbolts

OTHER PARTS & SCREW PACKS

| | Description | Service Part # | Service Part List Price |
|--------|--|----------------|----------------------------|
| | Tailpiece for QDB100 & QDB200 Series Double Cylinder (Qty 2) | 8Q00085 | 3.20 |
| | Tailpiece and washer for Single Cylinder QDB100 & QDB200 Series | 8Q00083 | 3.20 |
| 00 | Spacer Set for Double Cylinder Deadbolt SFIC QDB100 & QDB200 Series (Specify finish) | 8Q00082 | 3.20 |
| σ | Thick Door Pack for QDB100 Series Single Cylinder (1 3⁄4″- 2 1⁄4″) (Specify finish) | 8Q00077 | 3.20 |
| Ming a | Thick Door Pack for QDB100 & QDB200 Series Double Cylinder (1 3/4"- 2 1/4") (Specify finish) | 8Q00079 | 3.20 |
| | Thick Door Kit - Tailpiece and washer for Single Cylinder QDB100 & QDB200 Series (1 3/4"- 2 1/4") | 8Q00084 | 3.20 |
| | Cylinder Screw QDB100 & QDB200 Series | 8Q00086 | 3.20 |
| | Screw Pack for T-Strike (Specify finish) | 8Q00058 | 2.30 |
| | Screw Pack for QDB100 Series Single Cylinder (Specify finish) | 8Q00076 | 3.20 |
| | Screw Pack for QDB100 & QDB200 Series Double Cylinder (Specify finish) | 8Q00078 | 3.20 |

QDB200 Series | Grade 2 | Standard Duty Auxiliary Deadbolts

| 80 | Single Cyl | inder | - | | | | | | |
|----|--|---|---|---|--------|------------|----------------------|--|-------------------------------------|
| 81 | Single Cyl | inder SFIC | | | | BF | BEST "F" SFIC | | |
| 82 | Double Cy | /linder | | | | SMT | SmartKey* | | |
| 83 | Double Cy | /linder SFIC | | | | KW | Kwikset "KW" | | |
| 84 | Inside Tur | nbolt | 605 | Bright Brass | | WE | Weiser "E" | | |
| 85 | Indicator | | 613 | Oil Rubbed Bronz | ze | SC | Schlage "C" | | |
| 86 | Classroom | ۱ | 619 | Satin Nickel | | GA | Yale "GA" | | |
| 87 | Classroom | n SFIC | 625 | Bright Chrome | | LA | Sargent "LA" | | |
| 88 | Key Contr | olt | 626 | Satin Chrome | | LC | Less Cylinder | | |
| | | | | | | | | | |
| | | 1 | I | Base Part | Number | I | | | Additional Options |
| | Series | Function | Finish | Deadbolt | Strike | Keyway | / # of Pins | Keying | Hurricane Compliant |
| | QDB2 | 81 | 626 | 58 | DBS | BF | 6 | KD | H H |
| | Q , , , , , , , , , , , , , , , , , , , | | | | | DF | 0 | | |
| | | ODB2 D | | | | Dr | KD | ···· | |
| | | QDB2 DI 6A | EADBOLT TABLE | (New) | | Бг | ······ | Keyed Differen | |
| | | | | (New) | | | KD | Keyed Differen Keyed Alike | t |
| | | 6A | EADBOLT TABLE | (New) | | | KD KA | Keyed Differen | t |
| | | 6A NOL | EADBOLT TABLE 6-Way Adjustak No Latch | (New) ole 2-3/4 | | | KD KA | Keyed Differen Keyed Alike Special Keying | t Keyed |
| | | 6A NOL NR4 | EADBOLT TABLE 6-Way Adjustat No Latch Narrow Radius Narrow Radius | (New) ble 2-3/4 2-3/8 | | | KD KA | Keyed Differen Keyed Alike Special Keying -Construction | t Keyed Master Keyed |
| | | 6A NOL NR4 NR8 | EADBOLT TABLE 6-Way Adjustał No Latch Narrow Radius Narrow Radius Narrow Square | (New) ble 2-3/4 2-3/8 2-3/4 | | | KD KA | Keyed Differen Keyed Alike Special Keying -Construction -Construction | t Keyed Master Keyed |
| | | 6A NOL NR4 NR8 NS4 | EADBOLT TABLE 6-Way Adjustat No Latch Narrow Radius Narrow Radius | (New) ble 2-3/4 2-3/8 2-3/4 | | | KD KA | Keyed Differen Keyed Alike Special Keying -Construction -Construction -Maison Keyec | t Keyed Master Keyed |
| | | 6A NOL NR4 NR8 NS4 NS8 | EADBOLT TABLE 6-Way Adjustak No Latch Narrow Radius Narrow Radius Narrow Square Narrow Square | (New) ble 2-3/4 2-3/8 2-3/4 | | | KD KA | Keyed Differen Keyed Alike Special Keying -Construction -Construction -Maison Keyed | t Keyed Master Keyed Keyed |
| | | 6A NOL NR4 NR8 NS4 NS8 R4 | EADBOLT TABLE 6-Way Adjustab No Latch Narrow Radius Narrow Radius Narrow Square Narrow Square Radius 2-3/4 | (New) ble 2-3/4 2-3/8 2-3/4 | | | KD KA | Keyed Differen Keyed Alike Special Keying -Construction -Construction -Maison Keyed -Master Keyed -Grand Master | t Keyed Master Keyed Keyed |
| | | 6A NOL NR4 NR8 NS4 NS8 R4 R8 | EADBOLT TABLE 6-Way Adjustał No Latch Narrow Radius Narrow Radius Narrow Square Narrow Square Radius 2-3/4 Radius 2-3/8 | (New) ble 2-3/4 2-3/8 2-3/4 | | | KD KA SK | Keyed Differen Keyed Alike Special Keying -Construction -Construction -Maison Keyed -Master Keyed -Grand Master -Great Grand N | t Keyed Master Keyed Keyed |
| | | 6A NOL NR4 NR8 NS4 NS8 R4 R8 S4 | EADBOLT TABLE 6-Way Adjustat No Latch Narrow Radius Narrow Radius Narrow Square Narrow Square Radius 2-3/4 Radius 2-3/8 Square 2-3/4 | (New) ble 2-3/4 2-3/8 2-3/4 | 4785 | Δ Γ | KD KA SK ZB | Keyed Differen Keyed Alike Special Keying -Construction -Construction -Maison Keyed -Master Keyed -Grand Master -Great Grand N | t Keyed Master Keyed Keyed |

| | 478S | ANSI 4 ⁷ / ₈ " x 1 ¹ / ₄ " Strike |
|--|------|---|
| | DBS | Deadbolt Strike 1¼" x 2¾" Square |
| | DBR | Deadbolt Strike 1¼" x 2¾" Radius |
| | FLS | Full Lip Square Corner Strike |
| | FLR | Full Lip ¼" Radius Corner Strike |
| | NOS | No Strike |

Example

If you ordered: QDB281 626 S8 DBS BF6 KD H

You would get: Grade 2 Single Cylinder SFIC Auxiliary Deadbolt, Satin Chrome, 2 %" Deadbolt

Latch Square, Standard Deadbolt Strike, BEST "F" SFIC Keyway, Keyed Different, Hurricane Compliant.

QDB200 Series | Grade 2 | Standard Duty Auxiliary Deadbolts



| Medal/Service | Functions | 6 0t | List Price | |
|---------------|----------------------|----------|------------|--------------------|
| Model/Series | Functions | Case Qty | 626 | 605, 613, 619, 625 |
| QDB280 | Single Cylinder | 12 | 90.00 | 99.00 |
| QDB281 | Single Cylinder SFIC | 12 | 116.00 | 123.00 |
| QDB282 | Double Cylinder | 12 | 112.00 | 118.00 |
| QDB283 | Double Cylinder SFIC | 12 | 167.00 | 173.00 |
| QDB284 | Inside Turnbolt | 20 | 46.00 | 52.00 |
| QDB285 | Indicator | 12 | 75.00 | 80.00 |
| QDB286 | Classroom | 12 | 97.00 | 103.00 |
| QDB287 | Classroom SFIC | 12 | 121.00 | 129.00 |

| Options | | Add |
|---------|---------------------|------|
| Н | Hurricane Compliant | 5.00 |

NOTES:

* QDB288 is only available with either SA or RA latches. SA and RA latches not available on other deadbolts. Subject to availability. Consult factory.

QDB200 Series | Grade 2 | Standard Duty Auxiliary Deadbolts

DEADBOLT OPTIONS (SPECIFY FINISH)

| Order # With Lock | | Description | Service Part # | Price With Lock | Service Part List Price |
|----------------------|-------------|--|-------------------|--------------------|----------------------------|
| 1 1⁄8″ X 2 1⁄4″ FA | CE PLATE, D | EADBOLT, UL (WIDE FACE) | | | |
| | S4 | 2 3⁄4″ deadbolt - square corner | 8Q00170 | NC | 19.00 |
| | R4 | 2 3⁄4″ deadbolt - radius corner | 8Q00169 | NC | 19.00 |
| 0 | S8 | 2 3⁄8″ deadbolt - square corner | 8Q00168 | NC | 19.00 |
| | R8 | 2 3⁄8″ deadbolt - radius corner | 8Q00167 | NC | 19.00 |
| 1" X 2 1/4" FACE | PLATE, DEA | DBOLT, UL (NARROW FACE) | | | |
| | NS4 | 2 3⁄4″ deadbolt - square corner | 8Q00237 | NC | 19.00 |
| 0 | NR4 | 2 3⁄4″ deadbolt - radius corner | 8Q00236 | NC | 19.00 |
| 0 | NS8 | 2 3⁄8″ deadbolt - square corner | 8Q00235 | NC | 19.00 |
| | NR8 | 2 3/8" deadbolt - radius corner | 8Q00234 | NC | 19.00 |
| 6 WAY ADJUSTA | BLE LATCHE | S, DEADBOLT, UL (NARROW) | | | |
| | 6A | 1" square corner, 1" round corner and drive- in | 8Q00482 | Add 3.10 | 20.00 |
| WIDE FACE LATC | H FILLER | | | | |
| | | Wide face latch adaptor plate (converts 1" latch face plate to 11/8") | 8Q00217 | N/A | 1.80 |
| NO LATCH | | | | | |
| NOL | | No Latch | | Deduct 18.00 | |

QDB200 Series | Grade 2 | Standard Duty Auxiliary Deadbolts

STRIKE OPTIONS (SPECIFY FINISH)

| Order # With Lock | | Description | Service Part # | Price With Lock | Service Part List Price |
|----------------------|------|--|-------------------|--------------------|----------------------------|
| 0 0 | DBS | 2 3⁄4″ x 11⁄8″ Standard Deadbolt Strike and Reinforcer | 8Q00164 | NC | 5.50 |
| | DBR | 2 3⁄4″ x 11⁄8″ Standard Radius Deadbolt Strike and Reinforcer | 8Q00530 | NC | 5.50 |
| | 4785 | 4 7/8″ x 11/4″ ANSI Strike | 8Q00244 | Add 4.00 | 9.10 |
| | FLR | 2 1⁄4″ Full Lip Round Corner Strike UL | 8Q00316 | NC | 5.50 |
| | FLS | 2 1/4" Full Lip Square Corner Strike UL | 8Q00317 | NC | 5.50 |
| | | Plastic Strike Box for QDB100 & QDB200 Series (DBS Strike only) | 8Q00161 | N/A | 3.20 |
| NO STRIKE | | 1 | | | |
| NOS | | No Strike | | Deduct 5.00 | |

QDB200 Series | Grade 2 | Standard Duty Auxiliary Deadbolts

CYLINDER OPTIONS (SPECIFY FINISH)

| Order # With Lock | Description | Price With Lock |
|----------------------|--------------------|--------------------|
| LESS CYLIN | LESS CYLINDER | |
| | Less Cylinder | Deduct 21.00 |
| LC | Less SFIC Cylinder | Deduct 45.00 |

QDB200 Series | Grade 2 | Standard Duty Auxiliary Deadbolts

OTHER PARTS & SCREW PACKS


| | Description | Service Part # | Service Part List Price |
|----------|---|----------------|----------------------------|
| | Tailpiece for QDB100 & QDB200 Series Double Cylinder (Qty 2) | 8Q00085 | 3.20 |
| | Tailpiece and washer for Single Cylinder QDB100 & QDB200 Series | 8Q00083 | 3.20 |
| 00 | Spacer Set for Double Cylinder Deadbolt SFIC QDB100 & QDB200 Series (Specify finish) | 8Q00082 | 3.20 |
| of f | Thick Door Pack for QDB200 Series Single Cylinder (1 3⁄4″- 2 1⁄4″) (Specify finish) | 8Q00081 | 3.20 |
| Jim 3 | Thick Door Pack for QDB100 & QDB200 Series Double Cylinder (1 3⁄4″- 2 1⁄4″) (Specify finish) | 8Q00079 | 3.20 |
| 6 | Thick Door Kit - Tailpiece and washer for Single Cylinder (1 3/4"- 21/4") | 8Q00084 | 3.20 |
| Q | Thick Door Kit - Tailpiece and washer for Single SFIC Cylinder (1 3/4"- 21/4") | 8Q00588 | 3.20 |
| | Cylinder Screw QDB100 & QDB200 Series | 8Q00086 | 3.20 |
| | Screw Pack for T-Strike (Specifyfinish) | 8Q00058 | 2.30 |
| | Screw Pack for QDB200 Series Single Cylinder (Specifyfinish) | 8Q00080 | 3.20 |
| | Screw Pack for QDB100 & QDB200 Series Double Cylinder (Specify finish) | 8Q00078 | 3.20 |
| NO IMAGE | Indicator Emergency Key | 8Q00531 | 2.80 |
| | SmartKey Learn Tool | 8Q00555 | 5.50 |

QDB200 Series | Grade 2 | Standard Duty Auxiliary Deadbolts

OTHER PARTS & SCREW PACKS

| Description | Service Part # | Service Part List Price |
|-------------------------------------|----------------|----------------------------|
| Reset Cradle for SmartKey cylinders | 8Q00484 | 52.00 |

QED100 Series | Grade 1 | Heavy Duty Exit Devices



* Applies to Vertical Rods only.

** Applies to Cylinder Dogged only.

+ HC is only available for QED111-QED116.

Example

If you ordered: QED115 36" 7FT 313AN BF KD

You would get: Grade 1 Heavy Duty Architectural Surface Vertical Rod Exit Device with Cylinder Dogging for a 7 Foot Door, in Anodized Duronodic Bronze finish. SFIC "F" Keyway, Keyed Different.

QED100 Series | Grade 1 | Heavy Duty Exit Devices



| Model/Series | Functions | Style | Case Qty | List Price | |
|--------------|------------------------------------|-------|----------|------------|------------|
| Model/Series | Functions | Style | | 626 | 605, 313AN |
| QED111 | Rim - Hex Dog | | 1 | 1,073.00 | 1,107.00 |
| QED112 | Rim - Cylinder Dog | | 1 | 1,137.00 | 1,171.00 |
| QED113 | Rim - Fire Rated | | 1 | 1,146.00 | 1,180.00 |
| QED114 | SVR - Hex Dog | 7FT | 1 | 1,409.00 | 1,443.00 |
| QED115 | SVR - Cylinder Dog | 7FT | 1 | 1,473.00 | 1,507.00 |
| QED116 | SVR - Fire Rated | 7FT | 1 | 1,481.00 | 1,515.00 |
| QED117 | SVR Less Bottom Rod - Hex Dog | 7FT | 1 | 1,364.00 | 1,398.00 |
| QED118 | SVR Less Bottom Rod - Cylinder Dog | 7FT | 1 | 1,431.00 | 1,465.00 |
| QED119 | SVR Less Bottom Rod - Fire Rated | 7FT | 1 | 1,437.00 | 1,471.00 |
| QED124 | CVR - Hex Dog | 7FT | 1 | 1,481.00 | 1,515.00 |
| QED125 | CVR - Cylinder Dog | 7FT | 1 | 1,544.00 | 1,578.00 |
| QED126 | CVR - Fire Rated | 7FT | 1 | 1,556.00 | 1,590.00 |
| QED127 | CVR - LBR - Hex Dog | 7FT | 1 | 1,459.00 | 1,493.00 |
| QED128 | CVR - LBR - Cylinder Dog | 7FT | 1 | 1,523.00 | 1,557.00 |
| QED129 | CVR - LBR - Fire Rated | 7FT | 1 | 1,531.00 | 1,565.00 |

| | Less Cylinder | List Price | |
|----|---------------|--------------|--|
| LC | Less Cylinder | Deduct 47.00 | |

| | Options | Add |
|-----|--|--------|
| 8FT | Vertical rod kit for 8FT door application | 50.00 |
| 48″ | 48" Device (Consult factory for lead-time) | 56.00 |
| | Hurricane Compliant Rim | 116.00 |
| HC | Hurricane Compliant SVR | 26.00 |

NOTES:

All LBR fire rated devices include a bottom fire bolt. Consult factory for lead times on 605 finish.

QED100 Series | Grade 1 | Heavy Duty Exit Devices

ELECTRIFIED OPTIONS (CONSULT FACTORY FOR LEAD TIMES)



| Model # | Description | List Price Adder |
|---------|---|---------------------|
| QEDLR | Electrified Latch Retraction (LR) allows for the remote unlatching of exit devices. Continuous duty solenoids retract latches momentarily or for extended periods of time. Requires the use of power supply 8Q00312 or 8Q00313. | 1,005.00 |
| QEDED | Electrified Dogging (ED) allows continuous latch retraction and dogging simultaneously. ED requires first time mechanical activation after which the push bar will continuously hold the push bar and latch retracted. When power is removed or interrupted from the device, the latch bolt will extend and push bar will release. Uses power supply 8Q00314 (on page 50) | 867.00 |
| QEDX | Request to Exit (X) is an SPDT (Single Pole Double Throw) switch which monitors the push bar of the exit device. The X switch can be used to activate a door alarm, control a magnetic locking device, shunt a door alarm or signal a control console when the push bar is depressed. | 323.00 |
| QEDLRX | Electrified Latch Retraction (LR) device with a Request to Exit (X) switch. Requires the use of power supply 8Q00312 or 8Q00313. | 1,248.00 |
| QEDEDX | Electrified Dogging (ED) device with a Request to Exit (X) switch. Uses power supply 8Q00314 (on page 50) | 1,112.00 |

POWER SUPPLY OPTIONS (CONSULT FACTORY FOR LEAD TIMES)

| Model # | Description | |
|---------|---|----------|
| 8Q00312 | Power supply for Electronic Latch Retraction Devices (LR/LRX) | 1,090.00 |
| 8Q00313 | Power supply with Day/Night mode for Electronic Latch Retraction Devices (LR/LRX) | 1,240.00 |

Electrified Product Specifications


- Consult Factory for lead times
- Electrification prices should be added to price of device
- · Continuous duty solenoids
- · Lifetime warranty on exit device; 1 year warranty on electronic components
- LR or LRX requires power supply 8Q00312 or 8Q00313
- Minimum door width 36"
- LR and ED requires the removal of mechanical dogging mechanism
- Options can be used in any Hex Dog or Fire Rated QED 100 Series Device (How to order example: QED111LR 36" 626)

Power Supply Specifications (10" x 10" x 4.25")

8Q00312

- Provides power for up to two LR or LRX devices
- Supplied with wiring diagram in detailed instructions
- Automatic door operator interface
- Independent control of single exit devices (one or two single doors) or sequential operation of two devices (pair of doors) field adjustable latch retraction time delay
- 24VDC or 12 VDC auxiliary power, unfiltered & unregulated **8Q00313**
- Same as 8Q00312 with the addition of a day/night mode
- Provides separate input for retracting one exit device or two exit devices sequentially without activating the auto door operator. While the latches are held retracted auto operator can be activated independently from a different output.

QED200 Series | Grade 1 | Heavy Duty Narrow Stile Exit Devices



* Applies to Vertical Rods only.

** Applies to Cylinder Dogged only.

† QED213 available with HMS strike only.

NOTES:

Rim devices with ALS Strike and SVR devices require minimum stile width of 2". Rim devices with HMS and CVR devices require minimum stile wide of 3.5".

Example

If you ordered: QED215 36" 7FT 626 BF KD

You would get: Grade 1 Heavy Duty Narrow Stile Surface Vertical Rod Exit Device with Cylinder Dogging for a 7 Foot Door, in Brushed Chrome finish, SFIC "F" Keyway, Keyed Different.

QED200 Series | Grade 1 | Heavy Duty Narrow Stile Exit Devices



| Model/Series | Functions | nctions Style Case Qty | Style Case Oty | List Price | |
|--------------|------------------------------------|------------------------|----------------|------------|------------|
| wodel/series | Functions | | Case Qty | 626 | 605, 313AN |
| QED211 | Rim - Hex Dog | | 1 | 1,255.00 | 1,301.00 |
| QED212 | Rim - Cylinder Dog | | 1 | 1,316.00 | 1,361.00 |
| QED213 | Rim - Fire Rated | | 1 | 1,327.00 | 1,372.00 |
| QED214 | SVR - Hex Dog | 7FT | 1 | 1,693.00 | 1,741.00 |
| QED215 | SVR - Cylinder Dog | 7FT | 1 | 1,753.00 | 1,800.00 |
| QED216 | SVR - Fire Rated | 7FT | 1 | 1,764.00 | 1,810.00 |
| QED217 | SVR Less Bottom Rod - Hex Dog | 7FT | 1 | 1,648.00 | 1,693.00 |
| QED218 | SVR Less Bottom Rod - Cylinder Dog | 7FT | 1 | 1,709.00 | 1,753.00 |
| QED219 | SVR Less Bottom Rod - Fire Rated | 7FT | 1 | 1,719.00 | 1,764.00 |
| QED224 | CVR - Hex Dog | 7FT | 1 | 1,755.00 | 1,802.00 |
| QED225 | CVR - Cylinder Dog | 7FT | 1 | 1,815.00 | 1,862.00 |
| QED226 | CVR - Fire Rated | 7FT | 1 | 1,828.00 | 1,872.00 |
| QED227 | CVR - LBR - Hex Dog | 7FT | 1 | 1,717.00 | 1,762.00 |
| QED228 | CVR - LBR - Cylinder Dog | 7FT | 1 | 1,778.00 | 1,825.00 |
| QED229 | CVR - LBR - Fire Rated | 7FT | 1 | 1,788.00 | 1,834.00 |

| Less Cylinder | | List Price |
|---------------|---------------|--------------|
| LC | Less Cylinder | Deduct 47.00 |

| | Add | |
|-----|--|-------|
| 8FT | Vertical rod kit for 8FT door application | 47.00 |
| 48″ | 48" Device (Consult factory for lead-time) | 54.00 |

* QED213 available with HMS strike only.

NOTES:

All LBR fire rated devices include a bottom fire bolt.

Consult factory for lead times on 605 finish.

Rim devices with ALS Strike and SVR devices require minimum stile width of 2".

Rim devices with HMS and CVR devices require minimum stile wide of 3.5".

QED100/200 Series | Grade 1 | Heavy Duty Exit Devices

LATCH & ROD PARTS (SPECIFY FINISH)

| | Description | Service Part # | List Price |
|----------|---|----------------|------------|
| | Top Rod Latch for SVR & LBR - QED100/200 (requires screw pack 8Q00268 - see QED100/200 Other Parts & Screw Packs) | 8Q00256 | 172.00 |
| | Top Rod Latch for CVR - QED100 (requires screw pack 8Q00278 - see QED100/200 Other Parts & Screw Packs) | 8Q00271 | 172.00 |
| | Top Rod Latch for CVR - QED200 (requires screw pack 8Q00278 - see QED100/200 Other Parts & Screw Packs) | 8Q00584 | 129.00 |
| | Bottom Rod Latch for SVR - QED100/200 (requires screw pack 8Q00268 - see QED100/200 Other Parts & Screw Packs) | 8Q00257 | 172.00 |
| | Bottom Rod Latch for CVR - QED100 (requires screw pack 8Q00278 - see QED100/200 Other Parts & Screw Packs) | 8Q00272 | 172.00 |
| | Bottom Rod Latch for CVR - QED200 (requires screw pack 8Q00278 - see QED100/200 Other Parts & Screw Packs) | 8Q00585 | 129.00 |
| | Fire Latch for QED100/200 LBR Fire Rated * Can only be used with fire rated LBR devices. | 8Q00279 | 91.00 |
| NO IMAGE | Bottom Rod for SVR - QED100/200 (requires screw pack 8Q00268 - see QED100/200 Other Parts & Screw Packs) | 8Q00258 | 43.00 |
| NO IMAGE | Bottom Rod for CVR - QED100/200 | 8Q00280 | 43.00 |
| NO IMAGE | 7'Top Rod for SVR & LBR - QED100/200 | 8Q00259 | 43.00 |
| NOIMAGE | 7'Top Rod for CVR - QED100/200 | 8Q00281 | 43.00 |
| NO IMAGE | 8'Top Rod for SVR & LBR - QED100/200 | 8Q00260 | 50.00 |
| NO IMAGE | 8'Top Rod for CVR - QED100/200 | 8Q00282 | 50.00 |
| NO IMAGE | QED100/200 Series SVR & LBR, 7'Top Rod Cover Set (includes top rod and base plate) (requires screw pack 8Q00261 - see QED100/200 Other Parts & Screw Packs) | 8Q00249 | 80.00 |
| NO IMAGE | QED100/200 Series SVR & LBR, 8'Top Rod Cover Set (includes cover and base plate) (requires screw pack 8Q00261 - see QED100/200 Other Parts & Screw Packs) | 8Q00250 | 87.00 |
| NO IMAGE | QED100/200 Series SVR, Bottom Rod Cover Set (includes cover and base plate) (requires screw pack 8Q00261- see QED100/200 Other Parts & Screw Packs) | 8Q00251 | 74.00 |

QED100/200 Series | Grade 1 | Heavy Duty Exit Devices

STRIKE PARTS

| | Description | Service Part # | List Price |
|------|--|----------------|------------|
| | Strike Kit for Rim Panic - QED100/200 (includes mounting hardware) | 8Q00254 | 43.00 |
| | Strike Kit for Rim Fire Rated - QED100/200 (includes mounting hardware) | 8Q00255 | 50.00 |
| | Double Door Strike Kit for Rim - QED111 & QED112 (includes mounting hardware) | 8Q00269 | 74.00 |
| E. | Strike Kit for Top Latch for SVR Panic - QED100/200 (includes mounting hardware) | 8Q00247 | 56.00 |
| | Strike Kit for Top Latch for CVR Panic - QED100/200 | 8Q00273 | 56.00 |
| | Strike Kit for Top Latch for SVR Fire - QED100/200 (includes mounting hardware) | 8Q00248 | 67.00 |
| | Strike Kit for Top Latch for CVR Fire - QED100/200 | 8Q00274 | 67.00 |
| | Strike Kit for Bottom Latch for SVR/CVR Panic - QED100/200 (includes mounting hardware) | 8Q00265 | 56.00 |
| | Strike Kit for Bottom Latch for SVR/CVR Fire - QED100/200 (includes mounting hardware) | 8Q00266 | 56.00 |
| 0000 | Strike Shim Kit for QED100/200 Series Rim Devices - 1 Piece | 8Q00285 | 8.20 |
| | Blade Stop Strike For Aluminum Door Application - QED200 | S988 | 105.00 |

QED100/200 Series | Grade 1 | Heavy Duty Exit Devices

OTHER PARTS & SCREW PACKS

| | Description | Service Part # | Qty | List Price |
|--------------|---|----------------|-----|------------|
| | QED100/200 Series End Cap (Specify finish) | 8Q00264 | 1 | 43.00 |
| | QED100/200 Series End Cap Bracket and Screw Pack | 8Q00246 | 1 | 20.00 |
| | QED100/200 Series SVR & LBR, Top & Bottom Latch Screw Pack (Specify finish) | 8Q00268 | 1 | 26.00 |
| HINNI I | QED100/200 Series SVR & LBR, Rod Cover Screw Pack | 8Q00261 | 1 | 23.00 |
| | QED100/200 Series SVR & LBR, Latch Cover Screw Pack (Specify finish) | 8Q00262 | 1 | 9.00 |
| | QED100/200 Series SVR, Rod Connector Kit (connects top & bottom rod to exit device)) | 8Q00263 | 1 | 26.00 |
| | QED100/200 Series Sex Bolts (Qty 4) (Specify finish) | 8Q00267 | 1 | 28.00 |
| | QED100/200 Series LBR, Head Cap Plug (black) | 8Q00270 | 1 | 9.00 |
| 000 | QED100/200 Series Cylinder Mounting Kit for Cylinder Dog Devices (Specify finish) | 8Q00252 | 1 | 43.00 |
| | QED100/200 Series Hex Wrench for Hex Dog Devices | 8Q00253 | 1 | 7.70 |
| (0) | Standard Cam for Mortise Cylinder | 8Q00119 | 1 | 5.50 |
| | Cam Mounting Screws for Mortise Cylinders (Qty 2) | 8Q00118 | 1 | 1.90 |
| | QED100/200 Series CVR Rod Connector | 8Q00275 | 1 | 26.00 |
| | QED100/200 Series CVR-LBR Rod Connector | 8Q00276 | 1 | 26.00 |
| T | QED100/200 Series CVR Installation Jig | 8Q00277 | 1 | 12.00 |
| | QED100/200 Series CVR Latch Screw Pack | 8Q00278 | 1 | 26.00 |

QED100/200 Series | Grade 1 | Heavy Duty Exit Devices

THICK DOOR KITS (TDK's)


Thick door kits (TDK's) are used to extend the length of the exit trim spindle for non-standard $(1\frac{3}{4})$ thick doors. These kits include appropriate length exit trim spindles and fasteners.




| Trim | Door Thickness | | | | |
|--------|----------------|---------|---------|---------|------------|
| Inm | 2″ | 2 1 /4″ | 2 1 /2″ | 2 3⁄4″ | List Price |
| QET130 | | | | | |
| QET160 | 8Q00427 | 8Q00428 | 8Q00429 | 8Q00430 | 20.00 |
| QET180 | | | | | 28.00 |
| QET165 | 8Q00431 | 8Q00432 | 8Q00433 | 8Q00434 | |

GLASS BEAD KITS (GBK's) (SPECIFY FINISH)


- Glass bead kits (GBK's) are used to shim exit devices off the face of a door with raised glass beads. Each kit contains (2) 1/8" shims
- (total clearance of $\,{}^{1}\!\!/_{4}$ ") and fasteners.
- Requires the use of a thick door kit (TDK) if using an exit device trim.
- Available finishes: 605, 313, 626





| Part # | Model | Finishes | List Price |
|---------|----------------------------|--------------------|------------|
| 8Q00414 | QED100 Rim and CVR Devices | 605, 313AN, 626 | 87.00 |
| 8Q00415 | QED100 SVR 7FT Device | 605, 313AN, 626 | 215.00 |
| 8Q00416 | QED100 SVR 8FT Device | 605, 313AN, 626 | 221.00 |
| 8Q00586 | QED200 Rim and CVR Device | 605 | |
| 8Q00546 | QED200 Rim and CVR Device | 313AN | 87.00 |
| 8Q00547 | QED200 Rim and CVR Device | 626 | |
| 8Q00548 | QED200 SVR 7FT Device | 605 | |
| 8Q00549 | QED200 SVR 7FT Device | 313AN | 215.00 |
| 8Q00550 | QED200 SVR 7FT Device | 626 | |
| 8Q00551 | QED200 SVR 8FT Device | 605 | |
| 8Q00552 | QED200 SVR 8FT Device | 313AN | 221.00 |
| 8Q00553 | QED200 SVR 8FT Device | 626 | |

QRM100 Series | Grade 1 | Mullions



Example If you ordered: QRM111 HC KR 8' 600 You would get: Keyed Removable, Hurricane Compliant mullion, 8' height, with Primer finish. Prepped for QED100 Series strike.

QRM100 Series | Grade 1 | Mullions

Applications

Use with Rim Exit Devices on pairs of doors.

Product Specifications

- 2"x 3" (51 mm x 76 mm) steel mullion tube. ½" wall thickness.
- Hurricane: 2" x 3" steel mullion tube. 5/16" wall thickness.
- Size: Standard for openings 8'0" high, field sizeable for openings less than 8'0". 9', 10', 11' & 12' also available and are field sizeable.
- Mullion is pre-prepped for QED100 Series Exit Devices
- Fire and Hurricane Rating 8' 0" high max.
- Available Finishes: Primer (600), Aluminum (689) and Dark Bronze (695)



Hurricane Compliant




| Order # | Description | List Price | | |
|---|---|--------------|----------|--|
| Order # | Description | 600 689, 695 | | |
| | Mullions include: Mullion Tube, Cap, Base, Fasteners. Cylinder not included. Keyed Removable Mullions utilize Standard Rim Cylinders. Reference Cylinders, Keys & Keying section for more details. | | | |
| QRM111 KR* | Keyed Removable Mullion | 1,211.00 | 1,359.00 | |
| QRM111 HC KR | Hurricane Compliant, Keyed Removable Mullion | 1,560.00 | 1,662.00 | |
| QRM113 KR | Fire Rated, Keyed Removable Mullion | 1,455.00 | 1,560.00 | |
| QRM113 HC KR | QRM113 HC KR Fire Rated, Hurricane Compliant, Keyed Removable Mullion | | 1,700.00 | |
| *NOTE: For heights greater than 8', add \$24 for each additional 12". | | | | |

REMOVEABLE MULLIONS (CONSULT FACTORY FOR LEAD TIMES)

| Order # | Description | List Price 689, 695 | | |
|---|--|---------------------|----------|--|
| | Description | | | |
| | Mullions include: Mullion Tube, Cap, Base, Fasteners | | | |
| QRM111 * | Removable Mullion | 707.00 | 806.00 | |
| QRM111 HC | Hurricane Compliant, Removable Mullion | 1,005.00 | 1,108.00 | |
| QRM113 | Fire Rated, Removable Mullion | 908.00 | 1,005.00 | |
| QRM113 HC Fire Rated, Hurricane Compliant, Removable Mullion | | 1,211.00 | 1,308.00 | |
| *NOTE: For heights greater than 8', add \$24 for each additional 12". | | | | |

QET100 Series | Grade 1 | Heavy Duty Exit Trims



⁺613 Finish available for lever escutcheon trims; 690 finish available for escutcheon pull trims

| Exam | • | | | |
|------|---|--|--------|-------------------------------|
| | | | •••••• | ••••••••••••••••••••••••••••• |

If you ordered: QET160 M 626 BF KD

You would get: Grade 1 Escutcheon Trim Lever, Summit design, Satin Chrome Finish SFIC "F"

Keyway, Keyed Different. This Trim Matches to the QED100 Series Exit Devices

C

QET100 Series | Grade 1 | Heavy Duty Exit Trims

Escutcheon Trims Sierra (E) Available in: 605, 613**, 626

Escutcheon Trims Summit (M) Available in: 605, 613**, 626

| Mardal/Carries | Functions | Chula | Collin don Trues | Casa Otru | List Price |
|----------------|---|-------|------------------|-----------|---------------|
| Model/Series | Functions | Style | Cylinder Type | Case Qty | 605, 613, 626 |
| QET120 | Dummy Escutcheon Lever - ANSI 02 | E/M/A | - | 6 | 469.00 |
| QET130 | Passage Escutcheon Lever - ANSI 14 | E/M/A | - | 6 | 469.00 |
| QET160 | Keyed Escutcheon Lever (Classroom) - ANSI 08 | E/M/A | Mortise | 6 | 529.00 |
| QET170* | Night Escutcheon Latch (Storeroom) - ANSI 03 | E/M/A | Rim | 6 | 529.00 |
| QET180 | Night Latch Escutcheon Latch (Storeroom) - ANSI 09 | E/M/A | Mortise | 6 | 529.00 |

NOTES:

* Not recommended for use on exit devices with vertical rods.

** 613 Finish trims match 313 finish exit devices.

Consult factory for lead times on 605 finish.



Dummy Pull

Dummy Thumb Piece



Flat Plate OFT190


| QET125 | · · · · · · · · · · · · · · · · · · · | | QET175 | | QET190 | |
|------------------|--|-------|---------------|----------|---------------|------------|
| Model/Series | | | | | Case Qty | List Price |
| Model/Series | Functions | Style | Cylinder Type | Case Qty | 605, 626, 690 | |
| QET125 | Dummy Escutcheon Pull - ANSI 02 | L | - | 6 | 153.00 | |
| QET165* | Thumbpiece Escutcheon Pull - ANSI 05 | L | Mortise | 6 | 349.00 | |
| QET167 | Dummy Thumbpiece Escutcheon Pull - ANSI 02 | L | - | 6 | 153.00 | |
| QET175* | Night Latch Escutcheon Pull - ANSI 03 | L | Rim | 6 | 212.00 | |
| QET190 | Flat Escutcheon Plate - ANSI 01 | L | - | 6 | 92.00 | |
| Less Cylinder | | | | | List Price | |
| LC Less Cylinder | | | | | Deduct 47.00 | |

NOTES:

* Not recommended for use on exit devices with vertical rods. ** 613 Finish trims match 313 finish exit devices.

Consult factory for lead times on 605 finish.

QET200 Series | Grade 1 | Heavy Duty Narrow Stile Exit Trims



⁺ 613 Finish available for lever escutcheon trims; 690 finish available for escutcheon pull trims


| • | |
|---|---------|
| • | Example |
| • | Evample |
| • | |
| • | 1 |
| | |

If you ordered: QET260 M 626 BF KD

You would get: Grade 1 Escutcheon Trim Lever, Summit design, Satin Chrome Finish SFIC "F"

Keyway, Keyed Different. This Trim Matches to the QED200 Series Exit Devices

QET200 Series | Grade 1 | Heavy Duty Narrow Stile Exit Trims



NOTES:

* Not recommended for use on exit devices with vertical rods.

** 613 Finish trims match 313 finish exit devices.

Consult factory for lead times on 605 finish.

Available in: 605, 626, 690

Escutcheon Trims Pull & Flat Plates

Flat Plate

OET290



Dummy Pull QET225 Night Latch Pull QET275

| | Functions | Style | Cylinder Type | Case Qty | List Price |
|--------------|---|-------|---------------|----------|---------------|
| Model/Series | | | | | 605, 626, 690 |
| QET225 | Dummy Escutcheon Pull for Rim/SVR - ANSI 02 | L | - | 6 | 154.00 |
| QET226 | Dummy Escutcheon Pull for CVR - ANSI 02 | L | - | 6 | 154.00 |
| QET275* | Night Latch Escutcheon Pull - ANSI 03 | L | Rim | 6 | 214.00 |
| QET290 | Flat Escutcheon Plate for Rim/SVR - ANSI 01 | L | - | 6 | 92.00 |
| QET291 | Flat Escutcheon Plate for CVR - ANSI 01 | L | - | 6 | 92.00 |
| | | | | | |

| | Less Cylinder | List Price |
|----|---------------|--------------|
| LC | Less Cylinder | Deduct 47.00 |

NOTES:


* Not recommended for use on exit devices with vertical rods. ** 613 Finish trims match 313 finish exit devices. Consult factory for lead times on 605 finish.

QET100/200 Series | Grade 1 | Heavy Duty Exit Trims

OTHER PARTS & SCREW PACKS

| | Description | Service Part # | Qty | List Price |
|--------------|---|-------------------|-----|------------|
| | QET100/200 Series Screw Pack and Square Pin for Escutcheon Trims | 8Q00132 | 1 | 5.50 |
| | QET100/200 Series Screw Pack for Pull Plates | 8Q00134 | 1 | 1.70 |
| | QET100/200 Series Cylinder Mounting Kit (Specify finish) | 8Q00135 | 1 | 28.00 |
| | QET100/200 Series Cylinder Lock and Screw Packfor Thumb Piece Pulls - (Specify finish) | 8Q00136 | 1 | 7.00 |
| | QET100/200 Series Sex Nuts for Flat Plate - (Qty 2) (Specify finish) | 8Q00139 | 1 | 7.00 |
| | Rim Cylinder Tailpiece | 8Q00140 | 1 | 3.20 |
| | Rim Cylinder Tailpiece– Thick Door (Measures 2-3/8") | 8Q00480 | 1 | 3.20 |
| (0) | Standard Cam for Mortise Cylinder | 8Q00119 | 1 | 5.50 |
| | Cam Mounting Screws for Mortise Cylinders (Qty 2) | 8Q00118 | 1 | 1.90 |
| NOIMAGE | Rim Cylinder Retaining Cup | 8Q00529 | 1 | 7.00 |

QED300 Series | Grade 1 | Standard Duty Exit Devices




| Example |
|--|
| If you ordered: QED315 36" 7FT 689 BF KD |
| You would get: Grade 1 Standard Duty Surface Vertical Rod Exit Device 36", with Cylinder Dogging |
| for a 7 Foot Door, in Painted Aluminum finish. SFIC "F" Keyway, Keyed Different. |

QED300 Series | Grade 1 | Standard Duty Exit Devices

Standard Duty Exit Device

Available in: 689 & 690



| Model/Series | Functions | Chula | Case Qty | List Price |
|--------------|---|-------|----------|------------|
| Model/Series | Functions | Style | | 689, 690 |
| QED311 | Rim - Hex Dog | | 4 | 322.00 |
| QED312 | Rim - Cylinder Dog | | 4 | 384.00 |
| QED313 | Rim - Fire Rated | | 4 | 435.00 |
| QED314 | Surface Vertical Rod - Hex Dog | 7FT | 4 | 528.00 |
| QED315 | Surface Vertical Rod - Cylinder Dog | 7FT | 4 | 592.00 |
| QED316 | Surface Vertical Rod - Fire Rated | 7FT | 4 | 671.00 |
| QED317 | Surface Vertical Rod Less Bottom Rod - Hex Dog | 7FT | 4 | 512.00 |
| QED318 | Surface Vertical Rod Less Bottom Rod - Cylinder Dog | 7FT | 4 | 575.00 |
| QED319* | Surface Vertical Rod Less Bottom Rod - Fired Rated | 7FT | 4 | 671.00 |

| | Less Cylinder | List Price |
|----|---------------|--------------|
| LC | Less Cylinder | Deduct 47.00 |

| Trim Options | | List Price |
|--------------|---|------------|
| 8FT | Vertical rod kit for 8FT door application | Add 19.00 |
| 48″ | 48" Device | Add 26.00 |

NOTES:

*QED319 Includes Bottom Fire Latch.

QED300 Series | Grade 1 | Standard Duty Exit Devices

LATCH & ROD PARTS (SPECIFY FINISH)

| Description | Service Part # | List Price |
|--|-------------------|------------|
| Top Rod Latch for SVR & LBR - QED314-QED319 (requires screw pack 8Q00130 - see QED300 Other Parts & Screw Packs) | 8Q00111 | 112.00 |
| Bottom Rod Latch for SVR - QED314 & QED315 (requires screw pack 8Q00130 - see QED300 Other Parts & Screw Packs) | 8Q00112 | 112.00 |
| Bottom Rod Latch for SVR Fire Rated - QED316 (requires screw pack 8Q00130 - see QED300 Other Parts & Screw Packs) | 8Q00113 | 112.00 |
| Fire Latch for QED319 SVR-LBR-Fire Rated *Can only be used with Fire Rated LBR devices. | 8Q00279 | 91.00 |
| Top Rod for SVR & LBR - QED314 - QED319 (7 Foot) | 8Q00114 | 42.00 |
| Top Rod for SVR & LBR - QED314 - QED319 (8 Foot) | 8Q00115 | 47.00 |
| Bottom Rod for SVR - QED314, QED315, QED316 | 8Q00116 | 42.00 |

QED300 Series | Grade 1 | Standard Duty Exit Devices

STRIKE PARTS

| | Description | Service Part # | List Price |
|-----|---|----------------|------------|
| | Strike for Rim Panic - QED311 & QED312 (includes mounting hardware) | 8Q00120 | 31.00 |
| | Strike for Rim Fire Rated - QED313 (includes mounting hardware) | 8Q00121 | 31.00 |
| | Double Door Strike for Rim Panic - QED311 & QED312 (includes mounting hardware) | 8Q00208 | 70.00 |
| | Strike for Top Latch for SVR & LBR - QED314 - QED319 (includes mounting hardware) | 8Q00128 | 31.00 |
| | Strike for Bottom Latch for SVR - QED314, QED315 & QED316 (includes mounting hardware) | 8Q00127 | 31.00 |
| 000 | Strike Shim Kit for Rim Devices - 1 piece (2 3⁄8 " Backset for QED300 series) | 8Q00285 | 8.20 |
| | Strike Shim Kit for Rim Devices - 4 piece (2 3⁄4″ Backset for QED300 series) | 8Q00286 | 26.00 |

QED300 Series | Grade 1 | Standard Duty Exit Devices

OTHER PARTS & SCREW PACKS

| | Description | Service Part # | Qty | List Price |
|--|---|----------------|-----|------------|
| | QED300 Series Rim, Head Cap (Specify finish) | 8Q00109 | 1 | 55.00 |
| | QED300 Series SVR, Head Cap (Specify finish) | 8Q00110 | 1 | 55.00 |
| (0) | Standard Cam for Mortise Cylinder | 8Q00119 | 1 | 5.50 |
| | Cam Mounting Screws for Mortise Cylinders (Qty 2) | 8Q00118 | 1 | 1.90 |
| | QED300 Series Cylinder Mounting Kit for Cylinder Dog Device - QED312, QED315 & QED318 (Specify finish) | 8Q00122 | 1 | 28.00 |
| | QED300 Series LBR, Head Cap Plug (black) | 8Q00117 | 1 | 1.90 |
| | QED300 Series Hex Wrench for Hex Dog Devices - QED311, QED314 & QED317 | 8Q00124 | 1 | 1.90 |
| ().).).).).).).).).). | QED300 Series Device Mounting Screw Pack | 8Q00125 | 1 | 6.10 |
| | QED300 Series SVR & LBR, Rod Holder Brackets and Screw Pac- QED314 - QED319 (Specify finish) | 8Q00126 | 1 | 6.10 |
| Januar - Jan | QED300 Series SVR & LBR, Top & Bottom Latch Screw Pac (Specify finish) | 8Q00130 | 1 | 6.10 |
| | QED300 Series Sex Bolts (Qty 4) (Specify finish) | 8Q00131 | 1 | 7.60 |
| 88 | QED300 Series End Cap (Specify finish) | 8Q00123 | 1 | 28.00 |

QED300 Series | Grade 1 | Standard Duty Exit Devices

THICK DOOR KITS (TDK's)

Thick door kits (TDK's) are used to extend the length of the exit trim spindle for non-standard $(1\frac{3}{4})$ thick doors. These kits include appropriate length exit trim spindles and fasteners.






| Trim | | List Price | | | |
|--------|---------|------------|---------|---------|------------|
| Inim | 2″ | 2 1/4″ | 2 1/2″ | 2 3/4″ | List Price |
| QET330 | | | | | |
| QET360 | 8Q00419 | 8Q00420 | 8Q00421 | 8Q00422 | 24.00 |
| QET370 | | | | | 24.00 |
| QET365 | 8Q00423 | 8Q00424 | 8Q00425 | 8Q00426 | |

GLASS BEAD KITS (GBK's) (SPECIFY FINISH)


- Glass bead kits (GBK's) are used to shim exit devices off the face of a door with raised glass beads. Each kit contains (2) ¹/₈" shims (total clearance of ¹/₄") and fasteners.

- Requires the use of a thick door kit (TDK) if using an exit device trim.

- Available finishes: 689, 690




Annunus Annunus



| Part # | Device Type | Model | Finishes | List Price |
|---------|-------------|------------------------|-----------|------------|
| 8Q00411 | RIM | QED311, QED312, QED313 | | 53.00 |
| 8Q00412 | SVR | QED314, QED315, QED316 | 689 & 690 | 70.00 |

QRM300 Series | Grade 1 | Mullions



Example

•

If you ordered: QRM313 KR 8' 689

You would get: Keyed Removable, Fire Rated mullion, 8' height, with Aluminum finish. Prepped for QED300 Series strike.

QRM300 Series | Grade 1 | Mullions

Applications

Use with Rim Exit Devices on pairs of doors.

Product Specifications

- 2"x 3" (51 mm x 76 mm) steel mullion tube. 1/8" wall thickness.
- Size: Standard for openings 8'0" high, field sizeable for openings less than 8'0".
- 9', 10', 11' & 12' also available and are field sizeable.
- Mullion is pre-prepped for QED300 Series Exit Devices.

• Fire Rating 8' 0" high max.

• Available Finishes: Primer (600), Aluminum (689) and Dark Bronze (695)



Removable Keyed Mullion


KEYED REMOVABLE MULLIONS (CONSULT FACTORY FOR LEAD TIMES)

| Order # | | List Price | | |
|---|-------------------------------------|------------|----------|--|
| | Description | 600 | 689,695 | |
| Mullions include: Mullion Tube, Cap, Base, Fasteners. Cylinder not included. Keyed Removable Mullions utilize Standard Rim Cylinders. Reference Cylinders, Keys & Keying section for more details. | | | | |
| QRM311 KR* | Keyed Removable Mullion | 1,199.00 | 1,345.00 | |
| QRM313 KR | Fire Rated, Keyed Removable Mullion | 1,443.00 | 1,543.00 | |
| *NOTE: For heights greater than 8', add \$24 for each additional 12". | | | | |

REMOVABLE MULLIONS (CONSULT FACTORY FOR LEAD TIMES)

| Orden # | Description | List Price | |
|---|---|------------|---------|
| Order # | Description | 600 | 689,695 |
| | Mullions include: Mullion Tube, Cap, Base, Fasteners. | | |
| QRM311 * | Removable Mullion | 698.00 | 796.00 |
| QRM313 | Fire Rated, Removable Mullion | 901.00 | 998.00 |
| *NOTE: For heights greater than 8', add \$24 for each additional 12". | | | |

QET300 Series | Grade 1 | Standard Duty Exit Trims



Example

If you ordered: QET360 M 689 BF KD

You would get: Grade 1 Escutcheon Trim Lever, Summit design, Aluminum Finish SFIC "F" Keyway, Keyed Different. This Trim Matches to the QED300 Series Exit Devices

QET300 Series | Grade 1 | Standard Duty Exit Trims





Escutcheon Trims Summit (M)

Available in: 689, 690

| | Functions | Style | Cylinder Type | Case Qty | List Price |
|--------------|---|-------|---------------|----------|------------|
| Model/Series | Functions | | | | 689, 690 |
| QET320 | Dummy Escutcheon Lever - ANSI 02 | E/M/A | - | 12 | 210.00 |
| QET330 | Passage Escutcheon Lever - ANSI 14 | E/M/A | - | 12 | 210.00 |
| QET360 | Keyed Escutcheon Lever (Classroom) - ANSI 08 | E/M/A | Mortise | 12 | 272.00 |
| QET370* | Night Latch Escutcheon Latch (Storeroom) - ANSI 03 | E/M/A | Mortise | 12 | 272.00 |
| QET380 | Night Latch Escutcheon Latch (Storeroom) - ANSI 09 | E/M/A | Mortise | 12 | 272.00 |

NOTES:

* Not recommended for use on exit devices with vertical rods.





Dummy Pull QET325

Thumb Piece QET365

Dummy Thumb Piece QET367

Escutcheon Trims Pull & Flat Plates

Available in: 689, 690 Gull Wing Pull

QET377



Night Latch Pull QET375

Flat Plate QET390

| Madal/Caritaa | Functions | Style | Collin dou Truco | Case Qty | List Price |
|---------------|--|-------|------------------|----------|------------|
| Model/Series | | | Cylinder Type | | 689, 690 |
| QET325 | Dummy Escutcheon Pull - ANSI 02 | L | | 12 | 101.00 |
| QET365* | Thumb Piece Escutcheon Pull - ANSI 05 | L | Mortise | 12 | 294.00 |
| QET367 | Dummy Thumb Piece Escutcheon Pull - ANSI 02 | L | | 12 | 101.00 |
| QET375* | Night Latch Escutcheon Pull - ANSI 03 | L | Rim | 12 | 160.00 |
| QET377 | Gull Wing Escutcheon Pull | L | Rim | 12 | 103.00 |
| QET390 | Flat Escutcheon Plate - ANSI 01 | L | | 12 | 55.00 |

NOTES:

* Not recommended for use on exit devices with vertical rods.


| Less Cylinder | | List Price |
|---------------|---------------|--------------|
| LC | Less Cylinder | Deduct 47.00 |

QET300 Series | Grade 1 | Standard Duty Exit Trims

OTHER PARTS & SCREW PACKS

| | Description | Service Part # | Qty | List Price |
|----------------------|--|----------------|-----|------------|
| at at | QET300 Series Screw Pack for Pull Plates - QET325 & QET375 | 8Q00134 | 1 | 1.70 |
| $\bigcirc \cdots \\$ | QET300 Series Cylinder Lock and Screw Pack for Thumb Piece Pulls - QET365 | 8Q00136 | 1 | 7.00 |
| | QET300 Series Screw Pack, Cylinder Mounting Hardware & Square Pin for Escutcheon Trims - QET360, QET370, QET380 | 8Q00137 | 1 | 13.00 |
| | QET300 Series Screw Pack & Square Pin for Escutcheon Trims - QET320 & QET330 | 8Q00206 | 1 | 5.50 |
| | QET300 Series Cylinder Collar (Specify finish) | 8Q00138 | 1 | 31.00 |
| | QET300 Series Sex Nuts for Flat Plate - QET390 (Qty 2) (Specify finish) | 8Q00139 | 1 | 7.00 |
| | Rim Cylinder Tailpiece | 8Q00140 | 1 | 3.20 |
| | Rim Cylinder Tailpiece– Thick Door (Measures 2-3/8") | 8Q00480 | 1 | 3.20 |
| | Standard Cam for Mortise Cylinder | 8Q00119 | 1 | 5.50 |
| | Cam Mounting Screws for Mortise Cylinders (Qty 2) | 8Q00118 | 1 | 1.90 |
| NO IMAGE | Rim Cylinder Retaining Cup | 8Q00529 | 1 | 7.00 |

QRT300 Series | Grade 1 | Standard Duty Round Rose Exit Trims



* BEST "F" SFIC only on QRT 361 and QRT 371.

Example

If you ordered: QRT361 E 689 BF KD

You would get: Standard Duty Keyed Lever Round Rose Trim, Sierra Lever, Painted Aluminum Finish, SFIC "F" Keyway, Keyed Different. This Trim Matches to the QED300 Series Exit Devices

QRT300 Series | Grade 1 | Standard Duty Round Rose Exit Trims

Round Rose Trims Summit (M)

.

. Available in: 689, 690





| Model / Series | Functions | Stude | Case Otre | List Price | List Price |
|----------------|------------------------------------|-------|-----------|------------|------------|
| Model / Series | | Style | Case Qty | 626 | 689, 690 |
| QRT320 | Dummy Lever | E/M | 12 | 175.00 | 138.00 |
| QRT330 | Passage Lever | E/M | 12 | 175.00 | 138.00 |
| QRT360 | Keyed Lever (Classroom) | E/M | 12 | 219.00 | 183.00 |
| QRT361 | Keyed Lever SFIC (Classroom) | E/M | 12 | 246.00 | 210.00 |
| QRT370 | Night Latch Lever (Storeroom) | E/M | 12 | 219.00 | 183.00 |
| QRT371 | Night Latch Lever SFIC (Storeroom) | E/M | 12 | 246.00 | 210.00 |


QRT300 Series | Grade 1 | Standard Duty Round Rose Exit Trims

OTHER PARTS & SCREW PACKS

| | Description | Service Part # | Qty | List Price |
|---|---|----------------|-----|------------|
| | Tailpiece QRT300 Series | 8Q00073 | 1 | 3.20 |
| | Screw pack for QRT300 series trims (Specify finish) | 8Q00219 | 1 | 2.80 |
| 000 | Strike shim kit for rim devices- 1 piece (2 3⁄8″ Backset for QED300 series) | 8Q00285 | 1 | 8.20 |
| 0 00 00 00 00 00 00 00 00 00 00 00 00 0 | Strike shim kit for rim devices - 4 piece (2 3⁄4″ Backset for QED300 series) | 8Q00286 | 1 | 26.00 |

| Less Cylinder | | List Price |
|---------------|--------------------|--------------|
| | Less Cylinder | Deduct 21.00 |
| LC | Less SFIC Cylinder | Deduct 50.00 |

QDC100 Series | Grade 1 | Extra Duty Door Closers



* R - Ships standard

NOTES:

Sex nuts and self tapping screws come standard with QDC100 series door closers.

Example

If you ordered: QDC111 R 689

You would get: Grade 1 Extra Duty Closer - Full Adjustable (Sized 1-6),

- Tri-pack Arm with Both Delayed Action & Back Check
- Standard, Round Plastic Cover, Sex Nuts, Self Tapping Screws, Painted Aluminum finish

QDC100 Series | Grade 1 | Extra Duty Door Closers



Tri-Pack Arm
Available in: 689, 690 & 696

| Model/Series | Functions | Case Otv | List Price |
|--------------|--|----------|----------------|
| Model/Series | Functions | Case Qty | 689, 690 & 696 |
| QDC100 | Closer Body (Includes Rounded Cover, Screws & Sex Bolt) | 3 | 342.00 |
| QDC100BF | Closer Body w/Barrier Free Option (Includes Rounded Cover, Screws & Sex Bolts) | 3 | 342.00 |
| QDC111 | Tri-Pack Arm | 3 | 417.00 |
| QDC112 | Tri-Pack Arm with Hold-Open | 1 | 471.00 |
| QDC113 | Extra Duty Arm with Compression Stop | 1 | 489.00 |
| QDC114 | Extra Duty Arm with Hold-Open and Compression Stop | 1 | 515.00 |
| QDC115 | Extra Duty Arm | 1 | 451.00 |
| QDC116 | Extra Duty Arm with Hold-Open | 1 | 479.00 |
| QDC117 | Extra Duty Arm with Stop | 1 | 465.00 |
| QDC118 | Extra Duty Arm with Hold-Open and Stop | 1 | 491.00 |
| QDC119 | Extra Duty Arm with Spring Stop | 1 | 573.00 |
| QDC120 | Extra Duty Arm with Hold Open and Spring Stop | 1 | 599.00 |

| | Order With Closer | Description | With Closer | Service Part # | List Price |
|----------|----------------------|--------------------------------------|-------------|----------------|------------|
| | SN | Sex Nuts (Qty 4) (Specify finish) | NC | 8Q00097 | 7.60 |
| | S/TAP | Self Tapping Screws (Specify Finish) | NC | 8Q00436 | 19.00 |
| | М | QDC100 Series Metal Cover - RH | Add 69.00 | 8Q01140 | 69.00 |
| | М | QDC100 Series Metal Cover - LH | Add 69.00 | 8Q01141 | 69.00 |
| | | Rounded Plastic Cover 689 | | 8Q00540 | |
| NO IMAGE | R | Rounded Plastic Cover 690 | NC | 8Q00541 | 37.00 |
| | | Rounded Plastic Cover 696 | | 8Q00542 | |

NOTES:

Consult factory for lead times on Barrier Free (BF) closers and on 696 finish.

QDC100 Series | Grade 1 | Extra Duty Door Closers

OTHER PARTS & SCREW PACKS (SPECIFY FINISH)


| | Description | Service Part # | Qty | List Price |
|--|---|-------------------|-----|---------------|
| CT CO CO | Tri-Pack Arm (requires screw pack 8Q00457) | 8Q00462 | 1 | 77.00 |
| | Tri-Pack Arm with Hold-Open (requires screw pack 8Q00458) | 8Q00463 | 1 | 146.00 |
| | Extra Duty Arm with Compression Stop (requires screw pack 8Q00459) | 8Q00464 | 1 | 161.00 |
| | Extra Duty Arm with Hold-Open and Compression Stop (requires screw pack 8Q00459) | 8Q00465 | 1 | 179.00 |
| | Extra Duty Arm (requires screw pack 8Q00460) | 8Q00466 | 1 | 150.00 |
| | Extra Duty Arm with Hold-Open - Right Hand (requires screw pack 8Q00460) | 8Q00467 | 1 | 165.00 |
| | Extra Duty Arm with Hold-Open - Left Hand (requires screw pack 8Q00460) | 8Q00468 | 1 | 165.00 |
| | Extra Duty Arm with Stop (requires screw pack 8Q00459) | 8Q01142 | 1 | 154.00 |
| | Extra Duty Arm with Hold-Open and Stop (requires screw pack 8Q00459) | 8Q01143 | 1 | 172.00 |
| | QDC100 Series Plastic Cover | 8Q00461 | 1 | 40.00 |
| | Mounting Screw Pack for QDC100 Series | 8Q00456 | 1 | 32.00 |
| | Screw Pack for QDC111 Tri-Pack Arm | 8Q00587 | 1 | 19.00 |
| | Screw Pack for QDC112 Tri-Pack Arm with Hold-Open | 8Q00458 | 1 | 18.00 |
| | Screw Pack for QDC113 Extra Duty Arm with Hold-Open & QDC114 Extra Duty Arm with Hold-Open and Compression Stop | 8Q00459 | 1 | 18.00 |
| | Screw Pack for QDC115 Extra Duty Arm & QDC116 Extra Duty Arm with Hold-Open | 8Q00460 | 1 | 18.00 |
| (; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; | QDC100 Drop Plate Kit - Pull Side, Regular Arm | 8Q00469 | 1 | 56.00 |
| | QDC100 Drop Plate Kit - Push Side, Top Jamb | 8Q00470 | 1 | 56.00 |
| · · · · · · · · · · · · · · · · · · · | QDC100 Drop Plate Kit - Push Side, Parallel Arm | 8Q00471 | 1 | 56.00 |
| \$00; ; ; | QDC100 Drop Plate Kit - Push Side, Top Jamb | 8Q00472 | 1 | 56.00 |
| | Screw Pack for QDC100 Drop Plates | 8Q00473 | 1 | 3.70 |

QDC100 Series | Grade 1 | Extra Duty Door Closers

OTHER PARTS & SCREW PACKS (SPECIFY FINISH)

| | Description | Service Part # | Qty | List Price |
|----------|--|-------------------|-----|---------------|
| NO IMAGE | Spring Stop Only for Retrofit on QDC113, 114, 117, 118 in Finish 689 | 8Q00584 | 1 | 129.00 |
| NO IMAGE | Spring Stop Only for Retrofit on QDC113, 114, 117, 118 in Finish 690 | 8Q00585 | 1 | 129.00 |
| NO IMAGE | Spring Stop Only for Retrofit on QDC113, 114, 117, 118 in Finish 696 | 8Q00586 | 1 | 87.00 |
| NO IMAGE | Extra Duty Arm with Spring Stop in Finish 689 | 8Q00534 | 1 | 262.00 |
| NO IMAGE | Extra Duty Arm with Spring Stop in Finish 690 | 8Q00535 | 1 | 262.00 |
| NO IMAGE | Extra Duty Arm with Spring Stop in Finish 696 | 8Q00536 | 1 | 262.00 |
| NO IMAGE | Extra Duty Arm with Hold-Open and Spring Stop in Finish 689 | 8Q00537 | 1 | 277.00 |
| NO IMAGE | Extra Duty Arm with Hold-Open and Spring Stop in Finish 690 | 8Q00538 | 1 | 277.00 |
| NO IMAGE | Extra Duty Arm with Hold-Open and Spring Stop in Finish 696 | 8Q00539 | 1 | 277.00 |

QDC200 Series | Grade 1 | Heavy Duty Door Closers



NOTES: Sex nuts and self tapping screws come standard with QDC200 series door closers.

Example

If you ordered: QDC211 F 689

You would get: Grade 1 Heavy Duty Slim line Non-Hold Open Door Closer - Full Adjustable (Sized 1-6), Tri-packed Arms with Both Delayed Action & Back Check Standard, Full Sized cover, Painted Aluminum finish, Sex Nuts and Self Tapping Screws

QDC200 Series | Grade 1 | Heavy Duty Door Closers



| Model / Series | Functions | Casa Oty | List Price |
|----------------|---|----------|----------------|
| Model / Series | Functions | Case Qty | 689, 690 & 696 |
| QDC200 | Closer Body (Includes Closer Body, Cover, Screws & Sex Bolts) | 6 | 236.00 |
| QDC211 | Tri-Pack Arm | 6 | 288.00 |
| QDC212 | Tri-Pack Arm with Hold-Open | 6 | 334.00 |
| QDC213 | Heavy Duty Arm with Compression Stop | 3 | 416.00 |
| QDC214 | Heavy Duty Arm with Hold-Open and Compression Stop | 3 | 440.00 |

| Order with | Description | With Closer | Comico Dout # | List Price |
|------------|---|----------------|----------------|----------------|
| Closer | Description | 689, 690 & 696 | Service Part # | 689, 690 & 696 |
| F | Full Size Cover (Specify Finish) | NC | 8Q00094 | 27.00 |
| S | Slim Cover (Specify Finish) | NC | 8Q00096 | 27.00 |
| SN | Sex Nuts (Qty 4) (Specify Finish) | NC | 8Q00097 | 7.60 |
| S/TAP | Self Tapping Screws (Qty 8) (Specify Finish) | NC | 8Q00436 | 19.00 |


NOTES: Consult factory for lead times on 696 finish.

QDC200 Series | Grade 1 | Heavy Duty Door Closers

OTHER PARTS & SCREW PACKS (SPECIFY FINISH)

| | Description | Service Part # | Qty | List Price |
|--|--|----------------|-----|------------|
| | QDC200 Series Plastic Installation Template | 8Q00454 | 1 | 50.00 |
| Of the second se | Tri-Pack Arm (requires screw pack 8Q00100) | 8Q00087 | 1 | 53.00 |
| | Tri-Pack Arm with Hold-Open (requires screw pack 8Q00099) | 8Q00088 | 1 | 102.00 |
| | Heavy Duty Arm with Compression Stop (requires screw pack 8Q00098) | 8Q00089 | 1 | 117.00 |
| | Heavy Duty Arm with Hold-Open and Compression Stop (requires screw pack 8Q00098) | 8Q00090 | 1 | 129.00 |
| | Pinion Cap - QDC200 Series | 8Q00092 | 1 | 7.60 |
| | Parallel Arm Bracket (requires screw pack 8Q00102) | 8Q00093 | 1 | 12.00 |
| 11/1/25 | Screw Pack for QDC213 Heavy Duty Arm with Compression Stop & QDC214 Heavy Duty Arm with Hold-Open and Compression Stop | 8Q00098 | 1 | 3.60 |
| | Screw Pack for QDC212 Tri-Pack Arm with Hold Open | 8Q00099 | 1 | 3.60 |
| nii en | Mounting Screw Pack for QDC200 Series | 8Q00100 | 1 | 3.60 |
| | Screw Pack for Parallel Arm Bracket | 8Q00102 | 1 | 3.60 |
| | Self Tapping Screw Pack (Qty 8) | 8Q00436 | 1 | 19.00 |
| | Small Drop Plate Kit for QDC200 Series, Pull & Push (2.44″ x 12.97″) Top Jamb & Regular Arm | 8Q00105 | 1 | 50.00 |
| | Large Drop Plate Kit for QDC200 Series, Pull & Push (3.47" x 12.97") Top Jamb & Regular Arm | 8Q00106 | 1 | 50.00 |
| | Small Drop Plate Kit for QDC200 Series, Push (2.94" x 12.97") Parallel Arm | 8Q00107 | 1 | 50.00 |
| | Large Drop Plate Kit for QDC200 Series, Push Parallel Arm | 8Q00108 | 1 | 50.00 |

QDC300 Series | Grade 1 | Standard Duty Door Closers



NOTES: Sex nuts and self tapping screws come standard with QDC300 series door closers.

Example If you ordered: QDC311 F 689 You would get: Grade 1 Standard Duty Non-Hold Open Door Closer - Full Adjustable (Sized 1-6), Tri-packed Arms with Both Delayed Action & Back Check Standard, Full Sized cover, Painted Aluminum finish, Sex Nuts and Self Tapping Screws

QDC300 Series | Grade 1 | Standard Duty Door Closers



| Model / Series | Functions | Casa Otiv | List Price |
|----------------|---|-----------|----------------|
| Model / Series | Functions | Case Qty | 689, 690 & 696 |
| QDC300 | Closer Body (Includes Closer Body, Cover, Screws & Sex Bolts) | 6 | 154.00 |
| QDC311 | Tri-Pack Arm | 6 | 233.00 |
| QDC312 | Tri-Pack Arm with Hold-Open | 6 | 275.00 |
| QDC313 | Heavy Duty Arm with Compression Stop | 3 | 355.00 |
| QDC314 | Heavy Duty Arm with Hold-Open and Compression Stop | 3 | 377.00 |

| Order With Closer | | Description | With Closer | Service Part # | List Price |
|-------------------|-------|--------------------------------------|-------------------|-------------------|------------|
| | F | Full Size Cover (Specify finish) | Add 27.00 8Q00095 | | 27.00 |
| | SN | Sex Nuts (Qty 4) (Specify finish) | NC | 8Q00097 | 7.60 |
| | S/TAP | Self Tapping Screws (Qty 8) | NC | 8Q00436 | 19.00 |

NOTES:

Consult factory for lead times on Barrier Free (BF) closers and on 696 finish.

QDC300 Series | Grade 1 | Standard Duty Door Closers

OTHER PARTS & SCREW PACKS (SPECIFY FINISH)

| | Description | Service Part # | Qty | List Price |
|--|--|-------------------|-----|---------------|
| and the second second | QDC300 Series Plastic Installation Template | 8Q00455 | 1 | 47.00 |
| OT THE REAL PROPERTY OF | Tri-Pack Arm (requires screw pack 8Q00100) | 8Q00087 | 1 | 53.00 |
| | Tri-Pack Arm with Hold-Open (requires screw pack 8Q00099) | 8Q00088 | 1 | 102.00 |
| 20 20 20 20 20 20 20 20 20 20 | Heavy Duty Arm with Compression Stop (requires screw pack 8Q00098) | 8Q00089 | 1 | 117.00 |
| | Heavy Duty Arm with Hold-Open and Compression Stop (requires screw pack 8Q00098) | 8Q00090 | 1 | 129.00 |
| | Pinion Cap - QDC300 Series | 8Q00092 | 1 | 7.60 |
| | Parallel Arm Bracket (requires screw pack 8Q00102) | 8Q00093 | 1 | 12.00 |
| 11///////////////////////////////////// | Screw Pack for QDC313 Dead Stop (Cush) Arm & QDC314 Dead Stop (Cush) Arm Hold-Open | 8Q00098 | 1 | 3.60 |
| | Screw Pack for QDC312 Hold-Open Arm | 8Q00099 | 1 | 3.60 |
| | Mounting Screw Pack for QDC300 Series | 8Q00100 | 1 | 3.60 |
| 1111 • | Screw Pack for Parallel Arm Bracket | 8Q00102 | 1 | 3.60 |
| | Self tapping screw pack (Qty 8) | 8Q00436 | 1 | 19.00 |
| | Small Drop Plate Kit for QDC300 Series, (2.38" x 9.76") | 8Q00103 | 1 | 47.00 |
| | Large Drop Plate Kit for QDC300 Series, (3.27" x 9.76") | 8Q00104 | 1 | 47.00 |

| Notes | |
|-------|--|
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |

| <u> </u> | | | | | | Case Box | | | Unit Box | |
|-----------------|----------------------------|-------------|----------|------------|--------|----------|--------|--------|----------|--------|
| Product | Function | Unit Weight | Case Qty | Pallet Qty | Length | Width | Height | Length | Width | Height |
| QCL100 SERIES - | GRADE 1 CYLINDRICAL LOCKS | | | | | | | | | |
| QCL120 | Dummy | 1.55 | 12 | 432 | 14 | 11.75 | 7.5 | 6.75 | 3.75 | 3.25 |
| QCL130 | Passage | 4.7 | 6 | 192 | 15.5 | 12.5 | 10.25 | 7.5 | 9.75 | 4 |
| QCL135 | Communicating | 4.8 | 6 | 192 | 15.5 | 12.5 | 10.25 | 7.5 | 9.75 | 4 |
| QCL140 | Privacy | 4.8 | 6 | 192 | 15.5 | 12.5 | 10.25 | 7.5 | 9.75 | 4 |
| QCL150 | Entry | 5 | 6 | 192 | 15.5 | 12.5 | 10.25 | 7.5 | 9.75 | 4 |
| QCL151 | Entry SFIC | 5 | 6 | 192 | 15.5 | 12.5 | 10.25 | 7.5 | 9.75 | 4 |
| QCL160 | Classroom | 5 | 6 | 192 | 15.5 | 12.5 | 10.25 | 7.5 | 9.75 | 4 |
| QCL161 | Classroom SFIC | 5 | 6 | 192 | 15.5 | 12.5 | 10.25 | 7.5 | 9.75 | 4 |
| QCL170 | Storeroom | 5 | 6 | 192 | 15.5 | 12.5 | 10.25 | 7.5 | 9.75 | 4 |
| QCL171 | Storeroom SFIC | 5 | 6 | 192 | 15.5 | 12.5 | 10.25 | 7.5 | 9.75 | 4 |
| QCL200 SERIES - | GRADE 2 CYLINDRICAL LOCKS | | | | | | | | | |
| QCL220 | Dummy | 1.2 | 12 | 432 | 14 | 11.75 | 7.5 | 6.75 | 3.75 | 3.25 |
| QCL230 | Passage | 4 | 6 | 192 | 15.5 | 12.5 | 10.25 | 7.5 | 9.75 | 4 |
| QCL235 | Communicating | 4 | 6 | 192 | 15.5 | 12.5 | 10.25 | 7.5 | 9.75 | 4 |
| QCL240 | Privacy | 4.75 | 6 | 192 | 15.5 | 12.5 | 10.25 | 7.5 | 9.75 | 4 |
| QCL250 | Entry | 4.5 | 6 | 192 | 15.5 | 12.5 | 10.25 | 7.5 | 9.75 | 4 |
| QCL251 | Entry SFIC | 4.5 | 6 | 192 | 15.5 | 12.5 | 10.25 | 7.5 | 9.75 | 4 |
| QCL260 | Classroom | 4.5 | 6 | 192 | 15.5 | 12.5 | 10.25 | 7.5 | 9.75 | 4 |
| QCL261 | Classroom SFIC | 4.5 | 6 | 192 | 15.5 | 12.5 | 10.25 | 7.5 | 9.75 | 4 |
| QCL270 | Storeroom | 4.5 | 6 | 192 | 15.5 | 12.5 | 10.25 | 7.5 | 9.75 | 4 |
| QCL271 | Storeroom SFIC | 4.5 | 6 | 192 | 15.5 | 12.5 | 10.25 | 7.5 | 9.75 | 4 |
| | GRADE 2 INTERCONNECT LOCKS | | | | | 1 | 1 | 1 | 1 | |
| QCI230 | Single Locking | 5.5 | 6 | 192 | 15.5 | 12.25 | 10.63 | 9.63 | 7.5 | 4 |
| QCI231 | Single Locking SFIC | 5.5 | 6 | 192 | 15.5 | 12.25 | 10.63 | 9.63 | 7.5 | 4 |
| QCI250 | Double Locking | 5.5 | 6 | 192 | 15.5 | 12.25 | 10.63 | 9.63 | 7.5 | 4 |
| QCI251 | Double Locking SFIC | 5.5 | 6 | 192 | 15.5 | 12.25 | 10.63 | 9.63 | 7.5 | 4 |
| | GRADE 2 TUBULAR LOCKS | | | 1 | | 1 | 1 | 1 | 1 | |
| QTL220 | Dummy | 1.2 | 12 | 432 | 13.75 | 12.5 | 7 | 6 | 3.75 | 3.25 |
| QTL230 | Passage | 2.3 | 10 | 320 | 17 | 13.25 | 8.75 | 8 | 6 | 3.25 |
| QTL235 | Communicating | 2.5 | 10 | 320 | 17 | 13.25 | 8.75 | 8 | 6 | 3.25 |
| QTL240 | Privacy | 2.8 | 10 | 320 | 17 | 13.25 | 8.75 | 8 | 6 | 3.25 |
| QTL250 | Entry | 2.8 | 10 | 320 | 17 | 13.25 | 8.75 | 8 | 6 | 3.25 |
| QTL251 | Entry SFIC | 2.8 | 10 | 320 | 17 | 13.25 | 8.75 | 8 | 6 | 3.25 |
| QTL260 | Classroom | 2.8 | 10 | 320 | 17 | 13.25 | 8.75 | 8 | 6 | 3.25 |
| QTL261 | Classroom SFIC | 2.8 | 10 | 320 | 17 | 13.25 | 8.75 | 8 | 6 | 3.25 |
| QTL270 | Storeroom | 2.8 | 10 | 320 | 17 | 13.25 | 8.75 | 8 | 6 | 3.25 |
| QTL271 | Storeroom SFIC | 2.8 | 10 | 320 | 17 | 13.25 | 8.75 | 8 | 6 | 3.25 |
| | GRADE 1 DEADBOLTS | 25 | 10 | 204 | 15 75 | 12 5 | 65 | 2 | 4 | r. |
| QDB180 | Single Cylinder | 2.5 | 12 | 384 | 15.75 | 13.5 | 6.5 | 3 | 4 | 5 |
| QDB181 | Single Cylinder SFIC | 2.5 | 12 | 384 | 15.75 | 13.5 | 6.5 | 3 | 4 | 5 |
| QDB182 | Double Cylinder | 2.8 | 12 | 384 | 15.75 | 13.5 | 6.5 | 3 | 4 | 5 |
| QDB183 | Double Cylinder SFIC | 2.8 | 12 | 384 | 15.75 | 13.5 | 6.5 | 3 | 4 | 5 |
| QDB186 | Classroom | 2.5 | 12 | 384 | 15.75 | 13.5 | 6.5 | 3 | 4 | 5 |
| QDB187 | Classroom SFIC | 2.5 | 12 | 384 | 15.75 | 13.5 | 6.5 | 3 | 4 | 5 |

| <u> </u> | x measurements | | | | Case Box | | | Unit Box | | |
|-------------------|---|-------------|----------|------------|----------|-------|--------|----------|-------|--------|
| Product | Function | Unit Weight | Case Qty | Pallet Qty | Length | Width | Height | Length | Width | Height |
| QDB200 SERIES - G | RADE 2 DEADBOLTS | | | | | | | | | |
| QDB280 | Single Cylinder | 2.3 | 12 | 384 | 15.75 | 13.5 | 6.5 | 3 | 4 | 5 |
| QDB281 | Single Cylinder SFIC | 2.3 | 12 | 384 | 15.75 | 13.5 | 6.5 | 3 | 4 | 5 |
| QDB282 | Double Cylinder | 2.7 | 12 | 384 | 15.75 | 13.5 | 6.5 | 3 | 4 | 5 |
| QDB283 | Double Cylinder SFIC | 2.7 | 12 | 384 | 15.75 | 13.5 | 6.5 | 3 | 4 | 5 |
| QDB284 | Inside Turnbolt | 2 | 12 | 384 | 15.75 | 13.5 | 6.5 | 3 | 4 | 5 |
| QDB285 | Indicator | 1.27 | 12 | 384 | 15.75 | 13.5 | 6.5 | 3 | 4 | 5 |
| QDB286 | Classroom | 2.3 | 12 | 384 | 15.75 | 13.5 | 6.5 | 3 | 4 | 5 |
| QDB287 | Classroom SFIC | 2.3 | 12 | 384 | 15.75 | 13.5 | 6.5 | 3 | 4 | 5 |
| QDB288 | Key Control | 2.25 | 12 | 384 | 15.75 | 13.5 | 6.5 | 3 | 4 | 5 |
| QED100 SERIES - G | RADE 1 HEAVY DUTY EXIT DEVICES & TRIMS | | | | | | | | | |
| QED111 36" | Rim Hex Dogging | 11.7 | 1 | 40 | 36 | 10.25 | 5 | 36 | 10.25 | 5 |
| QED112 36" | Rim Cylinder Dogging | 11.7 | 1 | 40 | 36 | 10.25 | 5 | 36 | 10.25 | 5 |
| QED113 36" | Rim Fire Rated | 11.5 | 1 | 40 | 36 | 10.25 | 5 | 36 | 10.25 | 5 |
| QED114 36"7' | Surface Vertical Rod - Hex Dogging | 14.7 | 1 | 40 | 36 | 10.25 | 5 | 36 | 10.25 | 5 |
| QED114 36" 8' | Surface Vertical Rod - Hex Dogging | 14.9 | 1 | 40 | 48 | 10.25 | 5 | 48 | 10.25 | 5 |
| QED115 36" 7' | Surface Vertical Rod - Cylinder Dogging | 14.7 | 1 | 40 | 36 | 10.25 | 5 | 36 | 10.25 | 5 |
| QED115 36" 8' | Surface Vertical Rod - Cylinder Dogging | 14.9 | 1 | 40 | 48 | 10.25 | 5 | 48 | 10.25 | 5 |
| QED116 36" 7' | Surface Vertical Rod - Fire Rated | 14.5 | 1 | 40 | 36 | 10.25 | 5 | 36 | 10.25 | 5 |
| QED116 36" 8' | Surface Vertical Rod - Fire Rated | 14.7 | 1 | 40 | 48 | 10.25 | 5 | 48 | 10.25 | 5 |
| QED117 36" 7' | SVR - Less Bottom Rod - Hex Dogging | 14.2 | 1 | 40 | 36 | 10.25 | 5 | 36 | 10.25 | 5 |
| QED117 36" 8' | SVR - Less Bottom Rod - Hex Dogging | 14.4 | 1 | 40 | 48 | 10.25 | 5 | 48 | 10.25 | 5 |
| QED118 36" 7' | SVR - Less Bottom Rod - Cylinder Dogging | 14.2 | 1 | 40 | 36 | 10.25 | 5 | 36 | 10.25 | 5 |
| QED118 36" 8' | SVR - Less Bottom Rod - Cylinder Dogging | 14.4 | 1 | 40 | 48 | 10.25 | 5 | 48 | 10.25 | 5 |
| QED119 36"7' | SVR - Less Bottom Rod - Fire Rated | 14.7 | 1 | 40 | 36 | 10.25 | 5 | 36 | 10.25 | 5 |
| QED119 36" 8' | SVR - Less Bottom Rod - Fire Rated | 14.9 | 1 | 40 | 48 | 10.25 | 5 | 48 | 10.25 | 5 |
| QED124 36" 7' | Concealed Vertical Rod - Hex Dogging | 14.7 | 1 | 40 | 36 | 10.25 | 5 | 36 | 10.25 | 5 |
| QED124 36" 8' | Concealed Vertical Rod - Hex Dogging | 14.9 | 1 | 40 | 48 | 10.25 | 5 | 48 | 10.25 | 5 |
| QED125 36"7' | Concealed Vertical Rod - Cylinder Dogging | 14.7 | 1 | 40 | 36 | 10.25 | 5 | 36 | 10.25 | 5 |
| QED125 36" 8' | Concealed Vertical Rod - Cylinder Dogging | 14.9 | 1 | 40 | 48 | 10.25 | 5 | 48 | 10.25 | 5 |
| QED126 36"7' | Concealed Vertical Rod - Fire Rated | 14.5 | 1 | 40 | 36 | 10.25 | 5 | 36 | 10.25 | 5 |
| QED126 36" 8' | Concealed Vertical Rod - Fire Rated | 14.7 | 1 | 40 | 48 | 10.25 | 5 | 48 | 10.25 | 5 |
| QED127 36"7' | CVR - Less Bottom Rod - Hex Dogging | 14.2 | 1 | 40 | 36 | 10.25 | 5 | 36 | 10.25 | 5 |
| QED127 36"8' | CVR - Less Bottom Rod - Hex Dogging | 14.4 | 1 | 40 | 48 | 10.25 | 5 | 48 | 10.25 | 5 |
| QED128 36"7' | CVR - Less Bottom Rod - Cylinder Dogging | 14.2 | 1 | 40 | 36 | 10.25 | 5 | 36 | 10.25 | 5 |
| QED128 36" 8' | CVR - Less Bottom Rod - Cylinder Dogging | 14.4 | 1 | 40 | 48 | 10.25 | 5 | 48 | 10.25 | 5 |
| QED129 36"7' | CVR - Less Bottom Rod - Fire Rated | 14.7 | 1 | 40 | 36 | 10.25 | 5 | 36 | 10.25 | 5 |
| QED129 36" 8' | CVR - Less Bottom Rod - Fire Rated | 14.9 | 1 | 40 | 48 | 10.25 | 5 | 48 | 10.25 | 5 |
| QED111 48" | Rim Hex Dogging | 11.9 | 1 | 40 | 48 | 10.25 | 5 | 48 | 10.25 | 5 |
| QED112 48" | Rim Cylinder Dogging | 11.9 | 1 | 40 | 48 | 10.25 | 5 | 48 | 10.25 | 5 |
| QED113 48" | Rim Fire Rated | 11.7 | 1 | 40 | 48 | 10.25 | 5 | 48 | 10.25 | 5 |
| QED114 48"7' | Surface Vertical Rod - Hex Dogging | 14.9 | 1 | 40 | 48 | 10.25 | 5 | 48 | 10.25 | 5 |
| QED114 48" 8' | Surface Vertical Rod - Hex Dogging | 15.1 | 1 | 40 | 48 | 10.25 | 5 | 48 | 10.25 | 5 |
| QED115 48" 7' | Surface Vertical Rod - Cylinder Dogging | 14.9 | 1 | 40 | 48 | 10.25 | 5 | 48 | 10.25 | 5 |
| QED115 48" 8' | Surface Vertical Rod - Cylinder Dogging | 15.1 | 1 | 40 | 48 | 10.25 | 5 | 48 | 10.25 | 5 |

| g.ue | | | | | | Case Box | | | Unit Box | |
|--------------------|---|-------------|----------|------------|--------|----------|--------|--------|----------|--------|
| Product | Function | Unit Weight | Case Qty | Pallet Qty | Length | Width | Height | Length | Width | Height |
| QED116 48" 7' | Surface Vertical Rod - Fire Rated | 14.7 | 1 | 40 | 48 | 10.25 | 5 | 48 | 10.25 | 5 |
| QED116 48" 8' | Surface Vertical Rod - Fire Rated | 14.9 | 1 | 40 | 48 | 10.25 | 5 | 48 | 10.25 | 5 |
| QED117 48"7' | SVR - Less Bottom Rod - Hex Dogging | 14.4 | 1 | 40 | 48 | 10.25 | 5 | 48 | 10.25 | 5 |
| QED117 48" 8' | SVR - Less Bottom Rod - Hex Dogging | 14.6 | 1 | 40 | 48 | 10.25 | 5 | 48 | 10.25 | 5 |
| QED118 48" 7' | SVR - Less Bottom Rod - Cylinder Dogging | 14.4 | 1 | 40 | 48 | 10.25 | 5 | 48 | 10.25 | 5 |
| QED118 48" 8' | SVR - Less Bottom Rod - Cylinder Dogging | 14.6 | 1 | 40 | 48 | 10.25 | 5 | 48 | 10.25 | 5 |
| QED119 48" 7' | SVR - Less Bottom Rod - Fire Rated | 14.9 | 1 | 40 | 48 | 10.25 | 5 | 48 | 10.25 | 5 |
| QED119 48" 8' | SVR - Less Bottom Rod - Fire Rated | 15.1 | 1 | 40 | 48 | 10.25 | 5 | 48 | 10.25 | 5 |
| QED124 48"7' | Concealed Vertical Rod - Hex Dogging | 14.9 | 1 | 40 | 48 | 10.25 | 5 | 48 | 10.25 | 5 |
| QED124 48" 8' | Concealed Vertical Rod - Hex Dogging | 15.1 | 1 | 40 | 48 | 10.25 | 5 | 48 | 10.25 | 5 |
| QED125 48"7' | Concealed Vertical Rod - Cylinder Dogging | 14.9 | 1 | 40 | 48 | 10.25 | 5 | 48 | 10.25 | 5 |
| QED125 48" 8' | Concealed Vertical Rod - Cylinder Dogging | 15.1 | 1 | 40 | 48 | 10.25 | 5 | 48 | 10.25 | 5 |
| QED126 48" 7' | Concealed Vertical Rod - Fire Rated | 14.7 | 1 | 40 | 48 | 10.25 | 5 | 48 | 10.25 | 5 |
| QED126 48" 8' | Concealed Vertical Rod - Fire Rated | 14.9 | 1 | 40 | 48 | 10.25 | 5 | 48 | 10.25 | 5 |
| QED127 48"7' | CVR - Less Bottom Rod - Hex Dogging | 14.4 | 1 | 40 | 48 | 10.25 | 5 | 48 | 10.25 | 5 |
| QED127 48" 8' | CVR - Less Bottom Rod - Hex Dogging | 14.6 | 1 | 40 | 48 | 10.25 | 5 | 48 | 10.25 | 5 |
| QED128 48"7' | CVR - Less Bottom Rod - Cylinder Dogging | 14.4 | 1 | 40 | 48 | 10.25 | 5 | 48 | 10.25 | 5 |
| QED128 48" 8' | CVR - Less Bottom Rod - Cylinder Dogging | 14.4 | 1 | 40 | 48 | 10.25 | 5 | 48 | 10.25 | 5 |
| QED129 48"7' | CVR - Less Bottom Rod - Fire Rated | 14.9 | 1 | 40 | 48 | 10.25 | 5 | 48 | 10.25 | 5 |
| QED129 48" 8' | CVR - Less Bottom Rod - Fire Rated | 15.1 | 1 | 40 | 48 | 10.25 | 5 | 48 | 10.25 | 5 |
| QET100 Series - He | eavy Duty Escutcheon Exit Trim | | | | | | | | | · |
| QET120 | Dummy Escutcheon Lever | 2.2 | 6 | 288 | 16.81 | 14.25 | 9.13 | 8.27 | 5.34 | 3.34 |
| QET125 | Dummy Escutcheon Pull | 1.9 | 6 | 162 | 14.9 | 10.35 | 8.7 | 14.37 | 3.15 | 3.86 |
| QET130 | Passage Escutcheon Lever | 2.2 | 6 | 288 | 16.81 | 14.25 | 9.13 | 8.27 | 5.34 | 3.34 |
| QET160 | Keyed Escutcheon Lever (Classroom) | 2.9 | 6 | 288 | 16.81 | 14.25 | 9.13 | 8.27 | 5.34 | 3.34 |
| QET165 | Thumbpiece Escutcheon Pull | 3.1 | 6 | 162 | 14.9 | 10.35 | 8.7 | 14.37 | 3.15 | 3.86 |
| QET167 | Thumbpiece Dummy Escutcheon Pull | 1.9 | 6 | 162 | 14.9 | 10.35 | 8.7 | 14.37 | 3.15 | 3.86 |
| QET170 | Night Latch Escutcheon Lever (Storeroom) | 2.8 | 6 | 288 | 16.81 | 14.25 | 9.13 | 8.27 | 5.34 | 3.34 |
| QET175 | Night Latch Pull (Storeroom) | 1.9 | 6 | 162 | 14.9 | 10.35 | 8.7 | 14.37 | 3.15 | 3.86 |
| QET190 | Flat/Blank Escutcheon Plate | 1.4 | 6 | 162 | 14.9 | 10.35 | 8.7 | 14.37 | 3.15 | 3.86 |
| QED300 SERIES - G | RADE 1 STANDARD DUTY EXIT DEVICES & TRIMS | S | | | | | | | | |
| QED311 36" | Rim Hex Dogging | 6.2 | 4 | 48 | 36.5 | 16 | 8.2 | 36.5 | 7.25 | 3.75 |
| QED312 36" | Rim Cylinder Dogging | 6.2 | 4 | 48 | 36.5 | 16 | 8.2 | 36.5 | 7.25 | 3.75 |
| QED313 36" | Rim Fire Rated | 6 | 4 | 48 | 36.5 | 16 | 8.2 | 36.5 | 7.25 | 3.75 |
| QED314 36"7' | Surface Vertical Rod - Hex Dogging | 8.2 | 4 | 48 | 36.5 | 16 | 8.2 | 36.5 | 7.25 | 3.75 |
| QED314 36"8' | Surface Vertical Rod - Hex Dogging | 8.4 | 4 | 48 | 36.5 | 16 | 8.2 | 36.5 | 7.25 | 3.75 |
| QED315 36"7' | Surface Vertical Rod - Cylinder Dogging | 8.2 | 4 | 48 | 36.5 | 16 | 8.2 | 36.5 | 7.25 | 3.75 |
| QED315 36"8' | Surface Vertical Rod - Cylinder Dogging | 8.4 | 4 | 48 | 36.5 | 16 | 8.2 | 36.5 | 7.25 | 3.75 |
| QED316 36"7' | Surface Vertical Rod - Fire Rated | 8 | 4 | 48 | 36.5 | 16 | 8.2 | 36.5 | 7.25 | 3.75 |
| QED316 36" 8' | Surface Vertical Rod - Fire Rated | 8.2 | 4 | 48 | 36.5 | 16 | 8.2 | 36.5 | 7.25 | 3.75 |
| QED317 36"7' | SVR - Less Bottom Rod - Hex Dogging | 8 | 4 | 48 | 36.5 | 16 | 8.2 | 36.5 | 7.25 | 3.75 |
| QED317 36"8' | SVR - Less Bottom Rod - Hex Dogging | 8.2 | 4 | 48 | 36.5 | 16 | 8.2 | 36.5 | 7.25 | 3.75 |
| QED318 36"7' | SVR - Less Bottom Rod - Cylinder Dogging | 8 | 4 | 48 | 36.5 | 16 | 8.2 | 36.5 | 7.25 | 3.75 |
| QED318 36" 8' | SVR - Less Bottom Rod - Cylinder Dogging | 8.2 | 4 | 48 | 36.5 | 16 | 8.2 | 36.5 | 7.25 | 3.75 |
| QED319 36"7' | SVR - Less Bottom Rod - Fire Rated | 8.2 | 4 | 48 | 36.5 | 16 | 8.2 | 36.5 | 7.25 | 3.75 |

| rrenginte | | | | | | Case Box | | | Unit Box | |
|---------------|---|-------------|----------|--------------|--------|----------|--------|--------|----------|----------|
| Product | Function | Unit Weight | Case Qty | Pallet Qty | Length | Width | Height | Length | Width | Height |
| QED319 36" 8' | SVR - Less Bottom Rod - Fire Rated | 8.4 | 4 | 48 | 36.5 | 16 | 8.2 | 36.5 | 7.25 | 3.75 |
| QED311 48" | Rim Hex Dogging | 6.4 | 4 | 48 | 48.5 | 16 | 8.2 | 48.5 | 7.25 | 3.75 |
| QED312 48" | Rim Cylinder Dogging | 6.4 | 4 | 48 | 48.5 | 16 | 8.2 | 48.5 | 7.25 | 3.75 |
| QED313 48" | Rim Fire Rated | 6.2 | 4 | 48 | 48.5 | 16 | 8.2 | 48.5 | 7.25 | 3.75 |
| QED314 48"7' | Surface Vertical Rod - Hex Dogging | 8.4 | 4 | 48 | 48.5 | 16 | 8.2 | 48.5 | 7.25 | 3.75 |
| QED314 48" 8' | Surface Vertical Rod - Hex Dogging | 8.6 | 4 | 48 | 48.5 | 16 | 8.2 | 48.5 | 7.25 | 3.75 |
| QED315 48" 7' | Surface Vertical Rod - Cylinder Dogging | 8.4 | 4 | 48 | 48.5 | 16 | 8.2 | 48.5 | 7.25 | 3.75 |
| QED315 48" 8' | Surface Vertical Rod - Cylinder Dogging | 8.6 | 4 | 48 | 48.5 | 16 | 8.2 | 48.5 | 7.25 | 3.75 |
| QED316 48" 7' | Surface Vertical Rod - Fire Rated | 8.2 | 4 | 48 | 48.5 | 16 | 8.2 | 48.5 | 7.25 | 3.75 |
| QED316 48" 8' | Surface Vertical Rod - Fire Rated | 8.4 | 4 | 48 | 48.5 | 16 | 8.2 | 48.5 | 7.25 | 3.75 |
| QED317 48"7' | SVR - Less Bottom Rod - Hex Dogging | 8.2 | 4 | 48 | 48.5 | 16 | 8.2 | 48.5 | 7.25 | 3.75 |
| QED317 48" 8' | SVR - Less Bottom Rod - Hex Dogging | 8.4 | 4 | 48 | 48.5 | 16 | 8.2 | 48.5 | 7.25 | 3.75 |
| QED318 48"7' | SVR - Less Bottom Rod - Cylinder Dogging | 8.2 | 4 | 48 | 48.5 | 16 | 8.2 | 48.5 | 7.25 | 3.75 |
| QED318 48" 8' | SVR - Less Bottom Rod - Cylinder Dogging | 8.4 | 4 | 48 | 48.5 | 16 | 8.2 | 48.5 | 7.25 | 3.75 |
| QED319 48"7' | SVR - Less Bottom Rod - Fire Rated | 8.4 | 4 | 48 | 48.5 | 16 | 8.2 | 48.5 | 7.25 | 3.75 |
| QED319 48" 8' | SVR - Less Bottom Rod - Fire Rated | 8.6 | 4 | 48 | 48.5 | 16 | 8.2 | 48.5 | 7.25 | 3.75 |
| | andard Duty Escutcheon Exit Trim | 0.0 | | 10 | 1015 | 10 | 0.2 | 10.5 | 7.25 | 5.75 |
| QET320 | Dummy Escutcheon Lever | 2.25 | 12 | 324 | 16.81 | 14.25 | 9.13 | 8.27 | 5.34 | 3.34 |
| QET325 | Dummy Escutcheon Pull | 1.9 | 6 | 162 | 14.9 | 10.35 | 8.7 | 14.37 | 3.15 | 3.86 |
| QET330 | Passage Escutcheon Lever | 2.8 | 12 | 324 | 16.81 | 14.25 | 9.13 | 8.27 | 5.34 | 3.34 |
| QET360 | Keyed Escutcheon Lever (Classroom) | 2.8 | 12 | 324 | 16.81 | 14.25 | 9.13 | 8.27 | 5.34 | 3.34 |
| QET365 | Thumbpiece Escutcheon Pull | 3.1 | 6 | 162 | 14.9 | 10.35 | 8.7 | 14.37 | 3.15 | 3.86 |
| QET367 | Thumbpiece Dummy Escutcheon Pull | 1.9 | 6 | 162 | 14.9 | 10.35 | 8.7 | 14.37 | 3.15 | 3.86 |
| QET370 | Night Latch Escutcheon Lever (Storeroom) | 2.8 | 12 | 324 | 16.81 | 14.25 | 9.13 | 8.27 | 5.34 | 3.34 |
| QET375 | Night Latch Pull (Storeroom) | 1.9 | 6 | 162 | 14.9 | 10.35 | 8.7 | 14.37 | 3.15 | 3.86 |
| QET377 | Gull Wing Trim (Storeroom) | 1.7 | 12 | 324 | 16.81 | 14.25 | 9.13 | 8.27 | 5.34 | 3.34 |
| QET390 | Flat/Blank Escutcheon Plate | 1.4 | 6 | 162 | 14.9 | 10.35 | 8.7 | 14.37 | 3.15 | 3.86 |
| | andard Duty Round Rose Trim | 1.7 | 0 | 102 | 14.2 | 10.55 | 0.7 | 17.57 | 5.15 | 5.00 |
| QRT320 | Dummy Round Rose | 2.07 | 12 | 432 | 14 | 11.75 | 7.5 | 7.5 | 6.75 | 3.75 |
| QRT330 | Passage Round Rose | 2.07 | 12 | 432 | 14 | 11.75 | 7.5 | 7.5 | 6.75 | 3.75 |
| ORT360 | Entry Round Rose (Classroom) | 2.8 | 12 | 432 | 14 | 11.75 | 7.5 | 7.5 | 6.75 | 3.75 |
| QRT361 | Entry Round Rose SFIC (Classroom) | 2.8 | 12 | 432 | 14 | 11.75 | 7.5 | 7.5 | 6.75 | 3.75 |
| QRT370 | Night Latch Round Rose (Storeroom) | 2.8 | 12 | 432 | 14 | 11.75 | 7.5 | 7.5 | 6.75 | 3.75 |
| QRT371 | Night Latch Round Rose SFIC (Storeroom) | 2.8 | 12 | 432 | 14 | 11.75 | 7.5 | 7.5 | 6.75 | 3.75 |
| DOOR CLOSERS | | 210 | 12 | 152 | | 11.75 | 7.15 | 7.15 | 0175 | 5.75 |
| Doon CLOSENS | | | Extra Du | itv | | | | | | |
| 0DC111 | Tri-pack | 12.3 | 3 | 126 | 14.25 | 16.5 | 6 | 14.25 | 5.5 | 6 |
| QDC112 | Tri-pack with Hold Open | 13.3 | 1 | 138 | 14.25 | 5.5 | 7 | 14.25 | 5.5 | 7 |
| QDC113 | Extra Duty Arm with Compression Stop | 14 | 1 | 138 | 14.25 | 5.5 | 7 | 14.25 | 5.5 | 7 |
| QDC114 | Extra Duty Arm with Hold Open and Compression Stop | 14 | 1 | 115 | 14.25 | 5.5 | 8 | 14.25 | 5.5 | 8 |
| QDC115 | Extra Duty Arm | 13.6 | 1 | 138 | 14.25 | 5.5 | 7 | 14.25 | 5.5 | 7 |
| QDC116 | Extra Duty Arm with Hold Open | 13.8 | 1 | 138 | 14.25 | 5.5 | 7 | 14.25 | 5.5 | 7 |
| QDCTTO | | 15.0 | Heavy D | | 14.23 | J.J | 1 | 14.23 | 5.5 | / |
| QDC211 | Tri-pack | 6.6 | 6 | 180 | 14.25 | 15.75 | 7.5 | 13.5 | 4.875 | 3.25 |
| QDC212 | Tri-pack with Hold Open | 8 | 6 | 180 | 14.25 | 15.75 | 7.5 | 13.5 | 4.875 | 3.25 |
| | · · · · · · · · · · · · · · · · · · · | | | | | | | | | |
| QDC213 | Heavy Duty Arm with Compression Stop | 8.5 | 3 | 216 | 14.25 | 15.75 | 7.5 | 13.375 | 7.875 | 3.25 |
| QDC214 | Heavy Duty Arm with Hold Open and Compression Stop | 8.7 | 3 | 216 | 14.25 | 15.75 | 7.5 | 13.375 | 7.875 | 3.25 |
| | L | т | Standard | , ' , | | | | 1 | | |
| QDC311 | Tri-pack | 6.3 | 6 | 180 | 14.25 | 15.75 | 7.5 | 13.5 | 4.875 | 3.25 |
| QDC312 | Tri-pack with Hold Open | 7.7 | 6 | 180 | 14.25 | 15.75 | 7.5 | 13.5 | 4.875 | 3.25 |
| QDC313 | Heavy Duty Arm with Compression Stop | 8.2 | 3 | 216 | 14.25 | 15.75 | 7.5 | 13.375 | 7.875 | 3.25 |
| QUESTS | Heavy Duty Arm with Hold Open and | 1 | | | | | | | | |

QUOTING & ORDERING

Price quotations are based on one (1) shipment to one (1) location, and are valid as identified in the quote but in no case longer than <u>one year</u> from the date of the quote. All exceptions will be evaluated on an individual basis.

All quotation requests will be provided by the dormakaba USA Inc. ("dormakaba USA") Representative where the project is located.

QUOTING PROCESS AND PROCEDURES: The following information is necessary to secure a price quotation from dormakaba USA.

- Distributor Name
 Bid Date
- Distributor Location
- Architects Name, Phone Number and
- Distributor Contact Name and Phone Number
- Architects Location
 Specification Writer Name, Phone Number and Location
- Distributor e-mail contactProject NameProject Location
- Competitive Influence / Specification
- List of materials to be quoted

Every attempt will be made by dormakaba USA to provide the price quotation in a timely manner. Upon completion, you will receive a copy of the quotation which will also include a valid quotation number. Once the project is secured, a copy of the quotation must accompany your purchase order and be forwarded to dormakaba USA Customer Service Department in Indianapolis for processing.

NON-STANDARD PRODUCT REQUEST: Please contact your dormakaba USA Representative to complete a Non-Standard Product Request Form.

All requests should be submitted to the following email address: **Email: product.request.us@dormakaba.com**

Upon receipt of a special order request, dormakaba USA will review the configuration and determine if dormakaba USA is capable of making the special order product and will provide a response to the customer. If dormakaba USA is able to make the special order product, dormakaba USA will provide a specific sku/configuration to the customer for the special order product. This sku/configuration must be identified on all Purchase Orders. In addition, the Purchase Order must be marked as a "Special Order".

ORDERING: The following information is required for dormakaba USA to successfully process any order:

- Itemized Purchase Order (PO)
- dormakaba USA Approved Quote

Please send all orders to BAS-orderentry.us@dormakaba.com or by fax to 877-835-1030

NOTE: For detailed information on how to place an order for dormakaba USA products as well as BEST masterkey services please see the detailed section regarding "Best Ordering".

ADD ON ORDERS FOR QUOTED PROJECTS: To place an add-on order from a quoted project the Distributor must include the original quote, PO number and/or dormakaba USA's original order number. Add-On orders will be accepted for a period one (1) year from the original order date. Add-On orders received that are outside of the aforementioned period will be forwarded to the dormakaba USA Representative for re-quote.

STOCKING ORDERS: All orders for stock replenishment should be marked as "Stock" and indicate a "Ship To" address that coincides with the stocking Distributor warehouse location.

INCOMPLETE ORDER PROCESS: All orders are screened upon receipt for complete information. If an order is received incomplete, dormakaba USA Customer Service will make one (1) attempt to contact a Distributor directly for the missing requirements. If the information is not made available to dormakaba USA at that time the order will be referred to the local dormakaba USA Representative for resolution. All incomplete orders will be cancelled if not resolved after fourteen (14) calendar days.

PRICE DISCREPANCY PROCESS: All entered orders are reviewed by dormakaba USA Customer Service for accuracy and pricing consistency between the Distributor and dormakaba USA. Any order determined by dormakaba USA, in its sole and absolute discretion, to have a value greater than the Total Price shown on the Distributor purchase order will be held by dormakaba USA for a Price Discrepancy. dormakaba USA quotes are also reviewed to ensure that they are complete, approved, and match the PO. Due to pricing sensitivity, all price discrepancies must be resolved exclusively by your dormakaba USA Representative.

ORDER CANCELLATION/CHANGES: All requests for Order Cancellations and Changes (Quantity, Shipping, Finish, Function, etc) should be sent directly to dormakaba USA Customer Service. Requests via phone will be accepted, but must be accompanied by a written request. Factory Order Number, PO Number, Account Info, and Detailed Changes must be clearly indicated. Change requests can be submitted via the following methods:

Email: BAS-cshelp.us@dormakaba.com Fax: 1-877-835-1030

All order cancellations or changes will be subject to a cancellation fee as defined in dormakaba USA's Terms and Conditions of Sale.

PRODUCTION SCHEDULING AND "DO NOT SHIP BEFORE"

REQUESTS: All orders are scheduled for production and shipping based on current production lead times and availability. Scheduling is completed only when an order is released from both credit and pricing review.

Exceptions to this policy are made only when the PO is clearly marked: "Do Not Ship Before" followed by the date. (*Required Date, Expected Date, etc. do not apply*) These orders will be scheduled to ship on or after the date listed.

QUOTING & ORDERING (continued)

Changes to "Do Not Ship Before" dates are required in writing and should be sent to: BAS-cshelp.us@dormakaba.com.

Be advised, orders not clearly marked with a "Do Not Ship Before" designation will be payable within normal terms from the actual shipment date.

EXPEDITE REQUESTS:

• Expedite requests will be reviewed and accommodated by dormakaba USA based on production lead times and availability.

Email: BAS-expediterequest.us@dormakaba.com

• See the then current dormakaba USA Quick Ship Program for details.

WHOLESALE PURCHASE: Distributors are also free to utilize dormakaba USA's Authorized Wholesalers to purchase product. dormakaba USA does not make any guarantee of availability or pricing for purchases from an Authorized Wholesaler and the discounts afforded to Distributor by dormakaba USA shall not apply to purchases from an Authorized Wholesaler. The terms and conditions and price of product shall be as mutually agreed between Distributor and Wholesaler.

RETURN AUTHORIZATION FORM REQUEST

| Return for Replacement | □ <u>Return for Credit</u> | |
|-------------------------------------|----------------------------|--|
| Date of Request: Original Order: | | NATURE OF PROBLEM |
| Date of Request: | | |
| Original P.O.: | | Manufacturing Defect |
| Invoice #: | | Warranty Evaluation |
| Customer Name: | | Missing Parts |
| Account Number: | | Wrong Material Received |
| Address: | | Wrong Material Ordered |
| City: | | Wrong Quantity |
| State: | Zip: | Return Inventory |
| Contact Name: | | □ Other: |
| E-mail: | | NOTE: All returns shall be subject to dormakaba USA Inc.'s |
| Phone: | | current Terms of Sale and Warranty as outlined in the price catalog. |
| Ship Replacement Material | <u>to Address Above</u> | Ship Replacement Material to Address on Order |

DETAILED DESCRIPTION OF DEFECT OR REASON FOR RETURN

| RETURN MATERIAL | | | | | | | | | | | | |
|-----------------|---|--|--|--|--|--|--|--|--|--|--|--|
| Line Item # | ne Item # Quantity Product Nomenclature Product Description | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |

Please e-mail completed form to BAS-rgacreditgrp.us@dormakaba.com or Fax to 1-877-835-1030

RETURNED AUTHORIZATION (RA)

RA REQUESTS: A Return Authorization Form ("RA") must be utilized to return defective products <u>still under warranty</u> or products deemed repairable by dormakaba USA Inc. ("dormakaba USA"). All products returned to dormakaba USA must have a correct Return Authorization (RA) number applied to the outside of the shipping carton. All products must be returned within sixty (60) calendar days of RA issue date. This process can take up to seven (7) days after product is received at dormakaba USA's factory. If a defective product presents a security risk, an advance replacement may be requested.

RA PROCESS: Requests for warranty related returns can be initiated by submitting an e-mail to

BAS-rgacreditgrp.us@dormakaba.com.

The RA Request Form must be completed entirely to process an RA. The following information will be needed:

- End User Name
 Sales Order Number
 - Item Number
- Account NumberContact NamePhone Number
- Description of the Problem

Item Quantity

- Purchaser Order Number
- 1. Upon review and approval of the submitted RA request, a claim number is logged and provided back to the requestor by a dormakaba USA Team member.
- Once a claim number is issued, this number should be noted on all references and communications regarding the applicable situation to ensure a claim is easily identified.
- Defective product should be returned to the address below. The shipment must be marked with the approved RA claim number to ensure prompt processing and attention. All shipping charges prepaid by customer.

dormakaba USA Inc. Attn: Returns Department 6161 East 75th Street Indianapolis, IN 46250

- 4. When material is received at dormakaba USA's factory, dormakaba USA will assess and determine the nature of the defect.
- 5. Defective goods are replaced upon dormakaba USA's determination.
- 6. Credit for material and freight is issued only if deemed appropriate by dormakaba USA. If approved, credit is initiated and a credit memo is mailed to the Distributor within fifteen (15) business days.

PURCHASE ORDERS:

A Purchase Order (PO) will be required if the Product is:

- 1. Defective and <u>not</u> under warranty, or
- 2. An advance replacement is required <u>without</u> verification of whether the product is defective and under warranty.

Please send Purchase Orders to the following:

- Preferred Method e-mail:
- BAS-rgacreditgrp.us@dormakaba.com
- Fax: 1-877-835-1030

RETURNED AUTHORIZATION (RA) NON-WARRANTY

RA POLICY: A Return Authorization Form ("RA") must be utilized to return products that are not defective and otherwise in a resalable condition. Only goods with an invoice date of less than one (1) year will be considered for a non-warranty related return. All materials returned to dormakaba USA Inc. ("dormakaba USA") for any reason (other than warranty), must have a correct RA number applied to the outside of the shipping carton. A thirty percent (30%) re-stocking charge (of the purchase price) will be applied to the Distributor's account for orders returned, including orders that were placed by customer in error. Transportation charges of returned goods must be prepaid by the Distributor. All goods must be returned within sixty (60) calendar days of RA issue date. All goods must be returned in original packaging and be in resalable condition. Product not returned in saleable condition is subject to disposal by dormakaba USA with no credit issued. Commercial Hardware items that are special made to order items will not be returned under any circumstances.

RA PROCESS: Requests for non-warranty related returns can be initiated by submitting an e-mail to **BAS-rgacreditgrp.us@dormakaba.com**.

The RA Request Form must be completed entirely to process an RA. The following information will be needed:

- Company Name
 Sales Order Number
- Account Number
 Item Number
 - Contact Name Item Quantity
 - Description of the Problem
- Purchaser Order Number

Phone Number

•

.

- Upon review and approval of the submitted RA request, a claim number is logged and provided back to the requestor by a dormakaba USA Team member:
 Once a claim number is issued, this number should be noted an all references.
- 2. Once a claim number is issued, this number should be noted on all references and communications concerning said RA.
- 3. Product should be returned to the address below. The shipment must be marked with the approved RA claim number to ensure prompt processing and attention. All shipping charges prepaid by customer.

dormakaba USA Inc. Attn: Returns Department 6161 East 75th Street Indianapolis, IN 46250

- 4. The RA will be processed once material is received at dormakaba USA's factory provided it is received in its original packaging and is in saleable condition.
- 5. Credit is issued to the Distributor account and a credit memo is mailed to the Distributor.

FULFILLMENT ISSUES

Any quality issues (missing parts, wrong parts, handing, finish, etc) should be submitted electronically to: BAS-rgacreditgrp.us@dormakaba.com or your Local dormakaba USA Representative.

Please reference your original Purchase Order (PO) Number, Factory Order Number, Distributor Account, Contact Information (E-mail/Fax), and include a detailed description of the issue.

1) ITEMS MISSING FROM A SHIPMENT: If you have signed your shipment short, dormakaba USA Customer Service will promptly issue a No Charge replacement order for the missing products.

If the shipment was not signed short but after review, dormakaba USA Customer Service determines (based on shipping weights, packing lists, etc) that the order was indeed shipped short, a No Charge replacement will be issued.

If dormakaba USA Customer Service cannot verify a shipping error, an advance replacement order will be entered, charged, and expedited to the Distributor. The quality issue will be forwarded to the Return Authorization Credit Group for resolution.

If it is determined that the item was omitted from the order due to a dormakaba USA order entry error, a change order will be entered and expedited for the missing products.

Please see price book for further detail.

2) WRONG ITEMS RECEIVED (parts, handing, function, finish, etc):

Advanced replacements will be issued for any wrong items received. Such orders will be charged based on pricing/ discounts from the original order. The issue will be forwarded to dormakaba USA's Return Authorization Credit Group for resolution.

Any quality issue that is determined to be either a dormakaba USA order entry and/or manufacturing error will have an advanced replacement order entered and will be expedited. An RA will be issued to return the incorrect products. No re-stock fee will apply for dormakaba USA order entry and/or manufacturing errors.

| UMMARY) | SE ONLY | | DATE: | DATE: | DATE: | PCR/BID#: | C. | | DETAILED NOTES & INFORMATION | Additional Details to Complete Order | | | | | | | | |
|-----------------------------|---|----------------|------------------|----------------|----------------------|---------------------------------|------------------------------------|---------------------|------------------------------|---|--------|--|------|------|------|------|--|--|
| (ATTACH KEY SYSTEM SUMMARY) | dormakaba USA Inc. USE ONLY | | | | | | SPECIAL INSTRUCTIONS/JOB NAME ETC. | • | | Net Price (Auto Fill) | | | | | | | | |
| (ATTA0 | op | DER #: | ITED BY: | BY: | BY: | 'PE: | SPECIAL IN | PROCESSING | MULTIPLIER | List Price (Required) | | | | | | | | |
| | | SALES ORDER #: | RED'D/EDITED BY: | ENTERED BY: | VERIFIED BY: | ORDER TYPE: | | PROCES | | MK Symbol(s) | | | | | | | | |
| | NTACT: | | | | :#: | | | | GURATION | Key Symbol(s) | | | | | | | | |
| ORDER | FOR ADDITIONAL INFORMATION, CONTACT: | | | | QUOTE #: | | SS | MATION FOR ORDERING | KEYING CONFIGURATION | Door/Unit Markings or Key Groups | | | | | | | | |
| 0 R | | | | | ORDER #: | | ame & Addre | MATION | | Keying | | | | | | | | |
| SE | FOR ADE | NAME: | PHONE: | E-MAIL: | PURCHASE | | SHIP TO: Customer Name & Address | ••• REQUIRED INFOR | | Кеумау | | | | | | | | |
| PURCHASE | ü | | | | REQUESTED SHIP DATE: | | SHIP TO | | | | Strike | | | | | | | |
| RC | CUSTOMER SERVICE: | 5-2407 | ERS TO: | 5-1030 | REQUESTED | | | • • • RE | CODES | Latch | | | | | | | | |
| PC | ISTOME | (855) 365-2407 | FAX ORDERS TO: | (877) 835-1030 | DATE WRITTEN: | | SS | | CRIPTION | Finish | | | | | | | | |
| | C | | | | DATE W | | me & Addre | | PRODUCT DESCRIPTION CODES | Style | | | | | | | | |
| | CUS BILL TO CUSTOMER ID: SOLD TO: Customer Name & Address | | TO: Customer Nai | | PROI | Series/ Function (Part #) | | | | | | | | | | | | |
| | | | SOLD - | | | Qty | | | | | | | | | | | | |
| | | | | | BII | | | | | Line Item | | | | | | | | |

| NO | | | | | | | | | | | | | | |
|------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|----------------------|
| DETAILED NOTES & INFORMATION | Additional Details to Complete Order | | | | | | | | | | | | | JOB NAME: |
| • | Net Price (Auto Fill) | | | | | | | | | | | | | 1 |
| ·LIER | List Price (Required) | | | | | | | | | | | | | |
| | MK Symbol(s) | | | | | | | | | | | | | RITTEN: |
| | Key Symbol(s) | | | | | | | | | | | | | DATE WRITTEN: |
| | Door/Unit Markings or Key Groups | | | | | | | | | | | | | PURCHASE ORDER #: |
| CODES CODES KEYING | Keying | | | | | | | | | | | | | PURCHAS |
| | Кеумау | | | | | | | | | | | | | CUSTOMER NAME: |
| | Strike | | | | | | | | | | | | | CUSTON |
| CODES | Latch | | | | | | | | | | | | | er id: |
| CRIPTION C | Finish | | | | | | | | | | | | | BILL TO CUSTOMER ID: |
| PRODUCT DESCRIPTION CODES | Style | | | | | | | | | | | | | BILLTC |
| PRO[| Series/ Function (Part #) | | | | | | | | | | | | | |
| | Qty | | | | | | | | | | | | | |
| | Line Item | | | | | | | | | | | | | |

Keying System Summary

| SHEET | DATE: | PURCHASE ORE | SALES ORDEI | ALES ORDER #: | | |
|--|--|----------------------------------|-------------------|--|--------|--|
| 1 of 2 | | | | | | |
| SOL | D TO: | | SHIF | , РТО: | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| 1. JOB NAME | & ADDRESS | | 5. KEY Q | UANTITY | | |
| | | MASTER LEVEL | STA | MP | QTY | |
| | | GGM | . | | | |
| | | GM | <u>.</u> | | | |
| | | | | | | |
| 2. SYSTEI | M STATUS | | ר | | | |
| NEW | EXISTING | | | •••••• | •••••• | |
| | | | | | | |
| 3. SYSTI | | | •••••• | | | |
| SKD | Maison (Cross Keying) | OTHER | | | | |
| МК | CK (Construction Keying) | OTHER | | | | |
| GMK | | | | | | |
| | | | | | | |
| GGMK | | CHANGE KEYS* | OCUCET | | QTY | |
| 4. K | EYS | PER CYLINDER/L PER KEYED ALIK | | | | |
| KEYWAY SELECTION | | | | dard per lockset/cylinder | | |
| KWIKSET | YALE - GA | Key bla | nks cannot be sub | dard per lockset/cylinder. sstituted for cut keys | | |
| WEISER | SARGENT - LA | | 6. CROSS | KEYING | | |
| | | KEY SYMBOL | TO BE O | PERATED BY (OBY) | | |
| SCHLAGE - C | SFIC - F (IC CORE) | | | | | |
| KEY & CYL STAMPING | | | | | | |
| VKC0 No Bitting or Key Set Stamping on Keys | CKC2 Concealed Key Control Cylinders & VKC Keys | | ••••• | | | |
| | Can analad Kau Cantral | | ••••• | | | |
| | | | | | | |
| VKC2 Special Stamping (other than standard symbols) | DND Do Not Duplicate (Keys Stamped) | | ····· | | | |
| VKC3 Visual Key Control (Cylinder face only - | - Keys: up to 6 characters | | | | | |
| levers & deadbolts) VKC4 Visual Key Control (Keys & Cylinder face) | - Cylinder face: Up to 4 characters - Cylinder side: Up to 6 characters | | | | | |
| (Keys & Cylinder face) | | | | | | |

Keying System Summary

| SHEET 2 of 2 | DATE: | PURCHASE ORDER #: | SALES ORDER #: |
|--|-----------------------|---|------------------------|
| SOLD | TO: | 10. BITT | 'ING LIST |
| | | PROVIDE BITTING LIST F | OR THIS ORDER: |
| 7. PACKAGING | & MARKINGS | | TION: |
| PACK CHANGE KEYS LOCKS/CYLINDERS (S PACK CHANGE KEYS LABEL ENVELOPES: | STANDARD) | MAIL BITTING LIST TO: | |
| KEY SYMBOL JOB NAME *MARKINGS FOR OTHER: | DOOR NUMBER OTHER* | ATTENTION: | |
| SHIP CHANGE KEYS TO: | | NAME OF INDIVIDUAL IN YO IS KNOWLEDGEABLE ABOU ANY CLARIFICATION BY NEW | T THIS PROJECT, SHOULD |
| ATTENTION: | | NAME: FAX #: PHONE #: | |
| SHIP MASTER KEYS TO: | | THIS FORM HAS BEEN COM | |
| ATTENTION: | | | RMATION (ATTACH) |
| 9. SHIPPING INSTRUCTIONS | | | |
| ATTENTION: | | | |



6161 East 75th Street Indianapolis, IN 46250 USA

Phone 855-365-2407

stanleyhardwarefordoors.com



dormakaba.com